

Mario Alberto Macas Lpez

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/8497655/mario-alberto-macias-lopez-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

469
citations

12
h-index

16
g-index

82
ext. papers

594
ext. citations

2.8
avg, IF

4
L-index

#	Paper	IF	Citations
76	X-ray diffraction, Raman spectrum and magnetic susceptibility of the magnetic semiconductor Cu ₂ FeSnS ₄ . <i>Solid State Communications</i> , 2011 , 151, 947-951	1.6	46
75	One-Step Synthesis of Fully Functionalized Pyrazolo[3,4-b]pyridines via Isobenzofuranone Ring Opening. <i>Journal of Organic Chemistry</i> , 2017 , 82, 12674-12681	4.2	26
74	A NaY zeolite synthesized from Colombian industrial coal by-products: Potential catalytic applications. <i>Catalysis Today</i> , 2012 , 190, 61-67	5.3	18
73	Magnetic properties for the Cu ₂ MnSnSe ₄ and Cu ₂ FeSnSe ₄ compounds. <i>Journal of Physics and Chemistry of Solids</i> , 2010 , 71, 993-998	3.9	18
72	Raman spectra of Cu ₂ BiCIV X ₄ VI magnetic quaternary semiconductor compounds with tetragonal stannite type structure. <i>Journal of Applied Physics</i> , 2015 , 117, 205701	2.5	17
71	Photophysical and crystallographic study of three integrated pyrazolo[1,5-a]pyrimidine-triphenylamine systems. <i>Dyes and Pigments</i> , 2021 , 184, 108730	4.6	17
70	Voltammetric determination of amaranth and tartrazine with a new double-stranded copper(I) helicate-single-walled carbon nanotube modified screen printed electrode. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 822, 95-104	4.1	17
69	Synthesis and in vitro Antifungal Evaluation of Novel N-Substituted 4-Aryl-2-methylimidazoles. <i>ChemistrySelect</i> , 2018 , 3, 5220-5227	1.8	15
68	Synthesis and characterization of a new copper(II) polymer containing a thiocyanate bridge and its application in dopamine detection. <i>Inorganica Chimica Acta</i> , 2017 , 459, 95-102	2.7	14
67	Synthesis, crystal structure, catalytic and anti-Trypanosoma cruzi activity of a new chromium(III) complex containing bis(3,5-dimethylpyrazol-1-yl)methane. <i>Journal of Molecular Structure</i> , 2017 , 1146, 365-372	3.4	13
66	Water-Compatible Synthesis of 1,2,3-Triazoles under Ultrasonic Conditions by a Cu(I) Complex-Mediated Click Reaction. <i>ACS Omega</i> , 2020 , 5, 30148-30159	3.9	13
65	Polymers of ε-Caprolactone Using New Copper(II) and Zinc(II) Complexes as Initiators: Synthesis, Characterization and X-Ray Crystal Structures. <i>Polymers</i> , 2018 , 10,	4.5	12
64	Synthesis and characterization of copper(II) complexes containing acetate and N,N-donor ligands, and their electrochemical behavior in dopamine detection. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 805, 60-67	4.1	11
63	Ultra-trace (parts per million-ppm) W ⁶⁺ dopant ions induced anatase to rutile transition (ART) of phase pure anatase TiO ₂ nanoparticles for highly efficient visible light-active photocatalytic degradation of organic pollutants. <i>Applied Surface Science</i> , 2018 , 456, 676-693	6.7	11
62	Synthesis and preliminary study of La ₄ BaCu ₅ O ₁₃ and La _{6.4} Sr _{1.6} Cu ₈ O ₂₀ ordered perovskites as SOFC/PCFC electrode materials. <i>Solid State Ionics</i> , 2016 , 288, 68-75	3.3	11
61	Lattice parameter values and phase transitions for the Cu ₂ Cd _{1-x} Mn _x SnSe ₄ and Cu ₂ Cd _{1-x} Fe _x SnSe ₄ alloys. <i>Journal of Alloys and Compounds</i> , 2009 , 486, 212-218	5.7	9
60	Synthesis of 1-aryl-3-methylsulfanyl-5-amino-1,2,4-triazoles and their analysis by spectroscopy, X-ray crystallography and theoretical calculations. <i>Journal of Molecular Structure</i> , 2021 , 1226, 129317	3.4	9

59	Influence of the synthesis route on the formation of 12R/10H-polytypes and their magnetic properties within the Ba(Ce,Mn)O ₃ family. <i>New Journal of Chemistry</i> , 2015 , 39, 829-835	3.6	8
58	Novel chemoenzymatic synthesis of an enantiopure allo-inosamine hexaacetate from benzyl azide. <i>Tetrahedron Letters</i> , 2016 , 57, 2484-2487	2	8
57	Structural characterization of a fluorescein hydrazone molecular switch with application towards logic gates. <i>New Journal of Chemistry</i> , 2018 , 42, 18050-18058	3.6	8
56	Copper(II) Complexes with Tridentate Bis(pyrazolylmethyl)pyridine Ligands: Synthesis, X-ray Crystal Structures and γ -Caprolactone Polymerization. <i>ChemistrySelect</i> , 2017 , 2, 9815-9821	1.8	7
55	Protective coatings for AISI 430 stainless steel at high temperatures using perovskite oxides La _{0.6} Sr _{0.4} CoO ₃ on spinel type oxide NiFe ₂ O ₄ . <i>Ceramics International</i> , 2015 , 41, 14561-14573	5.1	7
54	Raman spectrum of Cu ₂ CdSnSe ₄ stannite structure semiconductor compound. <i>Superlattices and Microstructures</i> , 2015 , 88, 99-103	2.8	7
53	Inhibition of Dimorphic Switch by Cobalt(II) Complexes with Ligands Derived from Pyrazoles and Dinitrobenzoate: Synthesis, Characterization and Biological Activity. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
52	Synthesis of Pyrrolo[2,3]-isoquinolines via the Cycloaddition of Benzyne with Arylideneaminopyrroles: Photophysical and Crystallographic Study. <i>ACS Omega</i> , 2019 , 4, 17326-17339	3.9	7
51	Synthesis and characterization of BaGa ₂ O ₄ and Ba ₃ Co ₂ O ₆ (CO ₃) _{0.6} compounds in the search of alternative materials for Proton Ceramic Fuel Cell (PCFC). <i>Solid State Sciences</i> , 2017 , 71, 61-68	3.4	7
50	Structural and microstructural characterization of tin(II) oxide useful as anode material in lithium rechargeable batteries obtained from a different synthesis route at room temperature. <i>Materials Research</i> , 2011 , 14, 172-177	1.5	7
49	Metal complex derivatives of bis(pyrazol-1-yl)methane ligands: synthesis, characterization and anti-Trypanosoma cruzi activity. <i>Transition Metal Chemistry</i> , 2019 , 44, 135-144	2.1	7
48	Study of La ₄ BaCu _{5-x} Co _x O _{13+δ} series as potential cathode materials for intermediate-temperature solid oxide fuel cell. <i>Solid State Ionics</i> , 2018 , 326, 116-123	3.3	7
47	Catalyst- and solvent-free synthesis of 2-fluoro-N-(3-methylsulfanyl-1H-1,2,4-triazol-5-yl)benzamide through a microwave-assisted Fries rearrangement: X-ray structural and theoretical studies. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2019 , 75, 359-371	0.8	6
46	A series of (E)-5-(arylideneamino)-1-tert-butyl-1H-pyrrole-3-carbonitriles and their reduction products to secondary amines: syntheses and X-ray structural studies. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 82-93	0.8	6
45	General Method for the Synthesis of (-)-Conduritol C and Analogs from Chiral Cyclohexanediol Scaffolds. <i>Molecules</i> , 2018 , 23,	4.8	6
44	Synthesis, biological evaluation and X-ray crystallographic analysis of novel (E)-2-cyano-3-(het)arylacrylamides as potential anticancer agents. <i>Journal of Molecular Structure</i> , 2021 , 1244, 130944	3.4	6
43	Total Synthesis of Gabosine H and Two Non-natural Gabosines. <i>Synthesis</i> , 2017 , 49, 565-570	2.9	5
42	Cu(II) and Zn(II) Complexes with Dinitrobenzoates and Pyrazolyl Ligands: Structural and Thermal Stability Influence of NH ₂ Moiety. <i>Crystal Growth and Design</i> , 2019 , 19, 3348-3357	3.5	5

41	Water Dissociation of a Dinuclear Bis(3,5-dimethylpyrazolyl)methane Copper(II) Complex: X-ray Diffraction Structure, Magnetic Properties, and Characteristic Absorption of the (Cu ₂ N ₂ Cl ₂) ₂ Core. <i>European Journal of Inorganic Chemistry</i> , 2018 , 2018, 3644-3651	2.3	5
40	Structure and magnetic properties of Ba ₅ Ce _{1.25} Mn _{3.75} O ₁₅ , a new 10H-polytype in the Ba ₅ Ce ₃ Mn ₁₅ O ₄₅ system. <i>Journal of Solid State Chemistry</i> , 2013 , 198, 186-191	3.3	5
39	Coordination Polymers Containing 1,3-Phenylenebis-((1H-1,2,4-triazol-1-yl)methanone) Ligand: Synthesis and ϵ -Caprolactone Polymerization Behavior. <i>Molecules</i> , 2017 , 22,	4.8	4
38	Magnetic properties for the Mn ₂ GeTe ₄ compound. <i>Journal of Magnetism and Magnetic Materials</i> , 2009 , 321, 295-299	2.8	4
37	Raman spectra study on Cu ₂ MnGeS ₄ magnetic quaternary semiconductor with orthorhombic wurtz-stannite crystal structure. <i>Physica Status Solidi (B): Basic Research</i> , 2016 , 253, 335-339	1.3	4
36	Intermolecular interaction energies and molecular conformations in N-substituted 4-aryl-2-methylimidazoles with promising in vitro antifungal activity. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2019 , 75, 1197-1207	1.8	4
35	Study of applicability in an aqueous paint of the blue pigment YIn _{0.95} Mn _{0.05} O ₃ . <i>Dyes and Pigments</i> , 2018 , 156, 17-25	4.6	3
34	Study of La ₄ BaCu _{5-x} Mn _x O ₁₃ + δ materials as potential electrode for symmetrical-SOFC. <i>Solid State Ionics</i> , 2019 , 341, 115031	3.3	3
33	Crystal structure and absolute configuration of (3aS,4S,5R,7aR)-2,2,7-trimethyl-3a,4,5,7a-tetra-hydro-1,3-benzodioxole-4,5-diol. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015 , 71, 1013-6	0.7	3
32	Unexpected PF ₆ Anion Metathesis during the Bischler-Napieralski Reaction: Synthesis of 3,4-Dihydroisoquinoline Hexafluorophosphates and Their Tetrahydroisoquinoline Related Alkaloids. <i>Synthesis</i> , 2019 , 51, 1949-1960	2.9	3
31	Synthesis and characterization of pure and Mn-substituted YA1.15(CO ₃) _y O ₃ + δ variation from the classical hexagonal δ -AlO ₃ . <i>Journal of Physics and Chemistry of Solids</i> , 2019 , 124, 199-204	3.9	3
30	Synthesis and X-ray powder diffraction data of 7-fluoro-2-exo-(2-methylpropen-1-yl)-2,3,4,5-tetrahydro-1,4-epoxybenzo[b]azepine. <i>Powder Diffraction</i> , 2013 , 28, 49-52	1.8	2
29	Crystal structure of 1,3-bis-(1H-benzotriazol-1-yl-meth-yl)benzene. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2016 , 72, 815-8	0.7	2
28	Crystal structure of ethyl (-)-2-cyano-3-(thio-phen-2-yl)acrylate: two conformers forming a discrete disorder. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017 , 73, 1287-1289	0.7	2
27	Grinding and Milling: Two Efficient Methodologies in the Solvent-Free Phosphomolybdic Acid-Catalyzed and Mechanochemical Synthesis of cis-4-Amido-N-yl-2-methyl-tetrahydroquinolines. <i>Journal of the Brazilian Chemical Society</i> , 2016 ,	1.5	2
26	Crystal structures of five new substituted tetrahydro-1-benzazepines with potential antiparasitic activity. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016 , 72, 363-72	0.8	2
25	Novel complexes with ONNO tetradentate coumarin schiff-base donor ligands: x-ray structures, DFT calculations, molecular dynamics and potential anticarcinogenic activity. <i>BioMetals</i> , 2021 , 34, 119-140	2.4	2
24	Synthesis and X-ray crystallographic analysis of free base and hexafluorophosphate salts of 3,4-dihydroisoquinolines from the Bischler-Napieralski reaction. <i>New Journal of Chemistry</i> , 2021 , 45, 1565-1572	3.6	2

23	Observation of an infrequent enantiomer/conformer substitutional disorder in ethyl 13-ethyl-4-oxo-8,13-dihydro-4H-benzo[5,6]azepino[3,2,1-ij]quinoline-5-carboxylate heptane hemisolvate. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 1569-1575	0.8	2
22	Study of the Effect of Metal Complexes on Morphology and Viability of Embryonated <i>Toxocara canis</i> Eggs. <i>Vector-Borne and Zoonotic Diseases</i> , 2018 , 18, 548-553	2.4	2
21	Synthesis, characterization, and antibacterial activity of dibenzildithiocarbamate derivatives and Ni(II)Cu(II) coordination compounds. <i>Journal of Molecular Structure</i> , 2021 , 1245, 131109	3.4	2
20	Expedient ethanol quantification present in hydrocarbons and distilled spirits: Extending photophysical usages of the pyrazolo[1,5-a]pyrimidines. <i>Dyes and Pigments</i> , 2022 , 110299	4.6	2
19	Lattice parameters values and phase diagram for the Cu ₂ Zn _{1-x} Mn _x GeSe ₄ alloy system. <i>Journal of Alloys and Compounds</i> , 2014 , 614, 253-257	5.7	1
18	Synthesis and X-ray powder diffraction data of cis-4-(4-methoxyphenyl)-3-methyl-6-nitro-2-phenyl-1,2,3,4-tetrahydroquinoline. <i>Powder Diffraction</i> , 2013 , 28, 307-311	1.8	1
17	Synthesis and X-ray diffraction data of 6,8-dimethyl-cis-2-vinyl-2,3,4,5-tetrahydro-1H-benzo[b]azepin-4-ol and 8-chloro-9-methyl-cis-2-(prop-1-en-2-yl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-4-ol. <i>Powder Diffraction</i> , 2011 , 26, 346-349	1.8	1
16	Synthesis and X-ray powder diffraction data of N-benzyl-6-chloro-4-(4-methoxyphenyl)-3-methyl-1,2,3,4-tetrahydroquinoline. <i>Powder Diffraction</i> , 2012 , 27, 269-272	1.8	1
15	Intermolecular interaction energies and magnetic properties of spin-isolated multinuclear Cu complexes. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2020 , 76, 166-176	1.8	1
14	Studies via X-ray analysis on intermolecular interactions and energy frameworks based on the effects of substituents of three 4-aryl-2-methyl-1H-imidazoles of different electronic nature and their in vitro antifungal evaluation. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018 , 74, 1447-1458	0.8	1
13	Solvent-Free Microwave-Assisted Multicomponent Synthesis of 4 H -Chromenes Using Fe ₃ O ₄ -Based Hydrotalcites as Bifunctional Catalysts. <i>ChemistrySelect</i> , 2022 , 7,	1.8	1
12	The effect of molecular planarity and resonant effects on supramolecular structures of N-(5-pyrazolyl)imines by X-ray crystallographic analysis. <i>Journal of Molecular Structure</i> , 2022 , 1252, 132098	3.4	0
11	Influence of the haloaryl moiety over the molecular packing in N-phenacylbenzimidazoles crystallizing in the same space group. <i>Journal of Molecular Structure</i> , 2021 , 1230, 129869	3.4	0
10	Synthesis, thermal stabilities and solid state analysis of few selected tetrahydro-7H-indeno[2,1-c]quinoline derivatives. <i>Journal of Molecular Structure</i> , 2021 , 1233, 130095	3.4	0
9	Design, Synthesis, Crystal Structures, Computational Studies, in vitro and in silico Monoamine Oxidase-A&B Inhibitory Activity of Two Novel S-Benzyl Dithiocarbamates. <i>Journal of Molecular Structure</i> , 2022 , 133317	3.4	0
8	Crystal structure and absolute configuration of (4,5,6)-4,5,6-trihydroxy-3-methyl-cyclo-hex-2-enone (gabosine H). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2017 , 73, 606-609	0.7	
7	Three tetracyclic dibenzazepine derivatives exhibiting different molecular conformations, different patterns of intermolecular hydrogen bonding and different modes of supramolecular aggregation. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2017 , 73, 28-35	0.8	
6	Synthesis and X-ray diffraction data of 7-methyl-cis-2-(1Haphthyl)-2,3,4,5-tetrahydro-1H-benzo[b]azepin-4-ol. <i>Powder Diffraction</i> , 2011 , 26, S55-S57	1.8	

- 5 Phonons and Crystalline Structure of Hg_{1-x}CdxSe Alloys (0 Materials Research Society Symposia Proceedings, **2012**, 1372, 1
- 4 1-Hydroxynaphthalene-4-trifluoromethylphenyl chalcone and 3-hydroxy-4-trifluoromethylphenyl flavone: A combined experimental, structural, in vitro AChE, BChE and in silico studies. *Journal of Molecular Structure*, **2022**, 1253, 132253 3-4
- 3 Crystal structure and Hirshfeld surface analysis of lapachol acetate 80 years after its first synthesis. *Acta Crystallographica Section E: Crystallographic Communications*, **2019**, 75, 1362-1366 0-7
- 2 Crystal structure of 5-butyl-amino-3-methyl-1-(pyridin-2-yl)-1-pyrazole-4-carbaldehyde obtained from a microwave-assisted reaction using caesium carbonate as catalyst. *Acta Crystallographica Section E: Crystallographic Communications*, **2016**, 72, 1672-1674 0-7
- 1 Crystal structure and absolute configuration of (3a,3'a,7a,7'a)-2,2,2',2'-tetra-methyl-3a,6,7,7a,3'a,6',7',7'a-octa-hydro-4,4'-bi[1,3-benzodioxol-yl], obtained from a Pd-catalyzed homocoupling reaction. *Acta Crystallographica Section E: Crystallographic Communications*, **2017**, 73, 81-84 0-7