

Guo-Qiang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8497818/publications.pdf>

Version: 2024-02-01

68
papers

1,931
citations

218381

26
h-index

276539

41
g-index

68
all docs

68
docs citations

68
times ranked

1523
citing authors

#	ARTICLE	IF	CITATIONS
1	Raised solubility in SnTe by GeMnTe ₂ alloying enables converged valence bands, low thermal conductivity, and high thermoelectric performance. <i>Nano Energy</i> , 2022, 94, 106940.	8.2	22
2	Boosting the Thermoelectric Performance of PbSe from the Band Convergence Driven By Spin-Orbit Coupling. <i>Advanced Energy Materials</i> , 2022, 12, 2103287.	10.2	13
3	Optimized thermoelectric properties of Bi _{0.48} Sb _{1.52} Te ₃ /BN composites. <i>Journal of Materials Chemistry C</i> , 2022, 10, 3172-3177.	2.7	5
4	A high-efficiency GeTe-based thermoelectric module for low-grade heat recovery. <i>Journal of Materials Chemistry A</i> , 2022, 10, 7677-7683.	5.2	9
5	Spin-glass behavior and magnetocaloric properties of high-entropy perovskite oxides. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	10
6	Synergistically Optimized Thermal Conductivity and Carrier Concentration in GeTe by Bi-Se Codoping. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 14359-14366.	4.0	9
7	Origin of the unique thermoelectric transport in Mg ₃ (Sb,Bi) ₂ : absence of d-orbital bonding in crystal cohesion. <i>Journal of Materials Chemistry A</i> , 2022, 10, 11131-11136.	5.2	5
8	Enhancement of the efficiency and thermal stability of the double perovskite Cs ₂ AgInCl ₆ single crystal by Sc substitution. <i>Materials Advances</i> , 2022, 3, 4381-4386.	2.6	3
9	Synergistic Manipulation of Interdependent Thermoelectric Parameters in SnTe-AgBiTe ₂ Alloys by Mn Doping. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 29032-29038.	4.0	8
10	Band flattening and phonon-defect scattering in cubic SnSe-AgSbTe ₂ alloy for thermoelectric enhancement. <i>Materials Today Physics</i> , 2021, 16, 100298.	2.9	20
11	Enhanced thermoelectric performance of p-type sintered BiSbTe-based composites with AgSbTe ₂ addition. <i>Ceramics International</i> , 2021, 47, 725-731.	2.3	22
12	Designing High Entropy Structure in Thermoelectrics. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021, 36, 399.	0.6	2
13	Refined band structure plus enhanced phonon scattering realizes thermoelectric performance optimization in Cu-Mn codoped SnTe. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13065-13070.	5.2	30
14	Improved Thermoelectric Properties of BiSbTe-AgBiSe ₂ Alloys by Suppressing Bipolar Excitation. <i>ACS Applied Energy Materials</i> , 2021, 4, 2944-2950.	2.5	17
15	Anomalous Thermopower and High <i>ZT</i> in GeMnTe ₂ Driven by Spin's Thermodynamic Entropy. <i>Research</i> , 2021, 2021, 1949070.	2.8	4
16	Achieving High Thermoelectric Performance of n-Type Bi ₂ Te _{2.79} Se _{0.21} Sintered Materials by Hot-Stacked Deformation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 15429-15436.	4.0	18
17	Thermoelectric Performance Optimization and Phase Transition of GeTe by Alloying with Orthorhombic CuSbSe ₂ . <i>ACS Applied Energy Materials</i> , 2021, 4, 4242-4247.	2.5	14
18	Enhanced Thermoelectric and Mechanical Performances in Sintered Bi _{0.48} Sb _{1.52} Te ₃ -AgSbSe ₂ Composite. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 24937-24944.	4.0	23

#	ARTICLE	IF	CITATIONS
19	Ultralow thermal conductivity and improved ZT of CuInTe ₂ by high-entropy structure design. <i>Materials Today Physics</i> , 2021, 18, 100394.	2.9	21
20	Synergistic effects of B-In codoping in zone-melted Bi _{0.48} Sb _{1.52} Te ₃ -based thermoelectric. <i>Chemical Engineering Journal</i> , 2021, 420, 130381.	6.6	20
21	Improvement of thermoelectric properties of SnTe by Mn Bi codoping. <i>Chemical Engineering Journal</i> , 2021, 421, 127795.	6.6	20
22	Expand band gap and suppress bipolar excitation to optimize thermoelectric performance of Bi _{0.35} Sb _{1.65} Te ₃ sintered materials. <i>Materials Today Physics</i> , 2021, 21, 100544.	2.9	15
23	Broadening the optimum thermoelectric power generation range of p-type sintered Bi _{0.4} Sb _{1.6} Te ₃ by suppressing bipolar effect. <i>Chemical Engineering Journal</i> , 2021, 426, 131853.	6.6	16
24	Synergistically Optimized Thermoelectric and Mechanical Properties in p-Type BiSbTe by a Microdroplet Deposition Technique. <i>Energy Technology</i> , 2021, 9, 2001024.	1.8	1
25	Dramatically enhanced Seebeck coefficient in GeMnTe ₂ -NaBiTe ₂ alloys by tuning the Spin's thermodynamic entropy. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 17866-17872.	1.3	5
26	Entropy Engineering Realized Ultralow Thermal Conductivity and High Seebeck Coefficient in Lead-Free SnTe. <i>ACS Applied Energy Materials</i> , 2021, 4, 12738-12744.	2.5	10
27	Optimized Thermoelectric Properties of Bi _{0.48} Sb _{1.52} Te ₃ through AgCuTe Doping for Low-Grade Heat Harvesting. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 57514-57520.	4.0	19
28	Unusually high Seebeck coefficient arising from temperature-dependent carrier concentration in PbSe-AgSbSe ₂ alloys. <i>Journal of Materials Chemistry C</i> , 2021, 9, 17365-17370.	2.7	5
29	Enhanced Thermoelectric Properties of p-Type Bi _{0.48} Sb _{1.52} Te ₃ /Sb ₂ Te ₃ Composite. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 52922-52928.	4.0	18
30	Improved thermoelectric performance in PbSe-AgSbSe ₂ by manipulating the spin-orbit coupling effects. <i>Nano Energy</i> , 2020, 78, 105232.	8.2	22
31	Bi-Zn codoping in GeTe synergistically enhances band convergence and phonon scattering for high thermoelectric performance. <i>Journal of Materials Chemistry A</i> , 2020, 8, 21642-21648.	5.2	36
32	Boosted carrier mobility and enhanced thermoelectric properties of polycrystalline Na _{0.03} Sn _{0.97} Se by liquid-phase hot deformation. <i>Materials Advances</i> , 2020, 1, 1092-1098.	2.6	3
33	Investigating the thermoelectric performance of n-type SnSe: the synergistic effect of NbCl ₅ doping and dislocation engineering. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13244-13252.	2.7	31
34	Understanding the Band Engineering in Mg ₂ Si-Based Systems from Wannier-Orbital Analysis. <i>Annalen Der Physik</i> , 2020, 532, 1900543.	0.9	5
35	Phonon Engineering for Thermoelectric Enhancement of p-Type Bismuth Telluride by a Hot-Pressing Texture Method. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 31612-31618.	4.0	41
36	Effects of AgBiSe ₂ on thermoelectric properties of SnTe. <i>Chemical Engineering Journal</i> , 2020, 390, 124585.	6.6	24

#	ARTICLE	IF	CITATIONS
37	Fermi-surface dynamics and high thermoelectric performance along the out-of-plane direction in n-type SnSe crystals. <i>Energy and Environmental Science</i> , 2020, 13, 616-621.	15.6	32
38	Synergistically Optimized Thermoelectric Performance in Bi _{0.48} Sb _{1.52} Te ₃ by Hot Deformation and Cu Doping. <i>ACS Applied Energy Materials</i> , 2019, 2, 6714-6719.	2.5	37
39	Texture Development and Grain Alignment of Hot-Pressed Tetradymite Bi _{0.48} Sb _{1.52} Te ₃ via Powder Molding. <i>Energy Technology</i> , 2019, 7, 1900814.	1.8	11
40	Optimized orientation and enhanced thermoelectric performance in Sn _{0.97} Na _{0.03} Se with Te addition. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2653-2658.	2.7	19
41	Ultralow Lattice Thermal Conductivity in SnTe by Manipulating the Electron-Phonon Coupling. <i>Journal of Physical Chemistry C</i> , 2019, 123, 15996-16002.	1.5	36
42	Thermoelectric (Bi,Sb) ₂ Te ₃ -Ge _{0.5} Mn _{0.5} Te composites with excellent mechanical properties. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9241-9246.	5.2	37
43	Band engineering and crystal field screening in thermoelectric Mg ₃ Sb ₂ . <i>Journal of Materials Chemistry A</i> , 2019, 7, 8922-8928.	5.2	36
44	Investigation on structure and thermoelectric properties in p-type Bi _{0.48} Sb _{1.52} Te ₃ via PbTe incorporating. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 7701-7706.	1.1	9
45	Synergetic optimization of electronic and thermal transport for high-performance thermoelectric GeSe-AgSbTe ₂ alloy. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8215-8220.	5.2	38
46	Thermoelectric properties of In-Hg co-doping in SnTe: Energy band engineering. <i>Journal of Materiomics</i> , 2018, 4, 62-67.	2.8	44
47	Thermoelectric properties of textured polycrystalline Na _{0.03} Sn _{0.97} Se enhanced by hot deformation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23730-23735.	5.2	27
48	Designing band engineering for thermoelectrics starting from the periodic table of elements. <i>Materials Today Physics</i> , 2018, 7, 35-44.	2.9	75
49	Microstructure engineering beyond SnSe _{1-x} Sx solid solution for high thermoelectric performance. <i>Journal of Materiomics</i> , 2018, 4, 321-328.	2.8	18
50	Enhanced thermoelectric performance in p-type polycrystalline SnSe by Cu doping. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 18727-18732.	1.1	17
51	Nontrivial thermoelectric behavior in cubic SnSe driven by spin-orbit coupling. <i>Nano Energy</i> , 2018, 51, 649-655.	8.2	37
52	Manipulating Band Convergence and Resonant State in Thermoelectric Material SnTe by Mn-In Codoping. <i>ACS Energy Letters</i> , 2017, 2, 1203-1207.	8.8	98
53	Enhanced thermoelectric performance in n-type polycrystalline SnSe by PbBr ₂ doping. <i>RSC Advances</i> , 2017, 7, 17906-17912.	1.7	40
54	Study on Thermoelectric Properties of Polycrystalline SnSe by Ge Doping. <i>Journal of Electronic Materials</i> , 2017, 46, 3182-3186.	1.0	29

#	ARTICLE	IF	CITATIONS
55	Texturing degree boosts thermoelectric performance of silver-doped polycrystalline SnSe. NPC Asia Materials, 2017, 9, e426-e426.	3.8	49
56	Optimizing the thermoelectric performance of In ²⁺ Cd codoped SnTe by introducing Sn vacancies. Journal of Materials Chemistry C, 2017, 5, 7504-7509.	2.7	46
57	Single Crystal Structure Study of Type I Clathrate $\text{K}_8\text{Zn}_4\text{Sn}_{42}$ and $\text{K}_8\text{Zn}_4\text{In}_8\text{Sn}_{38}$. Journal of Electronic Materials, 2017, 46, 2765-2769.	1.0	3
58	Optimization of thermoelectric properties in n-type SnSe doped with BiCl ₃ . Applied Physics Letters, 2016, 108, .	1.5	103
59	Synthesis of SnTe/AgSbSe ₂ nanocomposite as a promising lead-free thermoelectric material. Journal of Materiomics, 2016, 2, 165-171.	2.8	31
60	A first-principles study on the phonon transport in layered BiCuOSe. Scientific Reports, 2016, 6, 21035.	1.6	52
61	Enhanced thermopower in rock-salt SnTe ²⁺ CdTe from band convergence. RSC Advances, 2016, 6, 32189-32192.	1.7	72
62	Enhanced thermoelectric performance in p-type polycrystalline SnSe benefiting from texture modulation. Journal of Materials Chemistry C, 2016, 4, 1201-1207.	2.7	125
63	High thermoelectric performance in two-dimensional graphyne sheets predicted by first-principles calculations. Physical Chemistry Chemical Physics, 2015, 17, 22872-22881.	1.3	77
64	Enhanced power factor in the promising thermoelectric material SnPb _x Te prepared via zone-melting. RSC Advances, 2015, 5, 59379-59383.	1.7	13
65	Reduced iron ordered moment and negative TC-pressure coefficient in iron-arsenide superconductors. European Physical Journal B, 2015, 88, 1.	0.6	0
66	Structure and thermoelectric properties of the n-type clathrate Ba ₈ Cu _{5.1} Ge _{40.2} Sn _{0.7} . Journal of Materials Chemistry A, 2015, 3, 19100-19106.	5.2	17
67	Valence band engineering and thermoelectric performance optimization in SnTe by Mn-alloying via a zone-melting method. Journal of Materials Chemistry A, 2015, 3, 19974-19979.	5.2	141
68	Exotic spin-orbital Mott insulating states in BaIrO ₃ . Physical Review B, 2013, 87, .	1.1	16