Darragh Downey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8500331/publications.pdf Version: 2024-02-01

| | | 394421 | 610901 |
|----------|----------------|--------------|----------------|
| 25 | 1,319 | 19 | 24 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 25 | 25 | 25 | 2256 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Increased Amygdala Responses to Sad But Not Fearful Faces in Major Depression: Relation to Mood State and Pharmacological Treatment. American Journal of Psychiatry, 2012, 169, 841-850. | 7.2 | 163 |
| 2 | CNR1 Gene is Associated with High Neuroticism and Low Agreeableness and Interacts with Recent Negative Life Events to Predict Current Depressive Symptoms. Neuropsychopharmacology, 2009, 34, 2019-2027. | 5.4 | 153 |
| 3 | The CREB1-BDNF-NTRK2 Pathway in Depression: Multiple Gene-Cognition-Environment Interactions. Biological Psychiatry, 2011, 69, 762-771. | 1.3 | 142 |
| 4 | State-dependent alteration in face emotion recognition in depression. British Journal of Psychiatry, 2011, 198, 302-308. | 2.8 | 111 |
| 5 | Comparing the actions of lanicemine and ketamine in depression: key role of the anterior cingulate. European Neuropsychopharmacology, 2016, 26, 994-1003. | 0.7 | 100 |
| 6 | Ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT): a multicentre, double-blind, randomised, parallel-group, superiority trial. Lancet Psychiatry,the, 2017, 4, 365-377. | 7.4 | 82 |
| 7 | Regional default mode network connectivity in major depressive disorder: modulation by acute intravenous citalopram. Translational Psychiatry, 2019, 9, 116. | 4.8 | 59 |
| 8 | Reversed Frontotemporal Connectivity During Emotional Face Processing in Remitted Depression. Biological Psychiatry, 2012, 72, 604-611. | 1.3 | 55 |
| 9 | Variations in the cannabinoid receptor 1 gene predispose to migraine. Neuroscience Letters, 2009, 461, 116-120. | 2.1 | 53 |
| 10 | The Neural Basis of Maternal Bonding. PLoS ONE, 2014, 9, e88436. | 2.5 | 50 |
| 11 | The effect of acute citalopram on face emotion processing in remitted depression: A pharmacoMRI study. European Neuropsychopharmacology, 2011, 21, 140-148. | 0.7 | 47 |
| 12 | Does oxytocin modulate variation in maternal caregiving in healthy new mothers?. Brain Research, 2014, 1580, 143-150. | 2.2 | 41 |
| 13 | Natural variation in maternal sensitivity is reflected in maternal brain responses to infant stimuli Behavioral Neuroscience, 2016, 130, 500-510. | 1.2 | 41 |
| 14 | Risk-Taking Behavior in a Gambling Task Associated with Variations in the Tryptophan Hydroxylase 2 Gene: Relevance to Psychiatric Disorders. Neuropsychopharmacology, 2010, 35, 1109-1119. | 5.4 | 35 |
| 15 | The HTR1A and HTR1B receptor genes influence stress-related information processing. European Neuropsychopharmacology, 2011, 21, 129-139. | 0.7 | 33 |
| 16 | Neural pathways of maternal responding: systematic review and meta-analysis. Archives of Women's Mental Health, 2019, 22, 179-187. | 2.6 | 32 |
| 17 | Neuronal Nitric Oxide Synthase (NOS1) Polymorphisms Interact with Financial Hardship to Affect Depression Risk. Neuropsychopharmacology, 2014, 39, 2857-2866. | 5.4 | 26 |
| 18 | fMRI and MRS measures of neuroplasticity in the pharyngeal motor cortex. NeuroImage, 2015, 117, 1-10. | 4.2 | 22 |

DARRAGH DOWNEY

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | TOMM40 rs2075650 May Represent a New Candidate Gene for Vulnerability to Major Depressive Disorder. Neuropsychopharmacology, 2014, 39, 1743-1753. | 5.4 | 21 |
| 20 | Genetic variants in the catecholâ€ <i>o</i> â€methyltransferase gene are associated with impulsivity and executive function: Relevance for major depression. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 928-940. | 1.7 | 16 |
| 21 | Cognitive function after electroconvulsive therapy for depression: relationship to clinical response. Psychological Medicine, 2021, 51, 1647-1656. | 4.5 | 12 |
| 22 | Study protocol for the randomised controlled trial: Ketamine augmentation of ECT to improve outcomes in depression (Ketamine-ECT study). BMC Psychiatry, 2015, 15, 257. | 2.6 | 11 |
| 23 | Frontal haemodynamic responses in depression and the effect of electroconvulsive therapy. Journal of Psychopharmacology, 2019, 33, 1003-1014. | 4.0 | 8 |
| 24 | Randomised controlled trial of ketamine augmentation of electroconvulsive therapy to improve neuropsychological and clinical outcomes in depression (Ketamine-ECT study). Efficacy and Mechanism Evaluation, 2017, 4, 1-112. | 0.7 | 6 |
| 25 | Vocal brain development in infants of mothers with serious mental illness (CAPRI-Voc): study protocol. BMJ Open, 2022, 12, e053598. | 1.9 | Ο |