

Soichiro Yoshida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8501484/publications.pdf>

Version: 2024-02-01

137
papers

3,191
citations

147566

31
h-index

189595

50
g-index

146
all docs

146
docs citations

146
times ranked

4272
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Molecular chaperone TRAP1 regulates a metabolic switch between mitochondrial respiration and aerobic glycolysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1604-12. | 3.3 | 217 |
| 2 | Diagnostic performance of diffusion-weighted magnetic resonance imaging in bladder cancer: potential utility of apparent diffusion coefficient values as a biomarker to predict clinical aggressiveness. <i>European Radiology</i> , 2011, 21, 2178-2186. | 2.3 | 157 |
| 3 | Role of Diffusion-Weighted Magnetic Resonance Imaging in Predicting Sensitivity to Chemoradiotherapy in Muscle-Invasive Bladder Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e21-e27. | 0.4 | 112 |
| 4 | Charged linker sequence modulates eukaryotic heat shock protein 90 (Hsp90) chaperone activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2937-2942. | 3.3 | 107 |
| 5 | Asymmetric Hsp90 α Domain SUMOylation Recruits Aha1 and ATP-Competitive Inhibitors. <i>Molecular Cell</i> , 2014, 53, 317-329. | 4.5 | 101 |
| 6 | Initial Experience of Diffusion-weighted Magnetic Resonance Imaging to Assess Therapeutic Response to Induction Chemoradiotherapy Against Muscle-invasive Bladder Cancer. <i>Urology</i> , 2010, 75, 387-391. | 0.5 | 97 |
| 7 | Reactive oxygen species mediate detrusor overactivity via sensitization of afferent pathway in the bladder of anaesthetized rats. <i>BJU International</i> , 2008, 101, 775-780. | 1.3 | 87 |
| 8 | Computer-aided diagnosis of prostate cancer on magnetic resonance imaging using a convolutional neural network algorithm. <i>BJU International</i> , 2018, 122, 411-417. | 1.3 | 84 |
| 9 | ¹¹ C-Choline Positron Emission Tomography in Prostate Cancer: Primary Staging and Recurrent Site Staging. <i>Urologia Internationalis</i> , 2005, 74, 214-220. | 0.6 | 81 |
| 10 | High Diagnostic Ability of Multiparametric Magnetic Resonance Imaging to Detect Anterior Prostate Cancer Missed by Transrectal 12-Core Biopsy. <i>Journal of Urology</i> , 2013, 190, 867-873. | 0.2 | 69 |
| 11 | Usefulness of Pre-biopsy Multiparametric Magnetic Resonance Imaging and Clinical Variables to Reduce Initial Prostate Biopsy in Men with Suspected Clinically Localized Prostate Cancer. <i>Journal of Urology</i> , 2013, 190, 502-508. | 0.2 | 65 |
| 12 | C-reactive protein level predicts prognosis in patients with muscle-invasive bladder cancer treated with chemoradiotherapy. <i>BJU International</i> , 2008, 101, 978-981. | 1.3 | 63 |
| 13 | Potential role of Hsp90 inhibitors in overcoming cisplatin resistance of bladder cancer-initiating cells. <i>International Journal of Cancer</i> , 2012, 131, 987-996. | 2.3 | 63 |
| 14 | Diffusion-weighted magnetic resonance imaging in the differentiation of angiomyolipoma with minimal fat from clear cell renal cell carcinoma. <i>International Journal of Urology</i> , 2011, 18, 727-730. | 0.5 | 58 |
| 15 | Selective bladder-sparing protocol consisting of induction low-dose chemoradiotherapy plus partial cystectomy with pelvic lymph node dissection against muscle-invasive bladder cancer: oncological outcomes of the initial 46 patients. <i>BJU International</i> , 2012, 109, 860-866. | 1.3 | 55 |
| 16 | The HSP90 Inhibitor Ganetespib Synergizes with the MET Kinase Inhibitor Crizotinib in both Crizotinib-Sensitive and -Resistant MET-Driven Tumor Models. <i>Cancer Research</i> , 2013, 73, 7022-7033. | 0.4 | 49 |
| 17 | DWI as an Imaging Biomarker for Bladder Cancer. <i>American Journal of Roentgenology</i> , 2017, 208, 1218-1228. | 1.0 | 48 |
| 18 | Role of volume and attenuation value histogram of urinary stone on noncontrast helical computed tomography as predictor of fragility by extracorporeal shock wave lithotripsy. <i>Urology</i> , 2006, 68, 33-37. | 0.5 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Loss of β -Np63 Promotes Invasion of Urothelial Carcinomas via N-Cadherin/Src Homology and Collagen/Extracellular Signal-Regulated Kinase Pathway. <i>Cancer Research</i> , 2009, 69, 9263-9270. | 0.4 | 47 |
| 20 | Usefulness of Diffusion-Weighted MRI in Diagnosis of Upper Urinary Tract Cancer. <i>American Journal of Roentgenology</i> , 2011, 196, 110-116. | 1.0 | 43 |
| 21 | Risk stratification for bladder recurrence of upper urinary tract urothelial carcinoma after radical nephroureterectomy. <i>BJU International</i> , 2015, 115, 705-712. | 1.3 | 43 |
| 22 | Impact of the Prostate Imaging Reporting and Data System, Version 2, on MRI Diagnosis for Extracapsular Extension of Prostate Cancer. <i>American Journal of Roentgenology</i> , 2017, 209, W76-W84. | 1.0 | 42 |
| 23 | Higher Serum C-reactive Protein Level Represents the Immunosuppressive Tumor Microenvironment in Patients With Clear Cell Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1151-e1158. | 0.9 | 41 |
| 24 | Progressive Site-Directed Therapy for Castration-Resistant Prostate Cancer: Localization of the Progressive Site as a Prognostic Factor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 105, 376-381. | 0.4 | 41 |
| 25 | Low-Dose Chemoradiotherapy Followed by Partial or Radical Cystectomy Against Muscle-Invasive Bladder Cancer: An Intent-to-Treat Survival Analysis. <i>Urology</i> , 2008, 72, 384-388. | 0.5 | 40 |
| 26 | Favourable outcomes of patients with clinical stage T3N0M0 bladder cancer treated with induction low-dose chemo-radiotherapy plus partial or radical cystectomy vs immediate radical cystectomy: a single-institutional retrospective comparative study. <i>BJU International</i> , 2009, 104, 189-194. | 1.3 | 40 |
| 27 | Initial experience of functional imaging of upper urinary tract neoplasm by diffusion-weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 140-143. | 0.5 | 39 |
| 28 | Apparent diffusion coefficient value as a biomarker reflecting morphological and biological features of prostate cancer. <i>International Urology and Nephrology</i> , 2014, 46, 555-561. | 0.6 | 39 |
| 29 | ErbB2 and NF κ B Overexpression as Predictors of Chemoradiation Resistance and Putative Targets to Overcome Resistance in Muscle-Invasive Bladder Cancer. <i>PLoS ONE</i> , 2011, 6, e27616. | 1.1 | 37 |
| 30 | Characteristics and clinical significance of prostate cancers missed by initial transrectal 12-core biopsy. <i>BJU International</i> , 2012, 109, 665-671. | 1.3 | 36 |
| 31 | Selective tetramodal bladder-preservation therapy, incorporating induction chemoradiotherapy and consolidative partial cystectomy with pelvic lymph node dissection for muscle-invasive bladder cancer: oncological and functional outcomes of 107 patients. <i>BJU International</i> , 2019, 124, 242-250. | 1.3 | 35 |
| 32 | Significance of ERBB2 Overexpression in Therapeutic Resistance and Cancer-Specific Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Selective Bladder-Sparing Approach. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 303-311. | 0.4 | 34 |
| 33 | Impact of C-reactive protein flare-response on oncological outcomes in patients with metastatic renal cell carcinoma treated with nivolumab. , 2021, 9, e001564. | | 34 |
| 34 | Apparent diffusion coefficient as a prognostic biomarker of upper urinary tract cancer: a preliminary report. <i>European Radiology</i> , 2013, 23, 2206-2214. | 2.3 | 33 |
| 35 | Low-dose Hsp90 inhibitors tumor-selectively sensitize bladder cancer cells to chemoradiotherapy. <i>Cell Cycle</i> , 2011, 10, 4291-4299. | 1.3 | 30 |
| 36 | Absence of prophylactic antibiotics in minimum incision endoscopic urological surgery (MEUS) of adrenal and renal tumors. <i>International Journal of Urology</i> , 2007, 14, 384-387. | 0.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Combination of Diffusion-weighted Magnetic Resonance Imaging and Extended Prostate Biopsy Predicts Lobes Without Significant Cancer: Application in Patient Selection for Hemiblative Focal Therapy. <i>European Urology</i> , 2014, 65, 186-192. | 0.9 | 28 |
| 38 | Clinical Value of ^{18}F -Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Upper Tract Urothelial Carcinoma: Impact on Detection of Metastases and Patient Management. <i>Urologia Internationalis</i> , 2016, 96, 65-72. | 0.6 | 28 |
| 39 | Mixed reality computed tomography-based surgical planning for partial nephrectomy using a head-mounted holographic computer. <i>International Journal of Urology</i> , 2019, 26, 681-682. | 0.5 | 28 |
| 40 | Antimicrobial Prophylaxis is Not Necessary in Clean Category Minimally Invasive Surgery for Renal and Adrenal Tumors: A Prospective Study of 373 Consecutive Patients. <i>Urology</i> , 2012, 80, 570-575. | 0.5 | 25 |
| 41 | Adherent Perinephric Fat in Asian Patients: Predictors and Impact on Perioperative Outcomes of Partial Nephrectomy. <i>Urologia Internationalis</i> , 2018, 101, 437-442. | 0.6 | 25 |
| 42 | Quantitative Assessment of Bone Metastasis in Prostate Cancer Using Synthetic Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2019, 54, 638-644. | 3.5 | 25 |
| 43 | Combined inhibition of Wee1 and Hsp90 activates intrinsic apoptosis in cancer cells. <i>Cell Cycle</i> , 2012, 11, 3649-3655. | 1.3 | 23 |
| 44 | Role of diffusion-weighted magnetic resonance imaging as an imaging biomarker of urothelial carcinoma. <i>International Journal of Urology</i> , 2014, 21, 1190-1200. | 0.5 | 23 |
| 45 | Patient-specific virtual and mixed reality for immersive, experiential anatomy education and for surgical planning in temporal bone surgery. <i>Auris Nasus Larynx</i> , 2021, 48, 1081-1091. | 0.5 | 23 |
| 46 | Three-dimensional assessment of urinary stone on non-contrast helical computed tomography as the predictor of stone street formation after extracorporeal shock wave lithotripsy for stones smaller than 20 mm. <i>International Journal of Urology</i> , 2007, 14, 665-667. | 0.5 | 22 |
| 47 | High Ki-67 Expression Predicts Favorable Survival in Muscle-Invasive Bladder Cancer Patients Treated With Chemoradiation-Based Bladder-Sparing Protocol. <i>Clinical Genitourinary Cancer</i> , 2015, 13, e243-e251. | 0.9 | 22 |
| 48 | Utility of computed diffusion-weighted MRI for predicting aggressiveness of prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 490-496. | 1.9 | 20 |
| 49 | Usefulness of the inchworm sign on DWI for predicting pT1 bladder cancer progression. <i>European Radiology</i> , 2019, 29, 3881-3888. | 2.3 | 20 |
| 50 | Early C-reactive protein kinetics predict survival of patients with advanced urothelial cancer treated with pembrolizumab. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 657-665. | 2.0 | 20 |
| 51 | Zoledronic Acid Sensitizes Renal Cell Carcinoma Cells to Radiation by Downregulating STAT1. <i>PLoS ONE</i> , 2013, 8, e64615. | 1.1 | 19 |
| 52 | Head-Mounted Display for a Personal Integrated Image Monitoring System: Ureteral Stent Placement. <i>Urologia Internationalis</i> , 2015, 94, 117-120. | 0.6 | 19 |
| 53 | Discarding antimicrobial prophylaxis for transurethral resection of bladder tumor: A feasibility study. <i>International Journal of Urology</i> , 2009, 16, 61-63. | 0.5 | 18 |
| 54 | Clinical Application of a Modern High-Definition Head-Mounted Display in Sonography. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 1499-1504. | 0.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Diabetes Mellitus with Obesity is a Predictor of Recurrence in Patients with Non-metastatic Renal Cell Carcinoma. Japanese Journal of Clinical Oncology, 2013, 43, 740-746. | 0.6 | 17 |
| 56 | Impact of Immunohistochemistry-Based Subtypes in Muscle-Invasive Bladder Cancer on Response to Chemoradiation Therapy. International Journal of Radiation Oncology Biology Physics, 2018, 102, 1408-1416. | 0.4 | 17 |
| 57 | Combination of Cisplatin and Irradiation Induces Immunogenic Cell Death and Potentiates Postirradiation Anti-PD-1 Treatment Efficacy in Urothelial Carcinoma. International Journal of Molecular Sciences, 2021, 22, 535. | 1.8 | 17 |
| 58 | Association Between the Occurrence and Spectrum of Immune-Related Adverse Events and Efficacy of Pembrolizumab in Asian Patients With Advanced Urothelial Cancer: Multicenter Retrospective Analyses and Systematic Literature Review. Clinical Genitourinary Cancer, 2020, 19, 208-216.e1. | 0.9 | 16 |
| 59 | Usefulness of texture features of apparent diffusion coefficient maps in predicting chemoradiotherapy response in muscle-invasive bladder cancer. European Radiology, 2022, 32, 671-679. | 2.3 | 16 |
| 60 | Technical notes Instructive head-mounted display system: pointing device using a vision-based finger tracking technique applied to surgical education. Wideochirurgia I Inne Techniki Maloinwazyjne, 2014, 3, 449-452. | 0.3 | 15 |
| 61 | Impact of radiotherapy to the primary tumor on the efficacy of pembrolizumab for patients with advanced urothelial cancer: A preliminary study. Cancer Medicine, 2020, 9, 8355-8363. | 1.3 | 15 |
| 62 | Impact of sarcopenia on the efficacy of pembrolizumab in patients with advanced urothelial carcinoma: a preliminary report. Anti-Cancer Drugs, 2020, 31, 866-871. | 0.7 | 14 |
| 63 | Malignant pheochromocytoma of the urinary bladder: Effectiveness of radiotherapy in conjunction with chemotherapy. International Journal of Urology, 2004, 11, 175-177. | 0.5 | 13 |
| 64 | Cystic hamartoma of the renal pelvis. International Journal of Urology, 2004, 11, 653-655. | 0.5 | 13 |
| 65 | New head-mounted display system applied to endoscopic management of upper urinary tract carcinomas. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2014, 40, 842-845. | 0.7 | 13 |
| 66 | Improvement of oligoasthenozoospermia in epileptic patients on switching anti-epilepsy medication from sodium valproate to phenytoin. Scandinavian Journal of Urology and Nephrology, 2005, 39, 431-432. | 1.4 | 12 |
| 67 | Successful reduction of hospital-acquired methicillin-resistant Staphylococcus aureus in a urology ward: a 10-year study. BMC Urology, 2013, 13, 35. | 0.6 | 12 |
| 68 | A head-mounted display-based personal integrated-image monitoring system for transurethral resection of the prostate. Wideochirurgia I Inne Techniki Maloinwazyjne, 2014, 4, 644-649. | 0.3 | 12 |
| 69 | METastasis Reporting and Data System for Prostate Cancer as a Prognostic Imaging Marker in Castration-resistant Prostate Cancer. Clinical Genitourinary Cancer, 2020, 18, e391-e396. | 0.9 | 12 |
| 70 | Diagnostic value of computed high b-value whole-body diffusion-weighted imaging for primary prostate cancer. European Journal of Radiology, 2021, 137, 109581. | 1.2 | 12 |
| 71 | Incidence and predictive factors of hypoglycemia after pheochromocytoma resection. International Journal of Urology, 2019, 26, 273-277. | 0.5 | 11 |
| 72 | Pre-operative Risk Stratification for Cancer-specific Survival in Patients with Renal Cell Carcinoma with Venous Involvement Who Underwent Nephrectomy. Japanese Journal of Clinical Oncology, 2014, 44, 756-761. | 0.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Candidate selection for quadrantâ€based focal ablation through a combination of diffusionâ€weighted magnetic resonance imaging and prostate biopsy. <i>BJU International</i> , 2016, 117, 94-101. | 1.3 | 10 |
| 74 | Acute kidney injury and intermediateâ€term renal function after clampless partial nephrectomy. <i>International Journal of Urology</i> , 2019, 26, 113-118. | 0.5 | 10 |
| 75 | Computer-aided diagnosis with a convolutional neural network algorithm for automated detection of urinary tract stones on plain X-ray. <i>BMC Urology</i> , 2021, 21, 102. | 0.6 | 10 |
| 76 | A three-dimensional head-mounted display system (RoboSurgeon system) for gasless laparoendoscopic single-port partial cystectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014, 4, 638-643. | 0.3 | 9 |
| 77 | A novel interactive educational system in the operating roomâ€the IE system. <i>BMC Medical Education</i> , 2016, 16, 44. | 1.0 | 9 |
| 78 | Application of virtual reality in patient explanation of magnetic resonance imagingâ€ultrasound fusion prostate biopsy. <i>International Journal of Urology</i> , 2020, 27, 471-472. | 0.5 | 8 |
| 79 | Metastatic Diffusion Volume Based on Apparent Diffusion Coefficient as a Prognostic Factor in <scp>Castrationâ€Resistant</scp> Prostate Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 401-408. | 1.9 | 8 |
| 80 | Utility of radiomics features of diffusion-weighted magnetic resonance imaging for differentiation of fat-poor angiomyolipoma from clear cell renal cell carcinoma: model development and external validation. <i>Abdominal Radiology</i> , 2022, 47, 2178-2186. | 1.0 | 8 |
| 81 | ¹¹ C-choline positron emission tomography in bladder cancer: Report of four cases. <i>International Journal of Urology</i> , 2006, 13, 829-831. | 0.5 | 7 |
| 82 | Bilateral renal angiomyolipoma coexistent with pulmonary lymphangioliomyomatosis and tuberous sclerosis. <i>International Urology and Nephrology</i> , 2007, 38, 413-415. | 0.6 | 7 |
| 83 | Female urethral diverticular abscess clearly depicted by diffusionâ€weighted magnetic resonance imaging. <i>International Journal of Urology</i> , 2008, 15, 460-461. | 0.5 | 7 |
| 84 | A Novel Approach to Surgical Instructions for Scrub Nurses by Using See-Throughâ€Type Head-Mounted Display. <i>CIN - Computers Informatics Nursing</i> , 2015, 33, 335-338. | 0.3 | 7 |
| 85 | A Novel Approach to Patient Selfâ€Monitoring of Sonographic Examinations Using a Headâ€Mounted Display. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 29-35. | 0.8 | 7 |
| 86 | Feasibility and outcomes of selective tetramodal bladderâ€preservation therapy in elderly patients with muscleâ€invasive bladder cancer. <i>International Journal of Urology</i> , 2020, 27, 236-243. | 0.5 | 7 |
| 87 | Significance of Bladder Neck Involvement in Risk Substratification of Intermediate-Risk Nonâ€muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2021, 7, 366-372. | 1.6 | 7 |
| 88 | Wholeâ€body diffusionâ€weighted magnetic resonance imaging: Diagnosis and follow up of prostate cancer and beyond. <i>International Journal of Urology</i> , 2021, 28, 502-513. | 0.5 | 7 |
| 89 | Infiltrative tumor interface with normal renal parenchyma in locally advanced renal cell carcinoma: Clinical relevance and pathological implications. <i>International Journal of Urology</i> , 2021, 28, 1233-1239. | 0.5 | 7 |
| 90 | Abscess formation in the prevesical space and bilateral thigh muscles secondary to osteomyelitis of the pubis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 440-441. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | HtrA2 is up-regulated in the rat testis after experimental cryptorchidism. <i>International Journal of Urology</i> , 2006, 13, 157-164. | 0.5 | 6 |
| 92 | Novel image monitoring system using a head-mounted display for assistants in da Vinci surgery. <i>International Journal of Urology</i> , 2015, 22, 520-521. | 0.5 | 6 |
| 93 | Multitask Imaging Monitor for Surgical Navigation: Combination of Touchless Interface and Head-Mounted Display. <i>Urologia Internationalis</i> , 2017, 98, 486-488. | 0.6 | 6 |
| 94 | Potential Utility of Diffusion-Weighted Magnetic Resonance Imaging in Diagnosis of Residual Bladder Cancer before Second Transurethral Resection. <i>Urologia Internationalis</i> , 2017, 98, 298-303. | 0.6 | 6 |
| 95 | Postoperative renal impairment and longitudinal change in renal function after adrenalectomy in patients with Cushing's syndrome. <i>International Journal of Urology</i> , 2020, 27, 395-400. | 0.5 | 6 |
| 96 | Outcomes of gasless laparoendoscopic single-port partial nephrectomy in 356 consecutive patients: Feasibility of a clampless and sutureless technique. <i>International Journal of Urology</i> , 2021, 28, 302-307. | 0.5 | 6 |
| 97 | Focal brachytherapy for localized prostate cancer: 5.7-year clinical outcomes and a pair-matched study with radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 161.e15-161.e23. | 0.8 | 6 |
| 98 | Asthenospermia in hay fever patients improved by stopping treatment with histamine H1 receptor antagonists. <i>International Journal of Urology</i> , 2006, 13, 1028-1030. | 0.5 | 5 |
| 99 | Novel three-dimensional image system for transurethral surgery. <i>International Journal of Urology</i> , 2015, 22, 714-715. | 0.5 | 5 |
| 100 | Intensity ratio curve analysis of small renal masses on T2-weighted magnetic resonance imaging: Differentiation of fat-poor angiomyolipoma from renal cell carcinoma. <i>International Journal of Urology</i> , 2018, 25, 554-560. | 0.5 | 5 |
| 101 | Patterns of failure after progressive site-directed therapy in oligo-progressive castration-resistant prostate cancer. <i>International Journal of Urology</i> , 2020, 27, 634-635. | 0.5 | 5 |
| 102 | Medium-term oncological and functional outcomes of hemi-gland brachytherapy using iodine-125 seeds for intermediate-risk unilateral prostate cancer. <i>Brachytherapy</i> , 2021, 20, 842-848. | 0.2 | 5 |
| 103 | Genuine- and induced-oligometastatic castration-resistant prostate cancer: clinical features and clinical outcomes after progressive site-directed therapy. <i>International Urology and Nephrology</i> , 2021, 53, 1119-1125. | 0.6 | 5 |
| 104 | Impact of Progressive Site-Directed Therapy in Oligometastatic Castration-Resistant Prostate Cancer on Subsequent Treatment Response. <i>Cancers</i> , 2022, 14, 567. | 1.7 | 5 |
| 105 | Bone Abnormal Signal Incidentally Found in Pre-Biopsy Diffusion-Weighted MRI for Suspected Prostate Cancer: What Does It Reflect?. <i>Urologia Internationalis</i> , 2014, 93, 170-175. | 0.6 | 4 |
| 106 | Patient's Self-monitoring of Transurethral Surgical Images Using a Head-mounted Display. <i>Urology Case Reports</i> , 2015, 3, 27-29. | 0.1 | 4 |
| 107 | Standardization of the apparent diffusion coefficient value of bladder cancer across different centers: Applicability in predicting aggressive pathologic phenotypes. <i>Clinical Imaging</i> , 2017, 44, 121-126. | 0.8 | 4 |
| 108 | Clinical Outcomes of Patients With Histologic Variants of Urothelial Carcinoma Treated With Selective Tetramodal Bladder-preservation Therapy Incorporating Consolidative Partial Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 268-273.e2. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Longitudinal changes in patient-reported outcomes after artificial urinary sphincter implantation. LUTS: Lower Urinary Tract Symptoms, 2020, 12, 240-244. | 0.6 | 4 |
| 110 | Incidence and Risk Factors of Hypertension Following Partial Nephrectomy in Patients With Renal Tumors: A Cross-sectional Study of Postoperative Home Blood Pressure and Antihypertensive Medications. Clinical Genitourinary Cancer, 2020, 18, e619-e628. | 0.9 | 4 |
| 111 | Classification of oligometastatic prostate cancer with additional consideration for hormone sensitivity. World Journal of Urology, 2021, , 1. | 1.2 | 4 |
| 112 | Value of extra-target prostate biopsy for the detection of magnetic resonance imaging-missed adverse pathology according to the Prostate Imaging Reporting and Data System scores: Spatial analysis using magnetic resonance-ultrasound fusion images. International Journal of Urology, 2020, 27, 760-766. | 0.5 | 4 |
| 113 | Synthetic magnetic resonance imaging for primary prostate cancer evaluation: Diagnostic potential of a non-contrast-enhanced bi-parametric approach enhanced with relaxometry measurements. European Journal of Radiology Open, 2022, 9, 100403. | 0.7 | 4 |
| 114 | Apparent Diffusion Coefficient Map-Based Texture Analysis for the Differentiation of Chromophobe Renal Cell Carcinoma from Renal Oncocytoma. Diagnostics, 2022, 12, 817. | 1.3 | 4 |
| 115 | Discrimination between ureteral stent and stone by non-contrast helical computed tomography in the clinical setting. International Journal of Urology, 2007, 14, 171-173. | 0.5 | 3 |
| 116 | Early cancer cachexia phenotype predicts survival of advanced urothelial cancer patients treated with pembrolizumab. Asia-Pacific Journal of Clinical Oncology, 2021, , . | 0.7 | 3 |
| 117 | Real-time three-dimensional image angle rectification to improve hand-eye coordination in single-port laparoendoscopic surgery. International Journal of Urology, 2017, 24, 639-640. | 0.5 | 2 |
| 118 | Prediction of Intraoperative Urinary Collecting System Entry in Patients with Peripheral Renal Tumors Undergoing Partial Nephrectomy: Usefulness of Tumor-Centered Multiplanar Reconstruction. Urologia Internationalis, 2018, 100, 85-91. | 0.6 | 2 |
| 119 | Application of eye tracking as a user interface for urological surgery. International Journal of Urology, 2019, 26, 680-681. | 0.5 | 2 |
| 120 | Renal epithelioid angiomyolipoma: Incidence in a Japanese cohort and diagnostic utility of diffusion-weighted magnetic resonance imaging. International Journal of Urology, 2020, 27, 599-604. | 0.5 | 2 |
| 121 | Can progressive site-directed therapy prolong the efficacy of subsequent androgen receptor axis-targeted drugs in oligometastatic castration-resistant prostate cancer?. International Journal of Urology, 2021, 28, 241-242. | 0.5 | 2 |
| 122 | Three-dimensional analysis of systematic biopsy-derived prostate cancer upgrading over targeted biopsy: Potential of target margin and surrounding region sampling using magnetic resonance-ultrasound image fusion systems. International Journal of Urology, 2021, 28, 127-129. | 0.5 | 1 |
| 123 | Potential of Perfusion Magnetic Resonance Imaging to Predict Residual Renal Function after Radical Nephroureterectomy. Urologia Internationalis, 2021, 105, 507-513. | 0.6 | 1 |
| 124 | Nonmetastatic castration-resistant prostate cancer treated with salvage focal brachytherapy after external beam radiotherapy. IJU Case Reports, 2021, 4, 228-230. | 0.1 | 1 |
| 125 | Functional CT and MRI of the Urinary System and Adrenal Glands. , 2014, , 1173-1182. | | 1 |
| 126 | Gasless Two-Port Access RoboSurgeon Retroperitoneoscopic Radical Nephroureterectomy. , 2015, , 65-84. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Gasless Single-Port RoboSurgeon Total Cystectomy with Urinary Diversion. , 2015, , 127-141. | | 1 |
| 128 | Editorial Comment to Virtual reality of three-dimensional surgical field for surgical planning and intraoperative management. International Journal of Urology, 2019, 26, 944-944. | 0.5 | 0 |
| 129 | Impact of fluorodeoxyglucose uptake on positron emission tomography/computed tomography on chemosensitivity and survival in patients with metastatic urothelial carcinoma. International Journal of Urology, 2019, 26, 820-826. | 0.5 | 0 |
| 130 | Long-term survival after radical cystectomy and mesenteric lymph node dissection for squamous cell carcinoma arising from augmented bladder with lymph node metastasis: a case report. International Cancer Conference Journal, 2021, 10, 20-23. | 0.2 | 0 |
| 131 | Editorial Comment to Long-term clinical outcomes of external beam radiation therapy for oligometastatic prostate cancer: A combination of prostate-targeted treatment and metastasis-directed therapy. International Journal of Urology, 2021, 28, 756-756. | 0.5 | 0 |
| 132 | Nonuse of antimicrobial prophylaxis in clean surgeries for adrenal and renal tumors: Results of the risk-based strategy in 1362 consecutive patients. International Journal of Urology, 2021, 28, 1032-1038. | 0.5 | 0 |
| 133 | Application of the RoboSurgeon System in Medical Care. , 2015, , 175-184. | | 0 |
| 134 | Clinical outcomes of muscle-invasive bladder cancer patients with hydronephrosis treated with tetra-modality bladder sparing therapy incorporating consolidative partial cystectomy.. Journal of Clinical Oncology, 2019, 37, 430-430. | 0.8 | 0 |
| 135 | Editorial Comment to Utility of whole-body diffusion-weighted magnetic resonance imaging in the management of treatment-related neuroendocrine prostate cancer. IJU Case Reports, 2021, 4, 73-74. | 0.1 | 0 |
| 136 | Prognostic Accuracy of the qSOFA Score for In-Hospital Mortality in Elderly Patients with Obstructive Acute Pyelonephritis: A Multi-Institutional Study. Diagnostics, 2021, 11, 2277. | 1.3 | 0 |
| 137 | Editorial Comment from Dr Yoshida and Dr Fujii to Role of Vesical Imaging-Reporting and Data System in predicting muscle-invasive bladder cancer: A diagnostic meta-analysis. International Journal of Urology, 2022, 29, 196-196. | 0.5 | 0 |