

Isao Murata

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8502326/isao-murata-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118

papers

504

citations

11

h-index

17

g-index

122

ext. papers

584

ext. citations

1.3

avg, IF

3.3

L-index

#	Paper	IF	Citations
118	Radioactivation Analysis of Concrete Wall in OKTAVIAN Facility. <i>Plasma and Fusion Research</i> , 2022 , 17, 1405001-1405001	0.5	
117	Experimental verification of real-time gamma-ray energy spectrum and dose monitor.. <i>Applied Radiation and Isotopes</i> , 2022 , 185, 110226	1.7	
116	Cerebrospinal fluid-based boron delivery system may help increase the uptake boron for boron neutron capture therapy in veterinary medicine: A preliminary study with normal rat brain cells.. <i>Research in Veterinary Science</i> , 2022 , 148, 1-6	2.5	0
115	Design of SPECT for BNCT to measure local boron dose with GAGG scintillator.. <i>Applied Radiation and Isotopes</i> , 2021 , 181, 110056	1.7	1
114	Feasibility study on image reconstruction for single-photon emission computed tomography with limited projections by neural networks. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2021 , 986, 164700	1.2	
113	Benchmark experiment of large-angle scattering reaction cross section of iron at 14 MeV using two shadow bars [Comparison of experimental results with ENDF/B-VIII] <i>Journal of Nuclear Science and Technology</i> , 2021 , 58, 80-86	1	
112	Time-resolved secondary triton burnup 14 MeV neutron measurement by a new scintillating fiber detector in middle total neutron emission ranges in deuterium large helical device plasma experiments. <i>AAPPS Bulletin</i> , 2021 , 31, 1	2	
111	Design and performance of an epithermal neutron flux detector using Mn(n,γ)Mn reaction for BNCT. <i>Applied Radiation and Isotopes</i> , 2021 , 176, 109880	1.7	0
110	Design optimization of a fast-neutron detector with scintillating fibers for triton burnup experiments at fusion experimental devices. <i>Review of Scientific Instruments</i> , 2019 , 90, 043503	1.7	4
109	Development of epi-thermal neutron beam intensity detector with Ga(n,γ)Ga reaction for boron neutron capture therapy. <i>Applied Radiation and Isotopes</i> , 2019 , 151, 145-149	1.7	2
108	One-dimensional dose measurement with string-shaped photo-stimulated luminescence detector. <i>Radiation Measurements</i> , 2019 , 124, 137-140	1.5	0
107	Fabrication of radiophotoluminescence dosimeter with 3D-printing technology. <i>Radiation Measurements</i> , 2019 , 124, 141-145	1.5	6
106	Cross sections of (n,x) reactions on cerium isotopes induced by D-T neutrons. <i>Applied Radiation and Isotopes</i> , 2019 , 147, 144-151	1.7	2
105	Performance test of liquid-moderator-based neutron spectrometer for BNCT: Mono-energetic and spontaneous fission spectrum neutron measurements. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 940, 435-440	1.2	1
104	The new design and validation of an epithermal neutron flux detector using $^{71}\text{Ga}(n,\gamma)^{72}\text{Ga}$ reaction for BNCT. <i>Journal of Instrumentation</i> , 2019 , 14, P06016-P06016	1	1
103	Tritium Release from Molten FLiNaBe under Low Flux Neutron Irradiation. <i>Plasma and Fusion Research</i> , 2019 , 14, 1405044-1405044	0.5	2
102	Development of capillary plate neutron detector filed with liquid scintillator by using recoiled-particle trajectory analyses. <i>Journal of Instrumentation</i> , 2019 , 14, C10026-C10026	1	

101	Development of string-shaped radiophotoluminescence dosimeter for high-radiation field. <i>Radiation Measurements</i> , 2018, 111, 1-5	1.5	4
100	Single floating cell irradiation technique with an X-ray microbeamPeer review under responsibility of The Egyptian Society of Radiation Sciences and Applications.View all notes. <i>Journal of Radiation Research and Applied Sciences</i> , 2018, 11, 83-88	1.5	
99	DESIGN IMPROVEMENT OF A LIQUID-MODERATOR-BASED NEUTRON SPECTROMETER FOR BNCT. <i>Radiation Protection Dosimetry</i> , 2018, 180, 300-303	0.9	1
98	Optimization of Experimental System Design for Benchmarking of Large Angle Scattering Reaction Cross Section at 14 MeV Using Two Shadow Bars. <i>Plasma and Fusion Research</i> , 2018, 13, 2405002-2405002 ^{0.5}		
97	Techniques to Measure Absolute Neutron Spectrum and Intensity for Accelerator Based Neutron Source for BNCT. <i>Plasma and Fusion Research</i> , 2018, 13, 2501007-2501007	0.5	4
96	Synthesis and characterization of spherical radiophotoluminescence glass detectors by melting method. <i>Radiation Measurements</i> , 2018, 113, 1-6	1.5	3
95	High detection efficiency scintillating fiber detector for time-resolved measurement of triton burnup 14 MeV neutron in deuterium plasma experiment. <i>Review of Scientific Instruments</i> , 2018, 89, 101101 ^{1.7}	1.7	7
94	Tritium release from molten salt FLiNaK under low flux neutron irradiation with an AmBe neutron source. <i>Fusion Engineering and Design</i> , 2018, 136, 1269-1272	1.7	2
93	Initial operation results of NE213 scintillation detector for time-resolved measurements on triton burnup in KSTAR. <i>Review of Scientific Instruments</i> , 2018, 89, 101118	1.7	4
92	Control of Chemical Forms of Tritium in FLiNaK under Low Flux Neutron Irradiation. <i>Plasma and Fusion Research</i> , 2018, 13, 3404071-3404071	0.5	1
91	Performance testing of the neutron flux monitors from 10keV to 1MeV developed for BNCT: A preliminary study. <i>Applied Radiation and Isotopes</i> , 2017, 125, 119-123	1.7	6
90	Feasibility study on real-time γ ray spectrum / dose measurement system. <i>EPJ Web of Conferences</i> , 2017, 153, 07014	0.3	1
89	Development of beta ray scanner for imaging foliar uptake of radiocesium. <i>Radiation Detection Technology and Methods</i> , 2017, 1, 1	0.7	
88	Development of An Epi-thermal Neutron Field for Fundamental Researches for BNCT with A DT Neutron Source. <i>EPJ Web of Conferences</i> , 2017, 153, 04008	0.3	3
87	Gamma-Ray Dose Measurement with Radio-Photoluminescence Glass Dosimeter in Mixed Radiation Field for BNCT. <i>EPJ Web of Conferences</i> , 2017, 153, 04009	0.3	
86	Thought Experiment to Examine Benchmark Performance for Fusion Nuclear Data. <i>EPJ Web of Conferences</i> , 2017, 153, 07015	0.3	
85	DEVELOPMENT OF ISOTOPICALLY ENRICHED BORON-DOPED ALUMINA DOSIMETER FOR THERMAL NEUTRONS. <i>Radiation Protection Dosimetry</i> , 2017, 177, 475-480	0.9	1
84	Study on a liquid-moderator-based neutron spectrometer for BNCTDevelopment and experimental test of the prototype spectrometer. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017, 870, 90-96	1.2	4

83	Monte Carlo optimization of an epithermal neutron flux monitor for BNCT. <i>Journal of Nuclear Science and Technology</i> , 2017 , 54, 1118-1122	1	6
82	Investigation of irradiation effects on highly integrated leading-edge electronic components of diagnostics and control systems for LHD deuterium operation. <i>Nuclear Fusion</i> , 2017 , 57, 086012	3.3	8
81	Measurement of Spatial Dose Distribution of High Radiation Field by Radiophotoluminescence Photography. <i>Radiation Safety Management</i> , 2017 , 16, 13-19	0.9	1
80	Study on measuring device arrangement of array-type CdTe detector for BNCT-SPECT. <i>Reports of Practical Oncology and Radiotherapy</i> , 2016 , 21, 102-7	1.5	6
79	Basic detection property of an array-type CdTe detector for BNCT-SPECT - Measurement and analysis of anti-coincidence events. <i>Applied Radiation and Isotopes</i> , 2016 , 118, 389-394	1.7	6
78	Development of human hand phantom containing radiophotoluminescence material. <i>Radiation Measurements</i> , 2016 , 85, 18-25	1.5	5
77	Design study of neutron flux intensity monitor between ten and several hundred keV for BNCT. <i>Journal of Nuclear Science and Technology</i> , 2016 , 53, 1112-1119	1	9
76	Tritium burning in inertial electrostatic confinement fusion facility. <i>Fusion Engineering and Design</i> , 2016 , 109-111, 1709-1713	1.7	6
75	Boron neutron capture therapy in non-SCC patients with intractable head and neck malignancies who have no other treatment options.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e17507-e17507	2.2	
74	Cross Talk Experiment with Two-element CdTe Detector and Collimator for BNCT-SPECT. <i>Journal of Radiation Protection and Research</i> , 2016 , 41, 328-332	0.7	
73	Development of precise energy spectrum measurement technique for high-power pulsed X-ray sources for industrial use. <i>Journal of Nuclear Science and Technology</i> , 2016 , 53, 766-773	1	2
72	Experimental study on the performance of an epithermal neutron flux monitor for BNCT. <i>Applied Radiation and Isotopes</i> , 2016 , 113, 28-32	1.7	10
71	Validation of large-angle scattering data via shadow-bar experiment. <i>Fusion Engineering and Design</i> , 2016 , 112, 360-366	1.7	
70	Liquid Li based neutron source for BNCT and science application. <i>Applied Radiation and Isotopes</i> , 2015 , 106, 92-4	1.7	12
69	Neutron intensity monitor with activation foil for p-Li neutron source for BNCT--Feasibility test of the concept. <i>Applied Radiation and Isotopes</i> , 2015 , 106, 75-7	1.7	2
68	Mock-up experiment at Birmingham University for BNCT project of Osaka University--Neutron flux measurement with gold foil. <i>Applied Radiation and Isotopes</i> , 2015 , 106, 72-4	1.7	5
67	A feasibility design study on a neutron spectrometer for BNCT with liquid moderator. <i>Applied Radiation and Isotopes</i> , 2015 , 106, 41-4	1.7	6
66	Radiophotoluminescence light scope for high-dose dosimetry. <i>Radiation Measurements</i> , 2015 , 82, 88-92	1.5	1

65	Visualization of high radiation field by radiophotoluminescence photography. <i>Radiation Measurements</i> , 2014 , 68, 23-30	1.5	14
64	Characterization measurement of a thick CdTe detector for BNCT-SPECT - detection efficiency and energy resolution. <i>Applied Radiation and Isotopes</i> , 2014 , 88, 129-33	1.7	16
63	Simplified Neutron Detector for Angular Distribution Measurement of p-Li Neutron Source. <i>Plasma and Fusion Research</i> , 2014 , 9, 4405111-4405111	0.5	
62	Boron Neutron Capture Therapy (BNCT) - Low-Energy Neutron Spectrometer for Neutron Field Characterization -. <i>Plasma and Fusion Research</i> , 2014 , 9, 4401107-4401107	0.5	1
61	Design of an epi-thermal neutron flux intensity monitor with GaN wafer for boron neutron capture therapy. <i>Journal of Nuclear Science and Technology</i> , 2014 , 1-6	1	2
60	Neutron and gamma-ray source-term characterization of AmBe sources in Osaka University. <i>Progress in Nuclear Science and Technology</i> , 2014 , 4, 345-348	0.3	17
59	Gamma-ray transmission evaluation using imaging plate designed for X-ray radiography. <i>Progress in Nuclear Science and Technology</i> , 2014 , 4, 699-703	0.3	1
58	Boron neutron capture therapy in patients with recurrent head and neck cancers who have no other treatment options.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 6046-6046	2.2	
57	Performance analysis for neutronics benchmark experiments with partial adjoint contribution estimated by forward Monte Carlo calculation. <i>Fusion Engineering and Design</i> , 2013 , 88, 2302-2305	1.7	
56	New integral experiments for large angle scattering cross section data benchmarking with DT neutron beam at JAEA/FNS. <i>Fusion Engineering and Design</i> , 2012 , 87, 695-699	1.7	9
55	Precise Numerical Simulation of Gamma-ray Pulse Height Spectrum Measured with a CdTe Detector Designed for BNCT-SPECT. <i>Progress in Nuclear Science and Technology</i> , 2012 , 3, 52-55	0.3	2
54	Development of thermal neutron-sensitive glass dosimeter containing lithium. <i>Radiation Protection Dosimetry</i> , 2011 , 144, 226-30	0.9	3
53	Measurement of Reaction Rates in Li/V-Alloy Assembly with 14 MeV Neutron Irradiation. <i>Fusion Science and Technology</i> , 2011 , 60, 681-686	1.1	1
52	Performance analysis of fusion nuclear-data benchmark experiments for light to heavy materials in MeV energy region with a neutron spectrum shifter. <i>Journal of Nuclear Materials</i> , 2011 , 417, 1127-1130	3.3	2
51	Analysis of the propagation of neutrons and gamma-rays from the fast neutron source reactor YAYOI. <i>Journal of Nuclear Materials</i> , 2011 , 417, 1345-1347	3.3	3
50	Development of neutron-sensitive glass dosimeter containing isotopically enriched boron. <i>Radiation Measurements</i> , 2011 , 46, 1484-1487	1.5	6
49	Development of a thick CdTe detector for BNCT-SPECT. <i>Applied Radiation and Isotopes</i> , 2011 , 69, 1706-91	1.7	16
48	Measurement of Charged-Particle Emission Double-Differential Cross Section of Fluorine for 14.2MeV Neutrons. <i>Journal of Nuclear Science and Technology</i> , 2011 , 48, 1146-1157	1	3

47	Feasibility study on BNCT-SPECT using a CdTe detector. <i>Progress in Nuclear Science and Technology</i> , 2011 , 1, 267-270	0.3	7
46	Thermal neutron field with D-T neutron source for BNCT. <i>Progress in Nuclear Science and Technology</i> , 2011 , 1, 513-516	0.3	1
45	Neutron and Gamma-ray Dose Evaluation on Accelerator Neutron Source using p-Li Reaction for BNCT. <i>Progress in Nuclear Science and Technology</i> , 2011 , 1, 533-536	0.3	6
44	Development of a Grab-sampling Type Multitubular Proportional Counter for Measurement of Radon Concentration in Atmosphere. <i>Progress in Nuclear Science and Technology</i> , 2011 , 1, 396-399	0.3	
43	New Radiophotoluminescence Glass Dosimeter with Specialized Radiation-Sensitive Surface Layer. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 116401	1.4	3
42	Development of Cell Chip Based on Track Detector for Examination of Biological Damage by Alpha Particles. <i>Journal of Nuclear Science and Technology</i> , 2010 , 47, 1206-1210	1	
41	A twin-type airflow pulse ionization chamber for continuous alpha-radioactivity monitoring in atmosphere. <i>Radiation Measurements</i> , 2010 , 45, 1044-1048	1.5	2
40	Light output response of KamLAND liquid scintillator for protons and ^{12}C nuclei. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2010 , 622, 574-582	1.2	22
39	Performance of Convenient Film Scanner System for Automatic Counting of Track Etched Pits on PADC Detectors. <i>Radiation Safety Management</i> , 2010 , 9, 1-6	0.9	
38	Basic investigation of boron neutron capture therapy (BNCT) using novel boron agents and accelerator based neutron source. <i>IFMBE Proceedings</i> , 2009 , 638-641	0.2	
37	Speed-up of cross-section collapsing with weight-window for subcritical burnup calculation. <i>Fusion Engineering and Design</i> , 2009 , 84, 1281-1284	1.7	1
36	Direct neutron spectrum measurement to validate natZr($n,2n$) reaction cross-section at 14MeV. <i>Fusion Engineering and Design</i> , 2009 , 84, 1376-1379	1.7	
35	Preliminary spectrum shifter design for intermediate energy nuclear data benchmark experiments with DT neutrons. <i>Fusion Engineering and Design</i> , 2009 , 84, 1446-1449	1.7	3
34	Problems of lead nuclear data in fusion blanket design. <i>Fusion Engineering and Design</i> , 2009 , 84, 1076-1089	1.7	3
33	Effectiveness of boron neutron capture therapy for recurrent head and neck malignancies. <i>Applied Radiation and Isotopes</i> , 2009 , 67, S37-42	1.7	64
32	On accelerator-based neutron sources and neutron field characterization with low energy neutron spectrometer based on position sensitive ^3He counter. <i>Applied Radiation and Isotopes</i> , 2009 , 67, S288-91 ^{1.7}		
31	Nuclear Data Benchmarking for Lead by LiAl/Pb Fusion Blanket Mock-Up Experiment. <i>Nuclear Technology</i> , 2009 , 168, 591-595	1.4	
30	A New Low-Energy Neutron Spectrometer Based on Position-Sensitive Proportional Counter for Accelerator-Based Neutron Source. <i>Nuclear Technology</i> , 2009 , 168, 373-377	1.4	

29	Advanced Burnup Calculation Code System in a Subcritical State with Continuous-Energy Monte Carlo Code for Fusion-Fission Hybrid Reactor. <i>Journal of Nuclear Science and Technology</i> , 2009 , 46, 776-786	1	
28	Measurement and Analysis of Neutron-Induced Alpha Particle Emission Double-Differential Cross Section of Carbon at 14.2 MeV. <i>Journal of Nuclear Science and Technology</i> , 2008 , 45, 103-115	1	11
27	A New Approach to Make Collapsed Cross Section for Burnup Calculation of Subcritical System. <i>Journal of Nuclear Science and Technology</i> , 2008 , 45, 86-88	1	1
26	Neutron Emission Profile of d-Be Reaction with Low-energy Deuteron Beam for Accelerator Neutron Source. <i>Journal of Nuclear Science and Technology</i> , 2008 , 45, 58-61	1	2
25	A New Approach to Estimate Importance for Weight Window in Forward Monte Carlo Calculations. <i>Nuclear Science and Engineering</i> , 2008 , 159, 273-283	1.2	4
24	Angle-correlated spectrum measurement for two neutrons emitted from (n,2n) reaction with the coincidence detection technique using a pencil-beam DT neutron source. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 565, 129-141	1.2	2
23	Low-energy neutron spectrometer using position sensitive proportional counter. Feasibility study based on numerical analysis. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008 , 589, 445-454	1.2	7
22	Blanket mock-up experiment with a LiAlPb assembly irradiated with 14MeV neutrons in preparation of the HCLL-TBM neutronics experiment. <i>Fusion Engineering and Design</i> , 2008 , 83, 1813-1817	1.7	4
21	Verification of KERMA factor for beryllium at neutron energy of 14.2MeV based on charged-particle measurement. <i>Fusion Engineering and Design</i> , 2008 , 83, 1674-1677	1.7	5
20	Verification of nuclear data for DT neutron induced charged-particle emission reaction of light nuclei. <i>Fusion Engineering and Design</i> , 2007 , 82, 2786-2793	1.7	3
19	Burnup calculation of fusionfission hybrid energy system with thorium cycle. <i>Fusion Engineering and Design</i> , 2007 , 82, 2779-2785	1.7	13
18	New burnup calculation system for fusionfission hybrid reactor. <i>Fusion Engineering and Design</i> , 2007 , 82, 2772-2778	1.7	7
17	(n, 2n) Reaction Cross Section Measurement with A Beam DT Neutron Source. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 433-436	1	1
16	Recent Measurements of Nuclear Data and Integral Tests for Fusion Reactor Application. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 1112-1117	1	
15	Measurements of Double Differential Cross Sections for Charged Particle Emission Reactions by 14.1MeV Incident Neutrons. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 413-416	1	6
14	Fusion Neutronics Benchmark Experiment on Structural and Advanced Blanket Materials - Leakage Gamma-ray Spectrum Measurement -. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 955-958	1	10
13	Measurements of Secondary Gamma-Ray Production Cross Sections for natFe, 51V, natMo, natZr, natNi and 181Ta with Hp-Ge Detector Induced by DT Neutrons. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 437-440	1	
12	Assessment of Tritium Behavior in Man Using a Modified Three-Compartment Model. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 316-322	1	1

11	Fusion Neutronics Benchmark Experiment on Structural and Advanced Blanket Materials - Leakage Neutron Spectrum Measurement -. <i>Journal of Nuclear Science and Technology</i> , 2002 , 39, 978-981	1	2
10	Effect of Aggregate Specification in Heavy Concrete for Fusion Reactor Shield on Neutron Dose Evaluation. <i>Journal of Nuclear Science and Technology</i> , 2000 , 37, 798-802	1	
9	Measurement of Secondary Gamma-ray Skyshine and Groundshine from Intense 14 MeV Neutron Source Facility. <i>Journal of Nuclear Science and Technology</i> , 2000 , 37, 650-654	1	3
8	Measurements of Double-Differential Cross Sections of Charged-Particle Emission Reactions for Several Structural Elements of Fusion Power Reactors by 14.1-MeV Incident Neutrons. <i>Nuclear Science and Engineering</i> , 1999 , 132, 16-29	1.2	22
7	Effect of Heterogeneities in Heavy Concrete on Shielding of Fusion Neutrons. <i>Fusion Science and Technology</i> , 1999 , 36, 181-193		2
6	Benchmark Experiment on Vanadium with D-T Neutrons and Validation of Evaluated Nuclear Data Libraries by Analysis of the Experiment. <i>Journal of Nuclear Science and Technology</i> , 1999 , 36, 242-249	1	7
5	Measurement of Biological Half-Life of Tritium in Handling Worker at Fusion Research Facility. <i>Fusion Science and Technology</i> , 1998 , 34, 656-660		1
4	New Sampling Method in Continuous Energy Monte Carlo Calculation for Pebble Bed Reactors. <i>Journal of Nuclear Science and Technology</i> , 1997 , 34, 734-744	1	26
3	New Sampling Method in Continuous Energy Monte Carlo Calculation for Pebble Bed Reactors		5
2	Benchmark Experiment on Vanadium with D-T Neutrons and Validation of Evaluated Nuclear Data Libraries by Analysis of the Experiment		1
1	Measurement and Analysis of Neutron-Induced Alpha Particle Emission Double-Differential Cross Section of Carbon at 14.2 MeV		1