

Denis Moro-Sibilot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/850257/publications.pdf>

Version: 2024-02-01

90
papers

10,796
citations

87723

38
h-index

42291

92
g-index

93
all docs

93
docs citations

93
times ranked

11626
citing authors

#	ARTICLE	IF	CITATIONS
1	Crizotinib versus Chemotherapy in Advanced <i>ALK</i> -Positive Lung Cancer. <i>New England Journal of Medicine</i> , 2013, 368, 2385-2394.	13.9	3,181
2	Bevacizumab for newly diagnosed pleural mesothelioma in the Mesothelioma Avastin Cisplatin Pemetrexed Study (MAPS): a randomised, controlled, open-label, phase 3 trial. <i>Lancet</i> , The, 2016, 387, 1405-1414.	6.3	753
3	Lung Cancer That Harbors an <i>HER2</i> Mutation: Epidemiologic Characteristics and Therapeutic Perspectives. <i>Journal of Clinical Oncology</i> , 2013, 31, 1997-2003.	0.8	572
4	Alectinib in Crizotinib-Refractory <i>ALK</i> -Rearranged Non-Small-Cell Lung Cancer: A Phase II Global Study. <i>Journal of Clinical Oncology</i> , 2016, 34, 661-668.	0.8	548
5	Preoperative Chemotherapy Followed by Surgery Compared With Primary Surgery in Resectable Stage I (Except T1N0), II, and IIIa Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2002, 20, 247-253.	0.8	535
6	Carboplatin and weekly paclitaxel doublet chemotherapy compared with monotherapy in elderly patients with advanced non-small-cell lung cancer: IFCT-0501 randomised, phase 3 trial. <i>Lancet</i> , The, 2011, 378, 1079-1088.	6.3	521
7	Ramucirumab plus erlotinib in patients with untreated, EGFR-mutated, advanced non-small-cell lung cancer (RELAY): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2019, 20, 1655-1669.	5.1	418
8	Ectopic Activation of Germline and Placental Genes Identifies Aggressive Metastasis-Prone Lung Cancers. <i>Science Translational Medicine</i> , 2013, 5, 186ra66.	5.8	392
9	Nivolumab or nivolumab plus ipilimumab in patients with relapsed malignant pleural mesothelioma (IFCT-1501 MAPS2): a multicentre, open-label, randomised, non-comparative, phase 2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 239-253.	5.1	342
10	Updated Efficacy and Safety Data and Impact of the EML4- <i>ALK</i> Fusion Variant on the Efficacy of Alectinib in Untreated <i>ALK</i> -Positive Advanced Non-Small Cell Lung Cancer in the Global Phase III ALEX Study. <i>Journal of Thoracic Oncology</i> , 2019, 14, 1233-1243.	0.5	324
11	Integrative genomic profiling of large-cell neuroendocrine carcinomas reveals distinct subtypes of high-grade neuroendocrine lung tumors. <i>Nature Communications</i> , 2018, 9, 1048.	5.8	254
12	<i>CD74</i> - <i>NRG1</i> Fusions in Lung Adenocarcinoma. <i>Cancer Discovery</i> , 2014, 4, 415-422.	7.7	238
13	Intestinal <i>Akkermansia muciniphila</i> predicts clinical response to PD-1 blockade in patients with advanced non-small-cell lung cancer. <i>Nature Medicine</i> , 2022, 28, 315-324.	15.2	225
14	Dual IHC and FISH Testing for <i>ALK</i> Gene Rearrangement in Lung Adenocarcinomas in a Routine Practice: A French Study. <i>Journal of Thoracic Oncology</i> , 2012, 7, 348-354.	0.5	197
15	Next-Generation Sequencing Reveals High Concordance of Recurrent Somatic Alterations Between Primary Tumor and Metastases From Patients With Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 2167-2172.	0.8	170
16	Overall survival with crizotinib and next-generation <i>ALK</i> inhibitors in <i>ALK</i> -positive non-small-cell lung cancer (IFCT-1302 CLINALK): a French nationwide cohort retrospective study. <i>Oncotarget</i> , 2017, 8, 21903-21917.	0.8	140
17	On the relevance of a testing algorithm for the detection of <i>ROS1</i> -rearranged lung adenocarcinomas. <i>Lung Cancer</i> , 2014, 83, 168-173.	0.9	113
18	A Brief Report of Transformation From NSCLC to SCLC: Molecular and Therapeutic Characteristics. <i>Journal of Thoracic Oncology</i> , 2019, 14, 130-134.	0.5	92

#	ARTICLE	IF	CITATIONS
19	Use of Intensive Care in Patients With Nonresectable Lung Cancer. <i>Chest</i> , 2011, 139, 101-108.	0.4	84
20	Endovascular Treatment of Malignant Superior Vena Cava Syndrome: Results and Predictive Factors of Clinical Efficacy. <i>CardioVascular and Interventional Radiology</i> , 2013, 36, 140-149.	0.9	83
21	High TUBB3 Expression, an Independent Prognostic Marker in Patients with Early Non-Small Cell Lung Cancer Treated by Preoperative Chemotherapy, Is Regulated by K-Ras Signaling Pathway. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 1203-1213.	1.9	77
22	BioCAST/IFCT-1002: epidemiological and molecular features of lung cancer in never-smokers. <i>European Respiratory Journal</i> , 2015, 45, 1403-1414.	3.1	66
23	Outcomes and resource use of non-small cell lung cancer (NSCLC) patients treated with first-line platinum-based chemotherapy across Europe: FRAME prospective observational study. <i>Lung Cancer</i> , 2015, 88, 215-222.	0.9	58
24	Non-small cell lung cancer patients with brain metastases treated with first-line platinum-doublet chemotherapy: Analysis from the European FRAME study. <i>Lung Cancer</i> , 2015, 90, 427-432.	0.9	57
25	Disease Flare After Treatment Discontinuation in a Patient With EML4-ALK Lung Cancer and Acquired Resistance to Crizotinib. <i>Journal of Thoracic Oncology</i> , 2012, 7, e1-e2.	0.5	56
26	Characteristics and Outcomes of Patients with Lung Cancer Harboring Multiple Molecular Alterations: Results from the IFCT Study Biomarkers France. <i>Journal of Thoracic Oncology</i> , 2017, 12, 963-973.	0.5	56
27	An Apoptosis Methylation Prognostic Signature for Early Lung Cancer in the IFCT-0002 Trial. <i>Clinical Cancer Research</i> , 2012, 18, 2976-2986.	3.2	52
28	IFCT-0401 Trial: A Phase II Study of Gefitinib Administered as First-Line Treatment in Advanced Adenocarcinoma with Bronchioloalveolar Carcinoma Subtype. <i>Journal of Thoracic Oncology</i> , 2009, 4, 1126-1135.	0.5	51
29	Osteoblastic Reaction in Non-small Cell Lung Carcinoma and its Association to Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitors Response and Prolonged Survival. <i>Journal of Thoracic Oncology</i> , 2010, 5, 491-496.	0.5	51
30	Shorter Survival in Malignant Pleural Mesothelioma Patients With High PD-L1 Expression Associated With Sarcomatoid or Biphasic Histology Subtype: A Series of 214 Cases From the Bio-MAPS Cohort. <i>Clinical Lung Cancer</i> , 2019, 20, e564-e575.	1.1	49
31	c-MET Overexpression as a Poor Predictor of MET Amplifications or Exon 14 Mutations in Lung Sarcomatoid Carcinomas. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1962-1967.	0.5	48
32	Updated efficacy and safety data from the global phase III ALEX study of alectinib (ALC) vs crizotinib (CZ) in untreated advanced ALK+ NSCLC. <i>Journal of Clinical Oncology</i> , 2018, 36, 9043-9043.	0.8	45
33	Adequacy of CT-guided biopsies with histomolecular subtyping of pulmonary adenocarcinomas: Influence of ATS/ERS/IASLC guidelines. <i>Lung Cancer</i> , 2013, 82, 69-75.	0.9	44
34	Lung Squamous Cell Carcinomas with Basaloid Histology Represent a Specific Molecular Entity. <i>Clinical Cancer Research</i> , 2014, 20, 5777-5786.	3.2	44
35	ALK fusion variants detection by targeted RNA-next generation sequencing and clinical responses to crizotinib in ALK-positive non-small cell lung cancer. <i>Lung Cancer</i> , 2018, 116, 15-24.	0.9	44
36	Weekly paclitaxel plus bevacizumab versus docetaxel as second- or third-line treatment in advanced non-squamous non-small-cell lung cancer: Results of the IFCT-1103 ULTIMATE study. <i>European Journal of Cancer</i> , 2020, 131, 27-36.	1.3	44

#	ARTICLE	IF	CITATIONS
37	Insulin-like growth factor-1 receptor inhibition overcomes gefitinib resistance in mucinous lung adenocarcinoma. <i>Journal of Pathology</i> , 2011, 225, 83-95.	2.1	43
38	Prognostic value of health-related quality of life for overall survival in elderly non-small-cell lung cancer patients. <i>European Journal of Cancer</i> , 2016, 52, 120-128.	1.3	42
39	Randomized phase II trial of gefitinib or gemcitabine or docetaxel chemotherapy in patients with advanced non-small-cell lung cancer and a performance status of 2 or 3 (IFCT-0301 study). <i>Lung Cancer</i> , 2010, 70, 301-307.	0.9	40
40	Management of crizotinib therapy for ALK-rearranged non-small cell lung carcinoma: An expert consensus. <i>Lung Cancer</i> , 2015, 87, 89-95.	0.9	40
41	Combination of Trastuzumab, Pertuzumab, and Docetaxel in Patients With Advanced Non-Small-Cell Lung Cancer Harboring <i>HER2</i> Mutations: Results From the IFCT-1703 R2D2 Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 719-728.	0.8	37
42	Prognostic Impact of Paraneoplastic Cushing's Syndrome in Small-Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2014, 9, 497-505.	0.5	34
43	Expression of candidate tumor suppressor gene ING2 is lost in non-small cell lung carcinoma. <i>Lung Cancer</i> , 2010, 69, 180-186.	0.9	32
44	Clinicopathologic Features and Response to Therapy of <i>NRG1</i> Fusion-Driven Lung Cancers: The eNRG1 Global Multicenter Registry. <i>Journal of Clinical Oncology</i> , 2021, 39, 2791-2802.	0.8	32
45	Patients with advanced lung cancer harboring oncogenic mutations should be admitted to intensive care units. <i>Intensive Care Medicine</i> , 2015, 41, 164-165.	3.9	28
46	Selection criteria for intensive care unit referral of lung cancer patients: a pilot study. <i>European Respiratory Journal</i> , 2015, 45, 491-500.	3.1	26
47	High MET Overexpression Does Not Predict the presence of MET exon 14 Splice Mutations in NSCLC: Results From the IFCT PREDICT.amm study. <i>Journal of Thoracic Oncology</i> , 2020, 15, 120-124.	0.5	24
48	Implementing ctDNA Analysis in the Clinic: Challenges and Opportunities in Non-Small Cell Lung Cancer. <i>Cancers</i> , 2020, 12, 3112.	1.7	23
49	Trends in response rate and survival in small-cell lung cancer patients between 1997 and 2017. <i>Lung Cancer</i> , 2019, 131, 122-127.	0.9	22
50	Outcomes in recurrent small-cell lung cancer after one to four chemotherapy lines: A retrospective study of 300 patients. <i>Lung Cancer</i> , 2012, 78, 112-120.	0.9	21
51	MST1/Hippo promoter gene methylation predicts poor survival in patients with malignant pleural mesothelioma in the IFCT-GFPC-0701 MAPS Phase 3 trial. <i>British Journal of Cancer</i> , 2019, 120, 387-397.	2.9	19
52	Influence of histology and biomarkers on first-line treatment of advanced non-small cell lung cancer in routine care setting: Baseline results of an observational study (FRAME). <i>Lung Cancer</i> , 2012, 78, 263-269.	0.9	18
53	Association between lung cancer somatic mutations and occupational exposure in never-smokers. <i>European Respiratory Journal</i> , 2017, 50, 1700716.	3.1	16
54	Cost-effectiveness of <i>KRAS</i> , <i>EGFR</i> and <i>ALK</i> testing for decision making in advanced nonsmall cell lung carcinoma: the French IFCT-PREDICT.amm study. <i>European Respiratory Journal</i> , 2018, 51, 1701467.	3.1	16

#	ARTICLE	IF	CITATIONS
55	MSH2/BRCA1 expression as a DNA-repair signature predicting survival in early-stage lung cancer patients from the IFCT-0002 Phase 3 Trial. <i>Oncotarget</i> , 2017, 8, 4313-4329.	0.8	16
56	Second-line therapy for NSCLC in clinical practice: baseline results of the European SELECTION observational study. <i>Current Medical Research and Opinion</i> , 2010, 26, 2661-2672.	0.9	15
57	Immunohistochemistry evaluation of biomarker expression in non-small cell lung cancer (Pharmacogenoscan study). <i>Lung Cancer</i> , 2014, 83, 182-188.	0.9	15
58	Cisplatin and carboplatin-based chemotherapy in the first-line treatment of non-small cell lung cancer: Analysis from the European FRAME study. <i>Lung Cancer</i> , 2016, 92, 35-40.	0.9	15
59	Health-Related Quality of Life Impact from Adding Bevacizumab to Cisplatin-Pemetrexed in Malignant Pleural Mesothelioma in the MAPS IFCT-GFPC-0701 Phase III Trial. <i>Clinical Cancer Research</i> , 2019, 25, 5759-5765.	3.2	13
60	Randomized Phase II Trial Evaluating Treatment with EGFR-TKI Associated with Antiestrogen in Women with Nonsquamous Advanced-Stage NSCLC: IFCT-1003 LADIE Trial. <i>Clinical Cancer Research</i> , 2020, 26, 3172-3181.	3.2	13
61	Patient-reported outcomes in RELAY, a phase 3 trial of ramucirumab plus erlotinib versus placebo plus erlotinib in untreated EGFR-mutated metastatic non-small-cell lung cancer. <i>Current Medical Research and Opinion</i> , 2020, 36, 1667-1675.	0.9	11
62	Second-line therapy in elderly patients with advanced nonsmall cell lung cancer. <i>European Respiratory Journal</i> , 2014, 43, 240-249.	3.1	10
63	Are Clinical Guidelines Applied in Routine Daily Practice? A French Regional Survey of Physicians' Clinical Practices in Lung Cancer Management (EPOTRA). <i>Clinical Lung Cancer</i> , 2011, 12, 298-306.	1.1	9
64	Chemotherapy Effectiveness After First-Line Gefitinib Treatment for Advanced Lepidic Predominant Adenocarcinoma (Formerly Advanced Bronchioloalveolar Carcinoma): Exploratory Analysis of the IFCT-0401 Trial. <i>Journal of Thoracic Oncology</i> , 2012, 7, 1423-1431.	0.5	9
65	Second-line therapy for non-small cell lung cancer in clinical practice: final results and treatment pathways from the SELECTION observational study. <i>Current Medical Research and Opinion</i> , 2012, 28, 1253-1262.	0.9	9
66	ALK-rearranged non-small cell lung cancers: how best to optimize the safety of crizotinib in clinical practice?. <i>Expert Review of Anticancer Therapy</i> , 2015, 15, 225-233.	1.1	9
67	Percutaneous CT-guided biopsy of lytic bone lesions in patients clinically suspected of lung cancer: Diagnostic performances for pathological diagnosis and molecular testing. <i>Lung Cancer</i> , 2020, 140, 93-98.	0.9	9
68	First-Line Afatinib plus Cetuximab for EGFR-Mutant Non-Small Cell Lung Cancer: Results from the Randomized Phase II IFCT-1503 ACE-Lung Study. <i>Clinical Cancer Research</i> , 2021, 27, 4168-4176.	3.2	9
69	Real-life experience of ceritinib in crizotinib-pretreated ALK ⁺ advanced non-small cell lung cancer patients. <i>ERJ Open Research</i> , 2018, 4, 00058-2017.	1.1	8
70	Biomarker-driven access to crizotinib in ALK, MET, or ROS1 positive (+) malignancies in adults and children: The French National ACo Program. <i>Journal of Clinical Oncology</i> , 2018, 36, 2504-2504.	0.8	8
71	Pratique professionnelle et accessibilit� aux �quipements en oncologie thoracique. R�sultats d'une enqu�te de pratique en r�gion Rh�ne-Alpes. <i>Bulletin Du Cancer</i> , 2011, 98, 613-623.	0.6	7
72	Similar survival rates with first-line gefitinib, gemcitabine, or docetaxel in a randomized phase II trial in elderly patients with advanced non-small cell lung cancer and a poor performance status (IFCT-0301). <i>Journal of Geriatric Oncology</i> , 2015, 6, 233-240.	0.5	7

#	ARTICLE	IF	CITATIONS
73	Erlotinib versus carboplatin and paclitaxel in advanced lepidic adenocarcinoma: IFCT-0504. <i>European Respiratory Journal</i> , 2015, 46, 1440-1450.	3.1	7
74	Randomized phase II trial evaluating treatment with EGFR-TKI versus EGFR-TKI associated with anti-estrogen in women with non-squamous advanced stage NSCLC: IFCT-1003 LADIE trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9097-9097.	0.8	5
75	Phase II randomized trial of afatinib with or without cetuximab as first-line treatment for EGFR mutated non-small cell lung cancer (NSCLC) patients (IFCT-1503 ACE-Lung).. <i>Journal of Clinical Oncology</i> , 2019, 37, 9079-9079.	0.8	5
76	Switch maintenance chemotherapy versus observation after carboplatin and weekly paclitaxel doublet chemotherapy in elderly patients with advanced non-small cell lung cancer: IFCT-1201 MODEL trial. <i>European Journal of Cancer</i> , 2020, 138, 193-201.	1.3	4
77	Comprehensive Genome Profiling in Patients With Metastatic Non-small Cell Lung Cancer: The Precision Medicine Phase II Randomized SAFIR02-Lung/IFCT 1301 Trial. <i>Clinical Cancer Research</i> , 2022, 28, 4018-4026.	3.2	4
78	The TAILOR study: To agree or to disagree?. <i>Lung Cancer</i> , 2014, 84, 315-316.	0.9	3
79	Prise en charge oncologique du patient opéré: chimiothérapie adjuvante, surveillance, traitement des rechutes. <i>Oncologie</i> , 2008, 10, 525-528.	0.2	2
80	Compliance to regional recommendations for molecular analyses and management of advanced lung cancer patients. <i>Future Oncology</i> , 2019, 15, 2139-2149.	1.1	2
81	Precision medicine at its best: Prolonged survival in a child presenting a secondary mesothelioma treated with crizotinib. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28666.	0.8	2
82	Impact on health-related quality of life of the addition of bevacizumab to cisplatin-pemetrexed in malignant pleural mesothelioma in the MAPS phase III trial.. <i>Journal of Clinical Oncology</i> , 2018, 36, 8505-8505.	0.8	2
83	Detection of ROS1 translocations in triple-negative lung adenocarcinomas.. <i>Journal of Clinical Oncology</i> , 2013, 31, 8099-8099.	0.8	2
84	P3-071: Respiratory symptoms improvement in non-resectable adenocarcinoma with bronchioloalveolar carcinoma features (ADC-BAC) treated with gefitinib: Quality of Life analysis of the IFCT-0401 trial. <i>Journal of Thoracic Oncology</i> , 2007, 2, S708.	0.5	1
85	Pathologie avancée et défaillances d'organes: outil d'aide à la décision. <i>Medecine Palliative</i> , 2014, 13, 150-154.	0,0	1
86	Pazopanib (P) or placebo in completely resected stage I NSCLC patients: Survival results of the phase II trial IFCT-0703.. <i>Journal of Clinical Oncology</i> , 2015, 33, 7510-7510.	0.8	1
87	Trends in response rate and survival in small cell lung cancer patients between 1997 and 2017.. <i>Journal of Clinical Oncology</i> , 2018, 36, e20572-e20572.	0.8	1
88	A defect of amphiregulin release predicted longer survival independently of YAP expression in patients with pleural mesothelioma in the IFCT-0701 MAPS phase 3 trial. <i>International Journal of Cancer</i> , 2022, 150, 1889-1904.	2.3	1
89	Immunotherapy in NSCLC Patients With Brain and Leptomeningeal Metastases. <i>Frontiers in Oncology</i> , 2022, 12, 787080.	1.3	1
90	P3-118: IFCT-0301 randomized phase II trial of gefitinib, gemcitabine or docetaxel in Performance Status (PS) 2 or 3 non-small cell lung cancer (NSCLC) patients: analysis of the clinical impact of comorbidities and tumour burden. <i>Journal of Thoracic Oncology</i> , 2007, 2, S729.	0.5	0