

# Ana Carlotti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8502966/publications.pdf>

Version: 2024-02-01

65  
papers

1,507  
citations

361045

20  
h-index

329751

37  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1887  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased nutrition risk at admission is associated with longer hospitalization in children and adolescents with COVID-19. <i>Nutrition in Clinical Practice</i> , 2022, 37, 393-401.	1.1	4
2	Risk factors for mortality from sepsis in an intensive care unit in Ecuador. <i>Medicine (United States)</i> , 2022, 101, .	0.4	2
3	Epidemiology and factors associated with the severity of viral acute lower respiratory infection in children hospitalized in Manaus, Amazonas, in 2017-2018. <i>Medicine (United States)</i> , 2021, 100, e25799.	0.4	0
4	Criação e Implantação de Programa de Mestrado Profissional vinculado à Residência Médica: a experiência da Faculdade de Medicina de Ribeirão Preto da Universidade de São Paulo. <i>Medicina</i> , 2021, 54, .	0.0	0
5	Prevalence and functional status of children with complex chronic conditions in Brazilian PICUs during the COVID-19 pandemic. <i>Jornal De Pediatria</i> , 2021, , .	0.9	2
6	IL-33 and ST2 as predictors of disease severity in children with viral acute lower respiratory infection. <i>Cytokine</i> , 2020, 127, 154965.	1.4	7
7	COVID-19 Diagnostic and Management Protocol for Pediatric Patients. <i>Clinics</i> , 2020, 75, e1894.	0.6	64
8	Update on the diagnosis and management of COVID-19 in pediatric patients. <i>Clinics</i> , 2020, 75, e2353.	0.6	11
9	Impacto prognóstico das complicações ocorridas durante o transporte de crianças gravemente doentes. <i>Scientia Medica</i> , 2020, 30, e34725.	0.1	0
10	Human coronavirus alone or in co-infection with rhinovirus C is a risk factor for severe respiratory disease and admission to the pediatric intensive care unit: A one-year study in Southeast Brazil. <i>PLoS ONE</i> , 2019, 14, e0217744.	1.1	21
11	Neutrophil extracellular traps (NETs) exacerbate severity of infant sepsis. <i>Critical Care</i> , 2019, 23, 113.	2.5	103
12	Spontaneous Breathing Trial for Prediction of Extubation Success in Pediatric Patients Following Congenital Heart Surgery: A Randomized Controlled Trial*. <i>Pediatric Critical Care Medicine</i> , 2019, 20, 940-946.	0.2	26
13	Impact of the clinical pharmacist interventions on prevention of pharmacotherapy related problems in the paediatric intensive care unit. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 513-519.	1.0	22
14	Methylene Blue for Refractory Shock in Polytraumatized Patient: A Case Report. <i>Journal of Emergency Medicine</i> , 2018, 55, 553-558.	0.3	7
15	Multiple Cerebral Infarcts in a Young Patient Associated With Marijuana Use. <i>Journal of Addiction Medicine</i> , 2017, 11, 405-407.	1.4	15
16	Neuropsychological outcome of children with traumatic brain injury and its association with late magnetic resonance imaging findings: A cohort study. <i>Brain Injury</i> , 2017, 31, 1689-1694.	0.6	6
17	Severe pertussis infection. <i>Medicine (United States)</i> , 2017, 96, e8823.	0.4	13
18	Implementation and development of the Simulation Laboratory (SimLab) of Ribeirão Preto Medical School of University of São Paulo (RPMS-USP). <i>Medicina</i> , 2017, 50, 272.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Expectations of the pediatric intensive care unit team for the clinical pharmacist performance. <i>Medicina</i> , 2016, 49, 511.	0.0	0
20	Epidemiology and Outcome of Acute Kidney Injury According to Pediatric Risk, Injury, Failure, Loss, End-Stage Renal Disease and Kidney Disease. <i>Pediatric Critical Care Medicine</i> , 2016, 17, e229-e238.	0.2	29
21	Discrepancies Between Clinical Diagnoses and Autopsy Findings in Critically Ill Children. <i>American Journal of Clinical Pathology</i> , 2016, 146, 701-708.	0.4	14
22	Approach to the Treatment of Diabetic Ketoacidosis. <i>American Journal of Kidney Diseases</i> , 2016, 68, 967-972.	2.1	13
23	Congenital systemic candidiasis without skin lesions presenting as septic shock in a late preterm infant. <i>Journal of Pediatric Infectious Diseases</i> , 2015, 07, 131-134.	0.1	0
24	Diagnostic and Prognostic Value of Serum Cystatin C in Critically Ill Children With Acute Kidney Injury. <i>Pediatric Critical Care Medicine</i> , 2015, 16, e125-e131.	0.2	20
25	Alveolar recruitment manoeuvre is safe in children prone to pulmonary hypertensive crises following open heart surgery: a pilot study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 18, 602-606.	0.5	2
26	Inflammation, Myocardial Dysfunction, and Mortality in Children With Septic Shock: An Observational Study. <i>Pediatric Cardiology</i> , 2014, 35, 463-470.	0.6	10
27	Evaluation of adrenal function in critically ill children. <i>Clinical Endocrinology</i> , 2014, 81, 559-565.	1.2	11
28	Assessment and management of pediatric pain based on the opinions of health professionals.. <i>Psychology and Neuroscience</i> , 2014, 7, 43-53.	0.5	4
29	Hypokalemia during Treatment of Diabetic Ketoacidosis: Clinical Evidence for an Aldosterone-Like Action of Insulin. <i>Journal of Pediatrics</i> , 2013, 163, 207-212.e1.	0.9	21
30	Role of soluble triggering receptor expressed on myeloid cells-1 for diagnosing ventilator-associated pneumonia after cardiac surgery: an observational study. <i>BMC Cardiovascular Disorders</i> , 2013, 13, 107.	0.7	11
31	Reply to the Editor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 145, 614-615.	0.4	0
32	Oxidative stress markers are not associated with outcomes after pediatric heart surgery. <i>Paediatric Anaesthesia</i> , 2013, 23, 188-194.	0.6	21
33	Pain assessment in neonates and infants in the post-operative period following cardiac surgery. <i>Postgraduate Medical Journal</i> , 2013, 89, 63-67.	0.9	15
34	The Switch Back Ross Operation: Report of Two Cases With Good Medium-to-Long-Term Follow-Up. <i>World Journal for Pediatric &amp; Congenital Heart Surgery</i> , 2012, 3, 244-248.	0.3	5
35	Catch-up growth in children after repair of Tetralogy of Fallot. <i>Cardiology in the Young</i> , 2012, 22, 507-513.	0.4	16
36	Pediatric pain: prevalence, assessment, and management in a teaching hospital. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 1287-1294.	0.7	39

#	ARTICLE	IF	CITATIONS
37	Vancomycin-resistant enterococcus outbreak in a pediatric intensive care unit: report of successful interventions for control and prevention. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 158-162.	0.7	4
38	Late remote ischemic preconditioning in children undergoing cardiopulmonary bypass: A randomized controlled trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012, 144, 178-183.e1.	0.4	50
39	Effect of Oral Hygiene with 0.12% Chlorhexidine Gluconate on the Incidence of Nosocomial Pneumonia in Children Undergoing Cardiac Surgery. <i>Infection Control and Hospital Epidemiology</i> , 2011, 32, 591-596.	1.0	33
40	Monitoring of protein catabolism in neonates and young infants postcardiac surgery. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 977-982.	0.7	14
41	Evidence of Renal Infection in Fatal Cases of 2009 Pandemic Influenza A (H1N1). <i>American Journal of Clinical Pathology</i> , 2011, 136, 416-423.	0.4	28
42	Abdominal Compartment Syndrome Caused by Massive Pyonephrosis in an Infant with Primary Obstructive Megaureter. <i>Case Reports in Medicine</i> , 2011, 2011, 1-4.	0.3	2
43	Growth after ventricular septal defect repair: does defect size matter? A 10-year experience. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 1356-1360.	0.7	8
44	Avaliação da aprotinina na redução da resposta inflamatória sistêmica em crianças operadas com circulação extracorpórea. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2010, 25, 85-98.	0.2	8
45	Occult risk factor for the development of cerebral edema in children with diabetic ketoacidosis: possible role for stomach emptying. <i>Pediatric Diabetes</i> , 2009, 10, 522-533.	1.2	17
46	Comment on the 2007 American College of Critical Care Medicine clinical guidelines for management of pediatric and neonatal septic shock. <i>Critical Care Medicine</i> , 2009, 37, 2324-2325.	0.4	12
47	Abdominal compartment syndrome: A review. <i>Pediatric Critical Care Medicine</i> , 2009, 10, 115-120.	0.2	75
48	Aprotinina preserva plaquetas em crianças com cardiopatia congênita acianogênica operadas com circulação extracorpórea?. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2009, 24, 373-381.	0.2	8
49	Aprotinina não influencia troponina I, NTproBNP e função renal em crianças operadas com circulação extracorpórea. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2009, 24, 519-32.	0.2	5
50	Risk stratification in neonates and infants submitted to cardiac surgery with cardiopulmonary bypass: A multimarker approach combining inflammatory mediators, N-terminal pro-B-type natriuretic peptide and troponin I. <i>Cytokine</i> , 2008, 42, 317-324.	1.4	56
51	Indicators of lean body mass catabolism: emphasis on the creatinine excretion rate. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2008, 101, 197-205.	0.2	21
52	Uncovering the basis of a severe degree of acidemia in a patient with diabetic ketoacidosis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2007, 100, 721-735.	0.2	5
53	Minimizing the risk of developing cerebral edema during therapy for diabetic ketoacidosis. <i>Critical Care Medicine</i> , 2007, 35, 1450.	0.4	2
54	Do our newly graduated medical doctors have adequate knowledge about neonatal resuscitation?. <i>Sao Paulo Medical Journal</i> , 2007, 125, 180-185.	0.4	3

#	ARTICLE	IF	CITATIONS
55	Preventing a Drop in Effective Plasma Osmolality to Minimize the Likelihood of Cerebral Edema During Treatment of Children with Diabetic Ketoacidosis. <i>Journal of Pediatrics</i> , 2007, 150, 467-473.	0.9	103
56	Strategies to diminish the danger of cerebral edema in a pediatric patient presenting with diabetic ketoacidosis. <i>Pediatric Diabetes</i> , 2006, 7, 191-195.	1.2	45
57	A hyperglycaemic hyperosmolar state in a young child: diagnostic insights from a quantitative analysis. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2006, 100, 125-137.	0.2	8
58	A Critical Appraisal of the Guidelines for the Management of Pediatric and Neonatal Patients with Septic Shock. <i>Critical Care Medicine</i> , 2005, 33, 1182.	0.4	2
59	Glucocorticoid receptors, in vitro steroid sensitivity, and cytokine secretion in idiopathic nephrotic syndrome. <i>Kidney International</i> , 2004, 65, 403-408.	2.6	36
60	Polyarteritis nodosa with central nervous system involvement mimicking meningoencephalitis. <i>Pediatric Critical Care Medicine</i> , 2004, 5, 286-288.	0.2	11
61	Importance of timing of risk factors for cerebral oedema during therapy for diabetic ketoacidosis. <i>Archives of Disease in Childhood</i> , 2003, 88, 170-173.	1.0	95
62	Cerebral salt wasting: Truths, fallacies, theories, and challenges. <i>Critical Care Medicine</i> , 2002, 30, 2575-2579.	0.4	220
63	A method to estimate urinary electrolyte excretion in patients at risk for developing cerebral salt wasting. <i>Journal of Neurosurgery</i> , 2001, 95, 420-424.	0.9	31
64	Tonicity balance, and not electrolyte-free water calculations, more accurately guides therapy for acute changes in natremia. <i>Intensive Care Medicine</i> , 2001, 27, 921-924.	3.9	69
65	Riboflavin did not provide anti-inflammatory or antioxidant effects in an experimental model of sepsis. <i>Brazilian Journal of Medical and Biological Research</i> , 0, 55, .	0.7	0