

Chi Shin Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8503897/publications.pdf>

Version: 2024-02-01

91
papers

2,758
citations

185998

28
h-index

205818

48
g-index

95
all docs

95
docs citations

95
times ranked

4606
citing authors

#	ARTICLE	IF	CITATIONS
1	Antidepressant use in low- middle- and high-income countries: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2023, 53, 1583-1591.	2.7	8
2	Assessment of incident frailty hazard associated with depressive symptoms in a Taiwanese longitudinal study. <i>International Psychogeriatrics</i> , 2022, 34, 61-70.	0.6	9
3	A quarter of century after: The changing ecology of psychiatric emergency services. <i>Asia-Pacific Psychiatry</i> , 2022, 14, e12487.	1.2	2
4	Characteristics and psychopathology of 1,086 patients who self-poisoned using pesticides in Taiwan (2012-2019): A comparison across pesticide groups. <i>Journal of Affective Disorders</i> , 2022, 300, 17-26.	2.0	7
5	Principle-Based Approach for the De-Identification of Code-Mixed Electronic Health Records. <i>IEEE Access</i> , 2022, 10, 22875-22885.	2.6	3
6	Ten-year trends in depression care in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2022, 121, 2001-2011.	0.8	16
7	Familial aggregation and shared genetic loading for major psychiatric disorders and type 2 diabetes. <i>Diabetologia</i> , 2022, 65, 800-810.	2.9	9
8	Comparative Effectiveness of Antipsychotics in Preventing Readmission for First-Admission Schizophrenia Patients in National Cohorts From 2001 to 2017 in Taiwan. <i>Schizophrenia Bulletin</i> , 2022, 48, 785-794.	2.3	5
9	Causality of abdominal obesity on cognition: a trans-ethnic Mendelian randomization study. <i>International Journal of Obesity</i> , 2022, 46, 1487-1492.	1.6	10
10	Barriers to depression care among middle-aged and older adults in Taiwan's universal healthcare system. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 26, 100501.	1.3	4
11	Protected Health Information Recognition of Unstructured Code-Mixed Electronic Health Records in Taiwan. <i>Studies in Health Technology and Informatics</i> , 2022, , .	0.2	3
12	Neurodevelopmental model of schizophrenia revisited: similarity in individual deviation and idiosyncrasy from the normative model of whole-brain white matter tracts and shared brain-cognition covariation with ADHD and ASD. <i>Molecular Psychiatry</i> , 2022, 27, 3262-3271.	4.1	9
13	The Comorbidity of Schizophrenia Spectrum and Mood Disorders in Autism Spectrum Disorder. <i>Autism Research</i> , 2021, 14, 571-581.	2.1	18
14	Associations Between Antidepressant Use and Advanced Diabetes Outcomes in Patients with Depression and Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e5136-e5146.	1.8	5
15	Validation of Machine Learning-Based Individualized Treatment for Depressive Disorder Using Target Trial Emulation. <i>Journal of Personalized Medicine</i> , 2021, 11, 1316.	1.1	3
16	Comparisons of the clinical outcomes between early- and adult-onset bipolar disorders: A prospective cohort analysis. <i>Journal of Affective Disorders</i> , 2020, 260, 1-10.	2.0	6
17	Using text mining to extract depressive symptoms and to validate the diagnosis of major depressive disorder from electronic health records. <i>Journal of Affective Disorders</i> , 2020, 260, 617-623.	2.0	81
18	Adverse drug event and medication extraction in electronic health records via a cascading architecture with different sequence labeling models and word embeddings. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020, 27, 47-55.	2.2	30

#	ARTICLE	IF	CITATIONS
19	Effectiveness of electroconvulsive therapy on treatment-resistant depressive disorder: A population-based mirror-image study. <i>Journal of Psychiatric Research</i> , 2020, 121, 101-107.	1.5	5
20	Real-world evidence on the use of benzodiazepine receptor agonists and the risk of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2878-2888.	1.9	5
21	Development and Validation of a Machine Learning Individualized Treatment Rule in First-Episode Schizophrenia. <i>JAMA Network Open</i> , 2020, 3, e1921660.	2.8	21
22	Association of depression and diabetes complications and mortality: a population-based cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e96.	1.8	54
23	Risk of acute mesenteric ischemia in patients with diabetes: A population-based cohort study in Taiwan. <i>Atherosclerosis</i> , 2020, 296, 18-24.	0.4	11
24	Deep Learning-Based Natural Language Processing for Screening Psychiatric Patients. <i>Frontiers in Psychiatry</i> , 2020, 11, 533949.	1.3	14
25	Cohort selection for clinical trials using multiple instance learning. <i>Journal of Biomedical Informatics</i> , 2020, 107, 103438.	2.5	4
26	Clinical characteristics and outcomes associated with weekend admissions to psychiatric wards in Taiwan. <i>General Hospital Psychiatry</i> , 2019, 60, 20-26.	1.2	3
27	Exploration of microbiota targets for major depressive disorder and mood related traits. <i>Journal of Psychiatric Research</i> , 2019, 111, 74-82.	1.5	105
28	Depressive Symptoms and Functional Impairments Extraction From Electronic Health Records. , 2019, , .		1
29	Comparative effect of antipsychotics on risk of self-harm among patients with schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 296-305.	2.2	10
30	Sedative-hypnotic drug use among community-dwelling elderly in Taiwan. <i>International Psychogeriatrics</i> , 2018, 30, 957-965.	0.6	7
31	Impacts of Electroconvulsive Therapy on 1-Year Outcomes in Patients With Schizophrenia: A Controlled, Population-Based Mirror-Image Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 798-806.	2.3	19
32	Suicide deaths among patients with end-stage renal disease receiving dialysis: A population-based retrospective cohort study of 64,000 patients in Taiwan. <i>Journal of Affective Disorders</i> , 2018, 227, 7-10.	2.0	21
33	Psychotropic use and risk of stroke among patients with bipolar disorders: 10-year nationwide population based study. <i>Journal of Affective Disorders</i> , 2018, 226, 77-84.	2.0	8
34	Risk profiles of personality traits for suicidality among mood disorder patients and community controls. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 30-38.	2.2	31
35	The Use of Benzodiazepine Receptor Agonists and the Risk of Hospitalization for Pneumonia. <i>Chest</i> , 2018, 153, 161-171.	0.4	38
36	Use of Spontaneous Reporting Systems to Detect Host-Medication Interactions: Sex Differences in Oral Antidiabetic Drug-Associated Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2018, 7, e008959.	1.6	7

#	ARTICLE	IF	CITATIONS
37	Prevalence of and risk factors for minor and major depression among community-dwelling older adults in Taiwan. <i>International Psychogeriatrics</i> , 2017, 29, 1113-1121.	0.6	31
38	Bipolar patients treated with long-acting injectable risperidone in Taiwan: A 1-year mirror-image study using a national claims database. <i>Journal of Affective Disorders</i> , 2017, 218, 327-334.	2.0	12
39	Comparative Risk of Ventricular Arrhythmia and Sudden Cardiac Death Across Antidepressants in Patients With Depressive Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 32-39.	0.7	12
40	Trends and factors associated with antipsychotic use among elderly patients with dementia in Taiwan from 2005 to 2013. <i>International Clinical Psychopharmacology</i> , 2017, 32, 262-270.	0.9	9
41	Assessing Whether the Association Between Sleep Apnea and Diabetes is Bidirectional. <i>Canadian Journal of Diabetes</i> , 2017, 41, 197-203.	0.4	11
42	Exploring associations of clinical and social parameters with violent behaviors among psychiatric patients. <i>Journal of Biomedical Informatics</i> , 2017, 75, S149-S159.	2.5	6
43	Comparative risk of self-harm hospitalization amongst depressive disorder patients using different antidepressants: a population-based cohort study in Taiwan. <i>Psychological Medicine</i> , 2017, 47, 81-92.	2.7	9
44	Use of antidepressants and risk of hospitalization for acute myocardial infarction: A nationwide case-crossover study. <i>Journal of Psychiatric Research</i> , 2017, 94, 7-14.	1.5	10
45	Antipsychotic medications and stroke in schizophrenia: A case-crossover study. <i>PLoS ONE</i> , 2017, 12, e0179424.	1.1	19
46	Seizure Risk Associated With Antidepressant Treatment Among Patients With Depressive Disorders. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e1226-e1232.	1.1	18
47	Hepatitis B and C in Taiwanese patients with Schizophrenia: A Nationwide, Population-based study on prevalence, and healthcare utilization. <i>Journal of Psychology and Psychiatry</i> , 2017, 1, .	0.2	0
48	Utilization of Psychopharmacological Treatment Among Patients With Newly Diagnosed Bipolar Disorder From 2001 to 2010. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 32-44.	0.7	26
49	Association Between Antipsychotic Treatment and Advanced Diabetes Complications Among Schizophrenia Patients With Type 2 Diabetes Mellitus. <i>Schizophrenia Bulletin</i> , 2016, 42, 703-711.	2.3	14
50	Comparison of treatment effectiveness and medical costs for different long-acting injectable antipsychotics in patients with schizophrenia in Taiwan: A nationwide population-based cohort study. <i>Schizophrenia Research</i> , 2016, 173, 37-44.	1.1	9
51	Comparative effectiveness of long-acting injectable risperidone vs. long-acting injectable first-generation antipsychotics in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 197, 189-195.	2.0	23
52	Comparative Risk of Seizure With Use of First- and Second-Generation Antipsychotics in Patients With Schizophrenia and Mood Disorders. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e573-e579.	1.1	37
53	Complications and mortality in patients with schizophrenia and diabetes: Population-based cohort study. <i>British Journal of Psychiatry</i> , 2015, 207, 450-457.	1.7	25
54	Ustekinumab treatment in a patient with psoriasis and systemic lupus erythematosus. <i>Lupus</i> , 2015, 24, 650-651.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Clozapine use reduced psychiatric hospitalization and emergency room visits in patients with bipolar disorder independent of improved treatment regularity in a three-year follow-up period. <i>Bipolar Disorders</i> , 2015, 17, 415-423.	1.1	15
56	Ovarian cancer and antidepressants. <i>Psycho-Oncology</i> , 2015, 24, 579-584.	1.0	14
57	Antipsychotic Drugs and the Risk of Ventricular Arrhythmia and/or Sudden Cardiac Death: A Nationwide Case-Crossover Study. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	137
58	Antipsychotic exposure prior to acute myocardial infarction in patients with serious mental illness. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 213-222.	2.2	15
59	Antipsychotic Treatment and the Risk of Hip Fracture in Subjects With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 1216-1223.	1.1	27
60	Concordance between Patient Self-Reports and Claims Data on Clinical Diagnoses, Medication Use, and Health System Utilization in Taiwan. <i>PLoS ONE</i> , 2014, 9, e112257.	1.1	211
61	Antipsychotic Discontinuation in Patients with Dementia: A Systematic Review and Meta-Analysis of Published Randomized Controlled Studies. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014, 37, 125-140.	0.7	32
62	Long-Term Statin Use and Dementia Risk in Taiwan. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 165-171.	1.2	15
63	Cognitive Control in Opioid Dependence and Methadone Maintenance Treatment. <i>PLoS ONE</i> , 2014, 9, e94589.	1.1	43
64	Long-Term Antidepressant Use and the Risk of Type 2 Diabetes Mellitus. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 31-38.	1.1	48
65	Increased risk of developing dementia in patients with bipolar disorder: a nested matched case-control study. <i>Bipolar Disorders</i> , 2013, 15, 787-794.	1.1	67
66	The reliability of the Chinese version of the Barratt Impulsiveness Scale version 11, in abstinent, opioid-dependent participants in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2013, 76, 289-295.	0.6	22
67	Persistence of antidepressant treatment for depressive disorder in Taiwan. <i>General Hospital Psychiatry</i> , 2013, 35, 279-285.	1.2	31
68	Acute inpatient treatment, hospitalization course and direct costs in bipolar patients with intellectual disability. <i>Research in Developmental Disabilities</i> , 2013, 34, 4062-4072.	1.2	9
69	Association of Stroke with the Receptor-Binding Profiles of Antipsychotics—A Case-Crossover Study. <i>Biological Psychiatry</i> , 2013, 73, 414-421.	0.7	52
70	Association Between Antidepressants and Venous Thromboembolism in Taiwan. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 31-37.	0.7	24
71	Psychotropic drugs and risk of motor vehicle accidents: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1125-1133.	1.1	51
72	Functional Genetic Polymorphisms in <i>CYP2C19</i> Gene in Relation to Cardiac Side Effects and Treatment Dose in a Methadone Maintenance Cohort. <i>OMICS A Journal of Integrative Biology</i> , 2013, 17, 519-526.	1.0	35

#	ARTICLE	IF	CITATIONS
73	Pneumonia Risk and Use of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers. <i>Journal of Epidemiology</i> , 2013, 23, 344-350.	1.1	21
74	PXR Polymorphisms Interacted With CYP2B6 Polymorphisms on Methadone Metabolites. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 137-140.	0.7	6
75	Antipsychotic Treatment and the Occurrence of Venous Thromboembolism. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 918-924.	1.1	31
76	Adherence Patterns With First- Versus Second-Generation Antipsychotics for Newly Diagnosed Schizophrenia in Taiwan. <i>Psychiatric Services</i> , 2012, 63, 504-507.	1.1	8
77	Prevalence of autoimmune diseases in in-patients with schizophrenia: nationwide population-based study. <i>British Journal of Psychiatry</i> , 2012, 200, 374-380.	1.7	156
78	Angiotensin-converting enzyme inhibitor/angiotensin II receptor blockers and pneumonia risk among stroke patients. <i>Journal of Hypertension</i> , 2012, 30, 2223-2229.	0.3	28
79	Trends in treatment of newly treated schizophrenia spectrum disorder patients in Taiwan from 1999 to 2006. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 989-996.	0.9	14
80	Utilization of antidepressants in Taiwan: a nationwide population-based survey from 2000 to 2009. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 980-988.	0.9	39
81	<i>UGT2B7</i> genetic polymorphisms are associated with the withdrawal symptoms in methadone maintenance patients. <i>Pharmacogenomics</i> , 2012, 13, 879-888.	0.6	31
82	Effect of Benzodiazepine Discontinuation on Dementia Risk. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 151-159.	0.6	72
83	ABCB1 gene polymorphisms are associated with the severity of major depressive disorder and its response to escitalopram treatment. <i>Pharmacogenetics and Genomics</i> , 2011, 21, 163-170.	0.7	73
84	Benzodiazepine Use Among Patients With Schizophrenia in Taiwan: A Nationwide Population-Based Survey. <i>Psychiatric Services</i> , 2011, 62, 908-914.	1.1	30
85	CYP2B6 Polymorphisms Influence the Plasma Concentration and Clearance of the Methadone S-Enantiomer. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 463-469.	0.7	68
86	Association of Cerebrovascular Events With Antidepressant Use: A Case-Crossover Study. <i>American Journal of Psychiatry</i> , 2011, 168, 511-521.	4.0	123
87	Genetic polymorphisms of cytochrome P450 enzymes influence metabolism of the antidepressant escitalopram and treatment response. <i>Pharmacogenomics</i> , 2010, 11, 537-546.	0.6	107
88	<i>CYP1A2</i> genetic polymorphisms are associated with treatment response to the antidepressant paroxetine. <i>Pharmacogenomics</i> , 2010, 11, 1535-1543.	0.6	37
89	Multidimensional assessments of impulsivity in subjects with history of suicidal attempts. <i>Comprehensive Psychiatry</i> , 2009, 50, 315-321.	1.5	52
90	The Association Between Dementia and Long-Term Use of Benzodiazepine in the Elderly: Nested Case-Control Study Using Claims Data. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 614-620.	0.6	121

#	ARTICLE	IF	CITATIONS
91	Neuroleptic Malignant Syndrome After the Use of Venlafaxine in a Patient with Generalized Anxiety Disorder. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 90-93.	0.8	21