Frank Keppler

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8505890/frank-keppler-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 4,277 129 32 h-index g-index citations papers 161 5,003 7.4 5.35 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
129	Methane formation driven by reactive oxygen species across all living organisms <i>Nature</i> , 2022 ,	50.4	4
128	A surprise from the deep. <i>Science</i> , 2021 , 374, 821-822	33.3	
127	Stable Biological Production in the Eastern Equatorial Pacific Across the Plio-Pleistocene Transition (~3.35\(\mathbb{Q}\). <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA003965	3.3	
126	The impact of seasonal sulfatethethane transition zones on methane cycling in a sulfate-enriched freshwater environment. <i>Limnology and Oceanography</i> , 2021 , 66, 2290-2308	4.8	3
125	C-chloromethane incubations provide evidence for novel bacterial chloromethane degraders in a living tree fern. <i>Environmental Microbiology</i> , 2021 , 23, 4450-4465	5.2	2
124	Measurements and applications of IdH values of wood lignin methoxy groups for paleoclimatic studies. <i>Quaternary Science Reviews</i> , 2021 , 268, 107107	3.9	0
123	Temperature signal recorded in H and C values of wood lignin methoxyl groups from a permafrost forest in northeastern China. <i>Science of the Total Environment</i> , 2020 , 727, 138558	10.2	3
122	Tree-ring IIH values from lignin methoxyl groups indicate sensitivity to European-scale temperature changes. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020 , 546, 109665	2.9	4
121	Sources and sinks of chloromethane in a salt marsh ecosystem: constraints from concentration and stable isotope measurements of laboratory incubation experiments. <i>Environmental Sciences: Processes and Impacts</i> , 2020 , 22, 627-641	4.3	5
120	Aquatic and terrestrial cyanobacteria produce methane. Science Advances, 2020, 6, eaax5343	14.3	85
119	The stable carbon isotope signature of methane produced by saprotrophic fungi. <i>Biogeosciences</i> , 2020 , 17, 3891-3901	4.6	5
118	High Spatiotemporal Dynamics of Methane Production and Emission in Oxic Surface Water. <i>Environmental Science & Environmental </i>	10.3	25
117	Chlorine Isotope Fractionation of the Major Chloromethane Degradation Processes in the Environment. <i>Environmental Science & Environmental Science & E</i>	10.3	3
116	Three wood isotopic reference materials for IH and II3C measurements of plant methoxy groups. <i>Chemical Geology</i> , 2020 , 533, 119428	4.2	5
115	Tree-ring lignin proxies in Larix gmelinii forest growing in a permafrost area of northeastern China: Temporal variation and potential for climate reconstructions. <i>Ecological Indicators</i> , 2020 , 118, 106750	5.8	3
114	Effects of Temperature and Light on Methane Production of Widespread Marine Phytoplankton. Journal of Geophysical Research G: Biogeosciences, 2020, 125, e2020JG005793	3.7	5
113	Methane Production and Bioactivity-A Link to Oxido-Reductive Stress. <i>Frontiers in Physiology</i> , 2019 , 10, 1244	4.6	16

(2018-2019)

112	Simultaneous Abiotic Production of Greenhouse Gases (CO2, CH4, and N2O) in Subtropical Soils. Journal of Geophysical Research G: Biogeosciences, 2019 , 124, 1977-1987	3.7	4	
111	Evidence for a major missing source in the global chloromethane budget from stable carbon isotopes. <i>Atmospheric Chemistry and Physics</i> , 2019 , 19, 1703-1719	6.8	8	
110	Subaqueous speleothems (Hells Bells) formed by the interplay of pelagic redoxcline biogeochemistry and specific hydraulic conditions in the El Zapote sinkhole, Yucatil Peninsula, Mexico. <i>Biogeosciences</i> , 2019 , 16, 2285-2305	4.6	2	
109	Global methane emissions from the human body: Past, present and future. <i>Atmospheric Environment</i> , 2019 , 214, 116823	5.3	10	
108	Methylotrophs and Methylotroph Populations for Chloromethane Degradation. <i>Current Issues in Molecular Biology</i> , 2019 , 33, 149-172	2.9	5	
107	Methane production by three widespread marine phytoplankton species: release rates, precursor compounds, and potential relevance for the environment. <i>Biogeosciences</i> , 2019 , 16, 4129-4144	4.6	26	
100	Methyl sulfates as methoxy isotopic reference materials for IC and IH measurements. <i>Rapid Communications in Mass Spectrometry</i> , 2019 , 33, 343-350	2.2	6	
105	Nitrous oxide effluxes from plants as a potentially important source to the atmosphere. <i>New Phytologist</i> , 2019 , 221, 1398-1408	9.8	24	
104	Site-specific climatic signals in stable isotope records from Swedish pine forests. <i>Trees - Structure and Function</i> , 2018 , 32, 855-869	2.6	17	
103	Transitory microbial habitat in the hyperarid Atacama Desert. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 2670-2675	11.5	105	
102	Methane oxidation in industrial biogas plants-Insights in a novel methanotrophic environment evidenced by pmoA gene analyses and stable isotope labelling studies. <i>Journal of Biotechnology</i> , 2018 , 270, 77-84	3.7	2	
101	Long-term monitoring of breath methane. <i>Science of the Total Environment</i> , 2018 , 624, 69-77	10.2	6	
100	Chloromethane formation and degradation in the fern phyllosphere. <i>Science of the Total Environment</i> , 2018 , 634, 1278-1287	10.2	7	
99	Chloromethane Degradation in Soils: A Combined Microbial and Two-Dimensional Stable Isotope Approach. <i>Journal of Environmental Quality</i> , 2018 , 47, 254-262	3.4	9	
98	A fast and sensitive method for the continuous in situ determination of dissolved methane and its \$\frac{1}{3}\$C-isotope ratio in surface waters. <i>Limnology and Oceanography: Methods</i> , 2018 , 16, 273-285	2.6	3	
97	Earliest Eocene cold period and polar amplification - Insights from IM values of lignin methoxyl groups of mummified wood. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 505, 326-336	2.9	11	
96	Chapter 8:Production and Signaling of Methane. 2-Oxoglutarate-Dependent Oxygenases, 2018, 192-234	1.8	1	
95	Mass spectrometric measurement of hydrogen isotope fractionation for the reactions of chloromethane with OH and Cl. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 6625-6635	6.8	5	

94	Iron catalyzed demethylation of acetic acid*. Journal of Coordination Chemistry, 2018, 71, 1704-1714	1.6	1
93	Stable hydrogen isotope values of lignin methoxyl groups of four tree species across Germany and their implication for temperature reconstruction. <i>Science of the Total Environment</i> , 2017 , 579, 263-271	10.2	9
92	Late Quaternary relative humidity changes from Mt. Kilimanjaro, based on a coupled 2 H- 18 O biomarker paleohygrometer approach. <i>Quaternary International</i> , 2017 , 438, 116-130	2	16
91	Vanilla authenticity control by DNA barcoding and isotope data aggregation. <i>Flavour and Fragrance Journal</i> , 2017 , 32, 228-237	2.5	12
90	Exogenous addition of H for an in situ biogas upgrading through biological reduction of carbon dioxide into methane. <i>Waste Management</i> , 2017 , 68, 146-156	8.6	74
89	Nonheme Iron-Oxo-Catalyzed Methane Formation from Methyl Thioethers: Scope, Mechanism, and Relevance for Natural Systems. <i>Chemistry - A European Journal</i> , 2017 , 23, 10465-10472	4.8	14
88	Real Time Measurement of Concentration and 🛘 3C-CH4 in Water. <i>Procedia Earth and Planetary Science</i> , 2017 , 17, 460-463		
87	Organic compounds in fluid inclusions of Archean quartz-Analogues of prebiotic chemistry on early Earth. <i>PLoS ONE</i> , 2017 , 12, e0177570	3.7	16
86	Warm season precipitation signal in IH values of wood lignin methoxyl groups from high elevation larch trees in Switzerland. <i>Rapid Communications in Mass Spectrometry</i> , 2017 , 31, 1589-1598	2.2	8
85	Chloromethane emissions in human breath. Science of the Total Environment, 2017, 605-606, 405-410	10.2	8
84	Mean annual temperatures of mid-latitude regions derived from H values of wood lignin methoxyl groups and its implications for paleoclimate studies. <i>Science of the Total Environment</i> , 2017 , 574, 1276-	1 282	16
83	Climate signals in 🗓 3C of wood lignin methoxyl groups from high-elevation larch trees. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 445, 60-71	2.9	11
82	Stable isotope and high precision concentration measurements confirm that all humans produce and exhale methane. <i>Journal of Breath Research</i> , 2016 , 10, 016003	3.1	32
81	Evidence for methane production by the marine algae <i>Emiliania huxleyi</i>. <i>Biogeosciences</i> , 2016 , 13, 3163-3174	4.6	64
80	Online monitoring of stable carbon isotopes of methane in anaerobic digestion as a new tool for early warning of process instability. <i>Bioresource Technology</i> , 2015 , 197, 161-70	11	32
79	Stable hydrogen and carbon isotope ratios of methoxyl groups during plant litter degradation. <i>Isotopes in Environmental and Health Studies</i> , 2015 , 51, 143-54	1.5	11
78	Design and application of a synthetic DNA standard for real-time PCR analysis of microbial communities in a biogas digester. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 6855-63	5.7	13
77	Seasonal changes in chlorine and methoxyl content of leaves of deciduous trees and their impact on release of chloromethane and methanol at elevated temperatures. <i>Environmental Chemistry</i> , 2015 , 12, 426	3.2	9

76	Nitrous oxide and methane emissions from cryptogamic covers. Global Change Biology, 2015, 21, 3889-9	900.4	75
75	Technical Note: Methionine, a precursor of methane in living plants. <i>Biogeosciences</i> , 2015 , 12, 1907-191	4 4.6	29
74	Comment on Authenticity and traceability of vanilla flavors by analysis of stable isotopes of carbon and hydrogen. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 5305-6	5.7	4
73	[H, [IIC and IID from whole wood, Exellulose and lignin methoxyl groups in Pinus sylvestris: a multi-parameter approach. <i>Isotopes in Environmental and Health Studies</i> , 2015 , 51, 553-68	1.5	27
72	A stable isotope approach to assessing water loss in fruits and vegetables during storage. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 1974-81	5.7	9
71	D/H ratios of methoxyl groups of the sedimentary organic matter of Lake Holzmaar (Eifel, Germany): A potential palaeoclimate/-hydrology proxy. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 142, 39-52	5.5	9
70	Abiotic methanogenesis from organosulphur compounds under ambient conditions. <i>Nature Communications</i> , 2014 , 5, 4205	17.4	61
69	Stable bromine isotopic composition of methyl bromide released from plant matter. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 125, 186-195	5.5	21
68	Chloromethane release from carbonaceous meteorite affords new insight into Mars lander findings. <i>Scientific Reports</i> , 2014 , 4, 7010	4.9	11
67	Probing the diversity of chloromethane-degrading bacteria by comparative genomics and isotopic fractionation. <i>Frontiers in Microbiology</i> , 2014 , 5, 523	5.7	17
66	Stable carbon isotopes of methane for real-time process monitoring in anaerobic digesters. <i>Engineering in Life Sciences</i> , 2014 , 14, 153-160	3.4	11
65	Technical note: Methionine, a precursor of methane in living plants 2014 ,		1
64	Age dependent breath methane in the German population. <i>Science of the Total Environment</i> , 2014 , 481, 582-7	10.2	21
63	Position-specific isotope analysis of the methyl group carbon in methylcobalamin for the investigation of biomethylation processes. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 2833-41	4.4	7
62	Carbon, hydrogen and oxygen stable isotope ratios of whole wood, cellulose and lignin methoxyl groups of Picea abies as climate proxies. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 265-75	2.2	49
61	Evidence of anaerobic syntrophic acetate oxidation in biogas batch reactors by analysis of 13C carbon isotopes. <i>Isotopes in Environmental and Health Studies</i> , 2013 , 49, 365-77	1.5	10
60	Hydrogen and carbon isotope fractionation during degradation of chloromethane by methylotrophic bacteria. <i>MicrobiologyOpen</i> , 2013 , 2, 893-900	3.4	12
59	Stable hydrogen-isotope analysis of methyl chloride emitted from heated halophytic plants. <i>Atmospheric Environment</i> , 2012 , 62, 584-592	5.3	15

58	Evidence for methane production by saprotrophic fungi. <i>Nature Communications</i> , 2012 , 3, 1046	17.4	117
57	Ultraviolet-radiation-induced methane emissions from meteorites and the Martian atmosphere. <i>Nature</i> , 2012 , 486, 93-6	50.4	57
56	Non-microbial methane formation in oxic soils. <i>Biogeosciences</i> , 2012 , 9, 5291-5301	4.6	27
55	Release of methane from aerobic soil: an indication of a novel chemical natural process?. <i>Chemosphere</i> , 2012 , 86, 684-9	8.4	24
54	Methyl chloride emissions from halophyte leaf litter: dependence on temperature and chloride content. <i>Chemosphere</i> , 2012 , 87, 483-9	8.4	23
53	Non-microbial methane emissions from fresh leaves: Effects of physical wounding and anoxia. <i>Atmospheric Environment</i> , 2011 , 45, 4915-4921	5.3	24
52	Enhanced formation of methane in plant cell cultures by inhibition of cytochrome c oxidase. <i>Plant, Cell and Environment,</i> 2011 , 34, 457-64	8.4	51
51	Methyl chloride and C2\$\tilde{\mathbb{I}}\$5 hydrocarbon emissions from dry leaf litter and their dependence on temperature. <i>Atmospheric Environment</i> , 2011 , 45, 3112-3119	5.3	27
50	Stable isotope determination of ester and ether methyl moieties in plant methoxyl groups. <i>Isotopes in Environmental and Health Studies</i> , 2011 , 47, 470-82	1.5	15
49	Isotopic composition of H2 from wood burning: Dependency on combustion efficiency, moisture content, and D of local precipitation. <i>Journal of Geophysical Research</i> , 2010 , 115,		17
48	Measurements of 13C/12C methane from anaerobic digesters: comparison of optical spectrometry with continuous-flow isotope ratio mass spectrometry. <i>Environmental Science & amp; Technology</i> , 2010 , 44, 5067-73	10.3	25
47	Water drives the deuterium content of the methane emitted from plants. <i>Geochimica Et Cosmochimica Acta</i> , 2010 , 74, 3865-3873	5.5	15
46	Identification of methanogenic pathways in anaerobic digesters using stable carbon isotopes. <i>Engineering in Life Sciences</i> , 2010 , 10, 509-514	3.4	32
45	Improved rapid authentication of vanillin using II3C and IIH values. <i>European Food Research and Technology</i> , 2010 , 231, 933-941	3.4	42
44	Methane formation by oxidation of ascorbic acid using iron minerals and hydrogen peroxide. <i>Chemosphere</i> , 2010 , 80, 286-92	8.4	30
43	The stable isotope signature of methane emitted from plant material under UV irradiation. <i>Atmospheric Environment</i> , 2009 , 43, 5637-5646	5.3	55
42	A simple rapid method to precisely determine (13)C/(12)C ratios of plant methoxyl groups. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 1710-4	2.2	25

40	Methane formation in aerobic environments. Environmental Chemistry, 2009, 6, 459	3.2	83
39	Fast determination of methyl chloride and methyl bromide emissions from dried plant matter and soil samples using HS-SPME and GC-MS: method and first results. <i>Environmental Chemistry</i> , 2009 , 6, 311	3.2	14
38	Methoxyl groups of plant pectin as a precursor of atmospheric methane: evidence from deuterium labelling studies. <i>New Phytologist</i> , 2008 , 178, 808-814	9.8	135
37	Abiotic methyl bromide formation from vegetation, and its strong dependence on temperature. <i>Environmental Science & Environmental Science & Environme</i>	10.3	43
36	Tracing the geographical origin of early potato tubers using stable hydrogen isotope ratios of methoxyl groups. <i>Isotopes in Environmental and Health Studies</i> , 2008 , 44, 337-47	1.5	21
35	Effect of UV radiation and temperature on the emission of methane from plant biomass and structural components. <i>Biogeosciences</i> , 2008 , 5, 937-947	4.6	124
34	A rapid and precise method for determination of D/H ratios of plant methoxyl groups. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3983-8	2.2	36
33	AnsEze zur regionalen Quantifizierung von Methan aus Pflanzen. <i>Environmental Sciences Europe</i> , 2008 , 20, 75-79	5	O
32	Methane, Plants and Climate Change. Scientific American, 2007, 296, 52-57	0.5	13
31	Stable hydrogen isotope ratios of lignin methoxyl groups as a paleoclimate proxy and constraint of the geographical origin of wood. <i>New Phytologist</i> , 2007 , 176, 600-609	9.8	71
30	Methane, plants and climate change. Scientific American, 2007, 296, 40-5	0.5	
29	Chapter 19 Occurrence and fate of halogens in mires. <i>Developments in Earth Surface Processes</i> , 2006 , 9, 449-464	2.8	7
28	Atmospheric constraints on global emissions of methane from plants. <i>Geophysical Research Letters</i> , 2006 , 33,	4.9	88
27	De novo formation of chloroethyne in soil. <i>Environmental Science & Environmental Science & Environmen</i>	10.3	18
26	Methane emissions from terrestrial plants under aerobic conditions. <i>Nature</i> , 2006 , 439, 187-91	50.4	690
25	New insight into the atmospheric chloromethane budget gained using stable carbon isotope ratios. <i>Atmospheric Chemistry and Physics</i> , 2005 , 5, 2403-2411	6.8	108
24	Carbon isotope anomaly in the major plant C₁ pool and its global biogeochemical implications. <i>Biogeosciences</i> , 2004 , 1, 123-131	4.6	92
23	Halogen retention, organohalogens, and the role of organic matter decomposition on halogen enrichment in two Chilean peat bogs. <i>Environmental Science & Environmental Science</i>	10.3	106

22	De novo formation of organochlorines in a sewage treatment plant. <i>Biogeochemistry</i> , 2003 , 62, 277-287	3.8	1
21	Differentiation of the halogen content of peat samples using ion chromatography after combustion (TX/TOX-IC). <i>Analytical and Bioanalytical Chemistry</i> , 2003 , 375, 781-5	4.4	26
20	Organoiodine formation during humification in peatlands. Environmental Chemistry Letters, 2003, 1, 219	9-233	35
19	Formation of volatile iodinated alkanes in soil: results from laboratory studies. <i>Chemosphere</i> , 2003 , 52, 477-83	8.4	20
18	Peatlands: a major sink of naturally formed organic chlorine. <i>Chemosphere</i> , 2003 , 52, 451-3	8.4	26
17	Formation of chloroacetic acids from soil, humic acid and phenolic moieties. <i>Chemosphere</i> , 2003 , 52, 51.	3 <i>5</i> 2.p	64
16	Fluxes of trichloroacetic acid between atmosphere, biota, soil, and groundwater. <i>Chemosphere</i> , 2003 , 52, 339-54	8.4	20
15	Chloride methylation by plant pectin: an efficient environmentally significant process. <i>Science</i> , 2003 , 301, 206-9	33.3	153
14	Natural formation of vinyl chloride in the terrestrial environment. <i>Environmental Science & Environmental Science & Technology</i> , 2002 , 36, 2479-83	10.3	62
13	Abiotic Fe(III) induced mineralization of phenolic substances. <i>Chemosphere</i> , 2001 , 44, 613-9	8.4	64
12	Halocarbons produced by natural oxidation processes during degradation of organic matter. <i>Nature</i> , 2000 , 403, 298-301	50.4	277
11	Optical gain in strain-free and strained layer GaXIn1&As/InP superlattices. <i>Superlattices and Microstructures</i> , 1989 , 5, 555-559	2.8	5
10	. IEEE Journal of Quantum Electronics, 1989, 25, 1407-1416	2	31
9	Influence of different growth techniques on the quality of GaInAs-InP quantum well structures grown by adduct-MOVPE. <i>Journal of Crystal Growth</i> , 1988 , 93, 347-352	1.6	17
8	Subaqueous speleothems (Hells Bells) formed by the interplay of pelagic redoxcline biogeochemistry and specific hydraulic conditions in the El Zapote sinkhole, Yucatil Peninsula, Mexico		2
7	Methane production by three widespread marine phytoplankton species: release rates, precursor compounds, and relevance for the environment		2
6	Carbon isotope anomaly in the major plant C ₁ pool and its global biogeochemical implications		6
5	Evidence for methane production by marine algae (<i>Emiliana huxleyi</i>) and its implication for the methane paradox in oxic waters		4

LIST OF PUBLICATIONS

4	Effect of UV radiation and temperature on the emission of methane from plant biomass and structural components		30
3	Non-microbial methane formation in oxic soils		4
2	Widespread methane formation by Cyanobacteria in aquatic and terrestrial ecosystems		13
1	Potential role of submerged macrophytes for oxic methane production in aquatic ecosystems. Limnology and Oceanography,	8	1