

# Tomoya Kawabata

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8506014/publications.pdf>

Version: 2024-02-01

47  
papers

401  
citations

933447

10  
h-index

839539

18  
g-index

47  
all docs

47  
docs citations

47  
times ranked

204  
citing authors

#	ARTICLE	IF	CITATIONS
1	An experimental study on K <sub>IC</sub> value to arrest a running brittle crack in structural model specimens with steel plate of 100mm thickness for container ships. Journal of Marine Science and Technology, 2020, 25, 943-963.	2.9	2
2	Brittle crack arrest behavior and its interpretation in an isothermal crack arrest test. Engineering Fracture Mechanics, 2020, 235, 107130.	4.3	2
3	Effects of residual stress by EB welds on assessment of crack arrest temperature (CAT). Welding in the World, Le Soudage Dans Le Monde, 2020, 64, 1161-1174.	2.5	0
4	Historical review of research on brittle crack propagation arresting technology for large welded steel structures developed in Japan with the application of K <sub>IC</sub> parameters. Marine Structures, 2020, 71, 102737.	3.8	5
5	Prediction of Charpy impact toughness of steel weld heat-affected zones by combined micromechanics and stochastic fracture model – Part I: Model presentation. Engineering Fracture Mechanics, 2020, 230, 106965.	4.3	12
6	Effect of the stress field on crack branching in brittle material. Theoretical and Applied Fracture Mechanics, 2020, 108, 102583.	4.7	6
7	Effect of Stress Reflection on Dynamic Stress Intensity Factor in Crack Arrest Toughness Testing. International Journal of Offshore and Polar Engineering, 2020, 30, 375-381.	0.8	2
8	Digital Twin of Artifact Systems: Models Assimilated with Monitoring Data from Material Microstructures to Social Systems. International Journal of Automation Technology, 2020, 14, 700-712.	1.0	9
9	Numerical simulation and experiment on brittle fracture surface morphologies in steel. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2020, 38, 134-146.	0.5	1
10	Contribution of grain size to resistance against cleavage crack propagation in ferritic steel. Acta Materialia, 2019, 177, 96-106.	7.9	28
11	A new concept of digital twin of artifact systems: synthesizing monitoring/inspections, physical/numerical models, and social system models. Procedia CIRP, 2019, 79, 667-672.	1.9	28
12	Increase in micro-cracks beneath cleavage fracture surface in carbon steel ESSO specimens. Theoretical and Applied Fracture Mechanics, 2019, 101, 365-372.	4.7	8
13	A simplified method for evaluation of brittle crack arrest toughness of steels in scaled-down bending tests. Engineering Fracture Mechanics, 2019, 215, 99-111.	4.3	6
14	Controlling factors for roughness increases on cleavage fracture surfaces and crack branching in polycrystalline steel. Theoretical and Applied Fracture Mechanics, 2019, 100, 171-180.	4.7	6
15	Effect of triaxial stress distribution upon roughness of brittle fracture surface. MATEC Web of Conferences, 2019, 300, 11007.	0.2	0
16	Reproducibility of pop-in using heterogeneous welded joint specimen and cohesive surface model. MATEC Web of Conferences, 2019, 300, 19004.	0.2	0
17	Consideration on the toughness difference depending on the direction of brittle crack propagation in very thick steel. Procedia Structural Integrity, 2019, 21, 173-184.	0.8	1
18	Assessment of finite element analyses of load mode (bending vs. tension) effects for mitigation of judgment on pop-ins caused by splits. Engineering Fracture Mechanics, 2019, 205, 28-39.	4.3	3

#	ARTICLE	IF	CITATIONS
19	Effect of dispersed retained $\hat{1}^3$ -Fe on brittle crack arrest toughness in 9% Ni steel in cryogenic temperatures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 723, 238-246.	5.6	20
20	Brittle crack propagation resistance inside grain and at high angle grain boundary in 3% Si-Fe alloy. <i>Acta Materialia</i> , 2018, 144, 768-776.	7.9	42
21	Computer simulation of cleavage fracture surface morphologies in steel plates. <i>Procedia Structural Integrity</i> , 2018, 13, 104-109.	0.8	0
22	Prediction of steel weld HAZ Charpy impact property based on stochastic fracture model incorporating microstructural parameters. <i>Procedia Structural Integrity</i> , 2018, 13, 198-203.	0.8	3
23	Clarification of micromechanism on Brittle Fracture Initiation Condition of TMCP Steel with MA as the trigger point. <i>Procedia Structural Integrity</i> , 2018, 13, 1845-1854.	0.8	4
24	Through Process Modeling of the Fracture Toughness Test of Multipass Welds Incorporating Residual Stress Distribution. <i>Procedia Structural Integrity</i> , 2018, 13, 1804-1810.	0.8	6
25	Investigation on $\hat{1}$ and m factors for J integral in SE(B) specimens. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 97, 224-235.	4.7	12
26	Effect of specimen size, applied stress and temperature gradient on brittle crack arrest toughness test. <i>International Journal of Fracture</i> , 2017, 204, 245-260.	2.2	9
27	Applicability of new CTOD calculation formula to various $a_0 / W$ conditions and $B \hat{A}$ — B configuration. <i>Engineering Fracture Mechanics</i> , 2017, 179, 375-390.	4.3	10
28	Plastic deformation behavior in SEB specimens with various crack length to width ratios. <i>Engineering Fracture Mechanics</i> , 2017, 178, 301-317.	4.3	12
29	Evaluation of rotational deformation in compact specimens for CTOD fracture toughness testing. <i>Procedia Structural Integrity</i> , 2017, 5, 286-293.	0.8	5
30	Numerical simulation of residual stress modification by reverse bending of notched fracture toughness test specimens of multipass welds. <i>Theoretical and Applied Fracture Mechanics</i> , 2017, 92, 214-222.	4.7	14
31	Formulation of CTOD design curve considering the yield to tensile ratio. <i>Procedia Structural Integrity</i> , 2017, 5, 279-285.	0.8	2
32	Micro-processes of brittle fracture initiation in bainite steel manufactured by ausforming. <i>Procedia Structural Integrity</i> , 2016, 2, 3668-3675.	0.8	3
33	Measurement of local brittle fracture stress for dynamic crack propagation in steel. <i>Procedia Structural Integrity</i> , 2016, 2, 395-402.	0.8	2
34	An Observation of Brittle Crack Propagation in Coarse Grained 3% Silicon Steel. <i>Procedia Structural Integrity</i> , 2016, 2, 493-500.	0.8	5
35	Proposal for a new CTOD calculation formula. <i>Engineering Fracture Mechanics</i> , 2016, 159, 16-34.	4.3	41
36	Coalescence judgment criteria for the interaction between two close surface cracks by WES2805 and its safety margin for brittle fracture assessment. <i>AIMS Materials Science</i> , 2016, 3, 1665-1682.	1.4	0

#	ARTICLE	IF	CITATIONS
37	Plastic rotational factors in three point bending test of steels with various crack length to width ratio. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2015, 33, 242-252.	0.5	5
38	Effect of stress field around running crack tip on fracture surface energy during brittle crack propagation. Journal of the Japan Society of Naval Architects and Ocean Engineers, 2015, 21, 63-73.	0.2	1
39	Evaluation of the effect of strength mismatch in undermatched joints on the static tensile strength of welded joints by considering microstructure. Welding International, 2014, 28, 766-774.	0.7	6
40	Experimental measurements of deformed crack tips in different yield-to-tensile ratio steels. Engineering Fracture Mechanics, 2014, 128, 157-170.	4.3	23
41	Numerical model of brittle crack propagation considering fracture surface energy on high tensile strength steel. Journal of the Japan Society of Naval Architects and Ocean Engineers, 2012, 16, 77-87.	0.2	8
42	Low cycle fatigue property of 1000N class steel and performances of H-section Column-to-Beam Welded Joints. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2011, 29, 125-134.	0.5	0
43	Comparison of CTOD standards: BS 7448-Part 1 and revised ASTM E1290. Engineering Fracture Mechanics, 2010, 77, 327-336.	4.3	35
44	Difference between ASTM E1290 and BS 7448 CTOD Estimation Procedures. Welding in the World, Le Soudage Dans Le Monde, 2010, 54, R182-R188.	2.5	7
45	Critical Condition of Ductile Crack Extension and Its Critical Condition of Subsequent Brittle Fracture for High Strength Steel. Journal of the Japan Society of Naval Architects and Ocean Engineers, 2007, 5, 235-243.	0.2	3
46	Investigation on Enhancement of Property of Ductile Crack Initiation in 780MPa Class High Tensile Strength Steel Plate-Studies of Safety against Fracture on 780MPa Class High Tensile Strength Steel Plate after Prestrain (Report 4)-. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2005, 23, 319-328.	0.5	3
47	Investigation on Enhancement of Uniform Elongation in 780 MPa Class High Tensile Strength Steel Plate-Studies of Safety Against Fracture on 780 MPa Class High Tensile Strength Steel Plate after Prestrain (Report 2)-. Yosetsu Gakkai Ronbunshu/Quarterly Journal of the Japan Welding Society, 2003, 21, 433-441.	0.5	1