

Shu-Hui Cai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8506411/publications.pdf>

Version: 2024-02-01

186
papers

2,731
citations

186265

28
h-index

254184

43
g-index

187
all docs

187
docs citations

187
times ranked

2699
citing authors

#	ARTICLE	IF	CITATIONS
1	A simultaneous multi-slice T_2 mapping framework based on overlapping-echo detachment planar imaging and deep learning reconstruction. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2239-2253.	3.0	13
2	Ultrafast water-fat separation using deep learning-based single-shot MRI. <i>Magnetic Resonance in Medicine</i> , 2022, 87, 2811-2825.	3.0	6
3	Super-resolved reconstruction method for spatiotemporally encoded magnetic resonance imaging based on deep neural network. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, 71, 058702.	0.5	0
4	Single-shot T_2 mapping via multi-echo-train multiple overlapping-echo detachment planar imaging and multitask deep learning. <i>Medical Physics</i> , 2022, 49, 7095-7107.	3.0	6
5	Single-step calculation of susceptibility through multiple orientation sampling. <i>NMR in Biomedicine</i> , 2021, 34, e4517.	2.8	3
6	Boosting C3-alcohol electrooxidations by co-fueling with formic acid: A real-time quantitative nuclear magnetic resonance spectroelectrochemical study. <i>Journal of Catalysis</i> , 2021, 404, 551-559.	6.2	1
7	Revealing weak histidine ^{15}N homonuclear scalar couplings using Solid-State Magic-Angle-Spinning NMR spectroscopy. <i>Journal of Magnetic Resonance</i> , 2020, 316, 106757.	2.1	3
8	Fast chemical exchange saturation transfer imaging based on PROPELLER acquisition and deep neural network reconstruction. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 3192-3205.	3.0	12
9	Super-resolved water/fat image reconstruction based on single-shot spatiotemporally encoded MRI. <i>Journal of Magnetic Resonance</i> , 2020, 314, 106736.	2.1	2
10	NMR Spectroelectrochemistry in Studies of Dopamine Oxidation. <i>Electrochemistry</i> , 2020, 88, 200-204.	1.4	8
11	High-resolution creatine mapping of mouse brain at 11.7 T using non-steady-state chemical exchange saturation transfer. <i>NMR in Biomedicine</i> , 2019, 32, e4168.	2.8	29
12	Robust Single-Shot T_2 Mapping via Multiple Overlapping-Echo Acquisition and Deep Neural Network. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 1801-1811.	8.9	23
13	Ultrafast multi-slice chemical exchange saturation transfer imaging scheme based on segmented spatiotemporal encoding. <i>Magnetic Resonance Imaging</i> , 2019, 60, 122-129.	1.8	7
14	Fast quantitative susceptibility reconstruction via total field inversion with improved weighted L0 norm approximation. <i>NMR in Biomedicine</i> , 2019, 32, e4067.	2.8	3
15	High-resolution two-dimensional ^1H J-resolved MRS measurements on in vivo samples. <i>Journal of Magnetic Resonance</i> , 2019, 300, 51-60.	2.1	1
16	Protein aggregation linked to Alzheimer's disease revealed by saturation transfer MRI. <i>NeuroImage</i> , 2019, 188, 380-390.	4.2	50
17	A Single-Scan Inhomogeneity-Tolerant NMR Method for High-Resolution Two-Dimensional J-Resolved Spectroscopy. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 1559-1566.	4.2	3
18	Altered brain iron content and deposition rate in Huntington's disease as indicated by quantitative susceptibility MRI. <i>Journal of Neuroscience Research</i> , 2019, 97, 467-479.	2.9	45

#	ARTICLE	IF	CITATIONS
19	Single-shot T ₂ mapping using overlapping-echo detachment planar imaging and a deep convolutional neural network. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 2202-2214.	3.0	61
20	NMR spectroelectrochemistry in studies of hydroquinone oxidation by polyaniline thin films. <i>Electrochimica Acta</i> , 2018, 273, 300-306.	5.2	22
21	Separating fast and slow exchange transfer and magnetization transfer using off-resonance variable-delay multiple-pulse (VDMP) MRI. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 1568-1576.	3.0	34
22	Single-Scan High-Resolution 2-D J-Resolved Spectroscopy in Inhomogeneous Magnetic Fields. <i>IEEE Transactions on Biomedical Engineering</i> , 2018, 65, 440-448.	4.2	2
23	Porous gold nanocluster-decorated manganese monoxide nanocomposites for microenvironment-activatable MR/photoacoustic/CT tumor imaging. <i>Nanoscale</i> , 2018, 10, 3631-3638.	5.6	54
24	Motion-tolerant diffusion mapping based on single-shot overlapping-echo detachment (OLED) planar imaging. <i>Magnetic Resonance in Medicine</i> , 2018, 80, 200-210.	3.0	13
25	Freshness assessment of intact fish via 2D 1H J-resolved NMR spectroscopy combined with pattern recognition methods. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 348-356.	7.8	19
26	The electrochemical oxidation of hydroquinone and catechol through polyaniline and poly(aspartic) acid. <i>Journal of Electroanalytical Chemistry</i> , 2018, 810, 1-10.	1.3	10
27	Weighted total variation using split Bregman fast quantitative susceptibility mapping reconstruction method. <i>Chinese Physics B</i> , 2018, 27, 088701.	1.4	1
28	Accelerating multi-slice spatiotemporally encoded MRI with simultaneous echo refocusing. <i>Journal of Magnetic Resonance</i> , 2018, 296, 12-22.	2.1	1
29	Referenceless distortion correction of gradient-echo echo-planar imaging under inhomogeneous magnetic fields based on a deep convolutional neural network. <i>Computers in Biology and Medicine</i> , 2018, 100, 230-238.	7.0	10
30	A fast chemical exchange saturation transfer imaging scheme based on single-shot spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1786-1796.	3.0	7
31	Accelerating two-dimensional nuclear magnetic resonance correlation spectroscopy via selective coherence transfer. <i>Journal of Chemical Physics</i> , 2017, 146, 014202.	3.0	4
32	Single-Shot T ₂ Mapping Through Overlapping-Echo Detachment (OLED) Planar Imaging. <i>IEEE Transactions on Biomedical Engineering</i> , 2017, 64, 2450-2461.	4.2	18
33	Ultrahigh-Resolution NMR Spectroscopy for Rapid Chemical and Biological Applications in Inhomogeneous Magnetic Fields. <i>Analytical Chemistry</i> , 2017, 89, 7115-7122.	6.5	15
34	A method for longitudinal relaxation time measurement in inhomogeneous fields. <i>Journal of Magnetic Resonance</i> , 2017, 281, 118-124.	2.1	1
35	1 H NMR-based compositional identification of different powdered infant formulas. <i>Food Chemistry</i> , 2017, 230, 164-173.	8.2	17
36	Metabolomic responses of <i>Haliotis diversicolor</i> to organotin compounds. <i>Chemosphere</i> , 2017, 168, 860-869.	8.2	29

#	ARTICLE	IF	CITATIONS
37	Changes in brain iron concentration after exposure to high-altitude hypoxia measured by quantitative susceptibility mapping. <i>NeuroImage</i> , 2017, 147, 488-499.	4.2	14
38	Investigation of the contribution of total creatine to the CEST α -spectrum of brain using a knockout mouse model. <i>NMR in Biomedicine</i> , 2017, 30, e3834.	2.8	64
39	Comparison of direct ^{13}C and indirect ^1H - ^{13}C MR detection methods for the study of dynamic metabolic turnover in the human brain. <i>Journal of Magnetic Resonance</i> , 2017, 283, 33-44.	2.1	12
40	General Two-Dimensional Absorption-Mode J -Resolved NMR Spectroscopy. <i>Analytical Chemistry</i> , 2017, 89, 12646-12651.	6.5	18
41	Metabolic responses of <i>Haliotis diversicolor</i> to <i>Vibrio parahaemolyticus</i> infection. <i>Fish and Shellfish Immunology</i> , 2017, 60, 265-274.	3.6	55
42	High-resolution nuclear magnetic resonance measurements in inhomogeneous magnetic fields: A fast two-dimensional J -resolved experiment. <i>Journal of Chemical Physics</i> , 2016, 144, 104202.	3.0	6
43	Ultrafast multidimensional nuclear magnetic resonance technique: A proof of concept based on inverse- k -space for convenient and efficient performance. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	5
44	Variable density sampling and non-Cartesian super-resolved reconstruction for spatiotemporally encoded single-shot MRI. <i>Journal of Magnetic Resonance</i> , 2016, 272, 1-9.	2.1	3
45	Rapid reconstruction of quantitative susceptibility mapping via improved $\hat{\alpha}$ approximation. <i>Computers in Biology and Medicine</i> , 2016, 79, 59-67.	7.0	1
46	Ultrafast multi-slice spatiotemporally encoded MRI with slice-selective dimension segmented. <i>Journal of Magnetic Resonance</i> , 2016, 269, 138-145.	2.1	8
47	A 2D proton J -resolved NMR method for direct measurements on heterogeneous foods. <i>Food Research International</i> , 2016, 80, 70-77.	6.2	5
48	NMR-based metabolomic analysis of <i>Haliotis diversicolor</i> exposed to thermal and hypoxic stresses. <i>Science of the Total Environment</i> , 2016, 545-546, 280-288.	8.0	51
49	A heteronuclear intermolecular single-quantum coherence scheme for high-resolution 2D J -resolved ^1H NMR spectra in inhomogeneous magnetic fields. <i>Molecular Physics</i> , 2016, 114, 1520-1527.	1.7	1
50	High-resolution heteronuclear correlation spectroscopy based on spatial encoding and coherence transfer in inhomogeneous fields. <i>Molecular Physics</i> , 2015, 113, 3353-3361.	1.7	0
51	Establishing resolution-improved NMR spectroscopy in high magnetic fields with unknown spatiotemporal variations. <i>Journal of Chemical Physics</i> , 2015, 143, 244201.	3.0	1
52	Discrete decoding based ultrafast multidimensional nuclear magnetic resonance spectroscopy. <i>Journal of Chemical Physics</i> , 2015, 143, 024201.	3.0	5
53	Flexible reduced field of view magnetic resonance imaging based on single-shot spatiotemporally encoded technique. <i>Chinese Physics B</i> , 2015, 24, 108703.	1.4	1
54	Observation of true and pseudo NOE signals using CEST-MRI and CEST-MRS sequences with and without lipid suppression. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 1615-1622.	3.0	43

#	ARTICLE	IF	CITATIONS
55	High-resolution NMR spectroscopy in inhomogeneous fields. <i>Progress in Nuclear Magnetic Resonance Spectroscopy</i> , 2015, 90-91, 1-31.	7.5	29
56	Hadamard-encoded localized high-resolution NMR spectroscopy via intermolecular double-quantum coherences. <i>Chemical Physics Letters</i> , 2015, 622, 63-68.	2.6	1
57	A high-resolution 2D J-resolved NMR detection technique for metabolite analyses of biological samples. <i>Scientific Reports</i> , 2015, 5, 8390.	3.3	25
58	Reduced field-of-view imaging for single-shot MRI with an amplitude-modulated chirp pulse excitation and Fourier transform reconstruction. <i>Magnetic Resonance Imaging</i> , 2015, 33, 503-515.	1.8	19
59	Super-resolved enhancing and edge deghosting (SEED) for spatiotemporally encoded single-shot MRI. <i>Medical Image Analysis</i> , 2015, 23, 1-14.	11.6	21
60	Spatially-encoded intermolecular single-quantum coherence method for high-resolution NMR spectra in inhomogeneous fields. <i>Chemical Physics Letters</i> , 2015, 634, 11-15.	2.6	8
61	Imaging with referenceless distortion correction and flexible regions of interest using single-shot biaxial spatiotemporally encoded MRI. <i>NeuroImage</i> , 2015, 105, 93-111.	4.2	14
62	Spatially Localized Two-Dimensional J-Resolved NMR Spectroscopy via Intermolecular Double-Quantum Coherences for Biological Samples at 7 T. <i>PLoS ONE</i> , 2015, 10, e0134109.	2.5	6
63	A Novel Detection Scheme for High-Resolution Two-Dimensional Spin-Echo Correlated Spectra in Inhomogeneous Fields. <i>PLoS ONE</i> , 2014, 9, e84032.	2.5	2
64	Localised two-dimensional correlated spectroscopy based on Hadamard encoding technique. <i>Molecular Physics</i> , 2014, 112, 2602-2607.	1.7	0
65	Fast high-resolution nuclear magnetic resonance spectroscopy through indirect zero-quantum coherence detection in inhomogeneous fields. <i>Chinese Physics B</i> , 2014, 23, 063201.	1.4	2
66	Hadamard-encoded high-resolution NMR spectroscopy via intermolecular single-quantum coherences. <i>Chemical Physics</i> , 2014, 444, 61-65.	1.9	4
67	High-Resolution Two-Dimensional J-Resolved NMR Spectroscopy for Biological Systems. <i>Biophysical Journal</i> , 2014, 106, 2061-2070.	0.5	29
68	High-resolution heteronuclear multi-dimensional NMR spectroscopy in magnetic fields with unknown spatial variations. <i>Journal of Magnetic Resonance</i> , 2014, 242, 49-56.	2.1	10
69	Fast high-resolution J-resolved correlation spectroscopy in inhomogeneous fields. <i>Chemical Physics Letters</i> , 2014, 616-617, 199-204.	2.6	3
70	HRJCOSY: A three-dimensional NMR method for measuring complex samples in inhomogeneous magnetic fields. <i>Chemical Physics Letters</i> , 2014, 609, 21-25.	2.6	2
71	Fast 3D gradient shimming by only 2\AA —2 pixels in XY plane for NMR-solution samples. <i>Journal of Magnetic Resonance</i> , 2014, 248, 13-18.	2.1	6
72	NMR-based metabonomic analysis of MnO-embedded iron oxide nanoparticles as potential dual-modal contrast agents. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	1.9	13

#	ARTICLE	IF	CITATIONS
73	Chemical exchange saturation transfer MRI using intermolecular double-quantum coherences with multiple refocusing pulses. <i>Magnetic Resonance Imaging</i> , 2014, 32, 759-765.	1.8	3
74	Ultrafast localized two-dimensional magnetic resonance correlated spectroscopy via spatially encoded technique. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 903-910.	3.0	5
75	High-Resolution ¹ H NMR Spectroscopy of Fish Muscle, Eggs and Small Whole Fish via Hadamard-Encoded Intermolecular Multiple-Quantum Coherence. <i>PLoS ONE</i> , 2014, 9, e86422.	2.5	26
76	Partial Fourier transform reconstruction for single-shot MRI with linear frequency-swept excitation. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 1326-1336.	3.0	42
77	Intermolecular Zero Quantum Coherence in NMR Spectroscopy. <i>Annual Reports on NMR Spectroscopy</i> , 2013, 78, 209-257.	1.5	4
78	Metabolomic Profilings of Urine and Serum from High Fat-Fed Rats via ¹ H NMR Spectroscopy and Pattern Recognition. <i>Applied Biochemistry and Biotechnology</i> , 2013, 169, 1250-1261.	2.9	19
79	Fast high-resolution 2D NMR spectroscopy in inhomogeneous fields via Hadamard frequency encoding and spatial encoding. <i>Chemical Physics Letters</i> , 2013, 582, 148-153.	2.6	10
80	Intermolecular double-quantum coherence imaging without coherence selection gradients and its application in in vivo MRI. <i>Magnetic Resonance Imaging</i> , 2013, 31, 515-523.	1.8	1
81	Hadamard encoded 2D correlation spectroscopy in inhomogeneous fields. <i>Chemical Physics Letters</i> , 2013, 563, 102-106.	2.6	2
82	Ultrafast acquisition of localized two-dimensional magnetic resonance correlated spectra of inhomogeneous biological tissues with resolution improvements. <i>Chemical Physics Letters</i> , 2013, 581, 96-102.	2.6	18
83	In vivo spatially localized high resolution ¹ H MRS via intermolecular single-quantum coherence of rat brain at 7 T. <i>Journal of Magnetic Resonance Imaging</i> , 2013, 37, 359-364.	3.4	3
84	An aliasing artifacts reducing approach with random undersampling for spatiotemporally encoded single-shot MRI. <i>Journal of Magnetic Resonance</i> , 2013, 237, 115-124.	2.1	28
85	Ultrafast ¹ H J-resolved spectroscopy via ² H distant dipolar field in magnetic fields with unknown spatial variations. <i>Chemical Physics Letters</i> , 2013, 587, 99-104.	2.6	2
86	Spatially encoded ultrafast high-resolution 2D homonuclear correlation spectroscopy in inhomogeneous fields. <i>Journal of Magnetic Resonance</i> , 2013, 227, 39-45.	2.1	27
87	An efficient de-convolution reconstruction method for spatiotemporal-encoding single-scan 2D MRI. <i>Journal of Magnetic Resonance</i> , 2013, 228, 136-147.	2.1	35
88	Brown adipose tissue mapping in rats with combined intermolecular double-quantum coherence and Dixon water-fat MRI. <i>NMR in Biomedicine</i> , 2013, 26, 1663-1671.	2.8	19
89	Positive Contrast Imaging of SPIO Nanoparticles. <i>Journal of Nanomaterials</i> , 2012, 2012, 1-9.	2.7	14
90	Flat pancake distant dipolar fields for enhancement of intermolecular multiple-quantum coherence signals. <i>Journal of Chemical Physics</i> , 2012, 136, 094503.	3.0	1

#	ARTICLE	IF	CITATIONS
91	Undersampled MRI reconstruction with patch-based directional wavelets. <i>Magnetic Resonance Imaging</i> , 2012, 30, 964-977.	1.8	196
92	Statistical two-dimensional correlation spectroscopy of urine and serum from metabolomics data. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012, 112, 33-40.	3.5	7
93	High-resolution absorptive intermolecular multiple-quantum coherence NMR spectroscopy under inhomogeneous fields. <i>Journal of Magnetic Resonance</i> , 2012, 214, 289-295.	2.1	8
94	High-resolution NMR spectroscopy in inhomogeneous fields via Hadamard-encoded intermolecular double-quantum coherences. <i>NMR in Biomedicine</i> , 2012, 25, 1088-1094.	2.8	14
95	Apparent diffusion behaviors of spins in the presence of distant dipolar field in two-component solution NMR. <i>Molecular Physics</i> , 2011, 109, 1943-1952.	1.7	1
96	High-Resolution 2D $\langle i \rangle J \langle /i \rangle$ -Resolved Spectroscopy in Inhomogeneous Fields with Two Scans. <i>Journal of the American Chemical Society</i> , 2011, 133, 7632-7635.	13.7	32
97	A new solvent suppression method via radiation damping effect. <i>Chinese Physics B</i> , 2011, 20, 118201.	1.4	3
98	Accurate Measurement of Small J Couplings. <i>Annual Reports on NMR Spectroscopy</i> , 2011, , 157-183.	1.5	3
99	Fast high-resolution 2D correlation spectroscopy in inhomogeneous fields via Hadamard intermolecular multiple quantum coherences technique. <i>Journal of Magnetic Resonance</i> , 2011, 211, 162-169.	2.1	7
100	High-resolution 2D NMR spectra in inhomogeneous fields based on intermolecular multiple-quantum coherences with efficient acquisition schemes. <i>Journal of Magnetic Resonance</i> , 2011, 208, 87-94.	2.1	9
101	Multinuclear nuclear magnetic resonance and density functional theoretical studies on the structure of bisperoxovanadium complexes with bidentate donors. <i>Inorganica Chimica Acta</i> , 2011, 365, 119-126.	2.4	4
102	High-resolution MR spectroscopy via intermolecular double-quantum coherences in inhomogeneous B0 and B1 fields. <i>Magnetic Resonance Imaging</i> , 2011, 29, 601-607.	1.8	1
103	Detection and characterization of intermolecular multiple-quantum coherence NMR signals of IS ($I=1/2$; $S=3/2$) spin systems. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 78, 1051-1057.	3.9	2
104	High-resolution NMR spectroscopy in unstable and inhomogeneous fields via stroboscopic acquisition. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 79, 112-117.	3.9	3
105	Reconstruction of Self-Sparse 2D NMR Spectra from Undersampled Data in the Indirect Dimension. <i>Sensors</i> , 2011, 11, 8888-8909.	3.8	39
106	Observation of intermolecular double-quantum coherence signal dips in nuclear magnetic resonance. <i>Chinese Physics B</i> , 2011, 20, 103301.	1.4	2
107	Identification of biochemical changes in lactovegetarian urine using ^1H NMR spectroscopy and pattern recognition. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 1451-1463.	3.7	77
108	Homocoupled proton NMR spectra in modest to severe inhomogeneous fields via distant dipolar interactions. <i>Chemical Physics Letters</i> , 2010, 492, 174-178.	2.6	7

#	ARTICLE	IF	CITATIONS
109	Spectroscopic and theoretical study on the interaction between diperoxovanadate complexes and glycyl-histidine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2010, 77, 825-831.	3.9	1
110	Highly efficient square wave distant dipolar field and its application for in vivo MRI. <i>Magnetic Resonance in Medicine</i> , 2010, 64, 1128-1134.	3.0	4
111	Multinuclear NMR and theoretical investigation on interactions between diperoxovanadate complex and 4-picoline-like ligands. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2010, 75, 83-87.	3.9	1
112	Intermolecular single-quantum coherence sequences for high-resolution NMR spectra in inhomogeneous fields. <i>Journal of Magnetic Resonance</i> , 2010, 203, 100-107.	2.1	27
113	Ultrafast 2D COSY with constant-time phase-modulated spatial encoding. <i>Journal of Magnetic Resonance</i> , 2010, 204, 82-90.	2.1	27
114	High-resolution two-dimensional correlation spectroscopy in inhomogeneous fields: New application of intermolecular zero-quantum coherences. <i>Journal of Chemical Physics</i> , 2010, 132, 134507.	3.0	19
115	The structure, stability, and reactivity of oxalato-monoperoxovanadium(V) in solution. <i>Journal of Coordination Chemistry</i> , 2010, 63, 3268-3278.	2.2	3
116	Spectroscopic and DFT Study on the Interaction System of Vanadium with α -Proline in Aqueous Solution. <i>Journal of Physical Chemistry A</i> , 2010, 114, 5211-5216.	2.5	6
117	Entropic Contributions to the Atomic-Scale Charge-Carrier/Surface Interactions That Govern Macroscopic Surface Conductance. <i>Journal of Physical Chemistry C</i> , 2010, 114, 3991-3997.	3.1	5
118	An Intermolecular Single-Quantum Coherence Detection Scheme for High-Resolution Two-Dimensional J -resolved Spectroscopy in Inhomogeneous Fields. <i>Applied Spectroscopy</i> , 2010, 64, 235-240.	2.2	11
119	High-resolution magnetic resonance spectroscopy in unstable fields via intermolecular zero-quantum coherences. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 6014.	2.8	6
120	Iterative thresholding compressed sensing MRI based on contourlet transform. <i>Inverse Problems in Science and Engineering</i> , 2010, 18, 737-758.	1.2	131
121	High-resolution NMR spectra in inhomogeneous and unstable fields via the three-pulse method. <i>Molecular Physics</i> , 2010, 108, 1869-1875.	1.7	5
122	Signal Reconstruction in Unstable Magnetic Field NMR with Wavelet Analysis. , 2009, , .		0
123	Fast acquisition of high-resolution NMR spectra in inhomogeneous fields via intermolecular double-quantum coherences. <i>Journal of Chemical Physics</i> , 2009, 130, 084504.	3.0	35
124	Theoretical investigation on multinuclear NMR chemical shifts of some tris(trifluoromethyl)boron complexes. <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 629-634.	1.9	3
125	Advances in high-resolution nuclear magnetic resonance methods in inhomogeneous magnetic fields using intermolecular multiple quantum coherences. <i>Science in China Series G: Physics, Mechanics and Astronomy</i> , 2009, 52, 58-69.	0.2	4
126	Metabonomics studies of intact hepatic and renal cortical tissues from diabetic db/db mice using high-resolution magic-angle spinning ^1H NMR spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 1657-1668.	3.7	40

#	ARTICLE	IF	CITATIONS
127	Investigation on the complex of diperoxovanadate with picolinamide. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009, 72, 965-969.	3.9	9
128	Intermolecular double-quantum coherence NMR spectroscopy in moderate inhomogeneous fields. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009, 74, 1138-1144.	3.9	6
129	High-resolution NMR spectroscopy in inhomogeneous fields via heteronuclear intermolecular multiple-quantum coherences. <i>Chemical Physics Letters</i> , 2009, 471, 331-336.	2.6	9
130	Harmonic peaks in 1D NMR spectra induced by radiation damping fields. <i>Chemical Physics Letters</i> , 2009, 479, 165-170.	2.6	3
131	Observation and characterization of NMR signals in spin-1 system based on intermolecular multiple-quantum coherences. <i>Chemical Physics Letters</i> , 2009, 481, 130-136.	2.6	3
132	Study on structural variation of oxalate-oxodiperoxovanadate(V) from solid state to solution using NMR spectroscopy and theoretical calculation. <i>Inorganic Chemistry Communication</i> , 2009, 12, 1259-1262.	3.9	7
133	High-Resolution J -Scaling Nuclear Magnetic Resonance Spectra in Inhomogeneous Fields via Intermolecular Multiple-Quantum Coherences. <i>Applied Spectroscopy</i> , 2009, 63, 585-590.	2.2	5
134	^1H NMR-Based Metabonomics Study of Urine and Serum Samples from Diabetic db/db Mice. , 2009, , .		0
135	High-Resolution Solution NMR Spectra in Inhomogeneous Magnetic Fields. <i>Current Analytical Chemistry</i> , 2009, 5, 70-83.	1.2	2
136	SPROM – an efficient program for NMR/MRI simulations of inter- and intra-molecular multiple quantum coherences. <i>Comptes Rendus Physique</i> , 2008, 9, 119-126.	0.9	29
137	Spectroscopic and theoretical study on the interaction between diperoxovanadate and oxazole. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2008, 69, 117-122.	3.9	8
138	NMR and theoretical study on interactions between diperoxovanadate complex and 4-substituted pyridines. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2008, 71, 644-649.	3.9	7
139	Application of the forward linear prediction on high-resolution NMR spectra in inhomogeneous fields. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2008, 71, 1027-1031.	3.9	1
140	Accurate measurements of small J coupling constants under inhomogeneous fields via intermolecular multiple-quantum coherences. <i>Journal of Magnetic Resonance</i> , 2008, 190, 298-306.	2.1	16
141	High-resolution NMR spectra in inhomogeneous fields utilizing the CRAZED sequence without coherence selection gradients. <i>Journal of Magnetic Resonance</i> , 2008, 193, 94-101.	2.1	8
142	Intermolecular multiple-quantum coherences between spin 1/2 and quadrupolar nuclei in liquid nuclear magnetic resonance. <i>Chemical Physics Letters</i> , 2008, 458, 368-372.	2.6	7
143	Crystal structure of ammonium (picolinamide)oxodiperoxovanadate(V) monohydrate, $\text{NH}_4[\text{VO}(\text{O})_2(\text{C}_6\text{H}_6\text{N}_2\text{O})] \cdot \text{H}_2\text{O}$. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2008, 223, 449-450.	0.3	0
144	High-resolution intermolecular zero-quantum coherence spectroscopy under inhomogeneous fields with effective solvent suppression. <i>Physical Chemistry Chemical Physics</i> , 2007, 9, 6231.	2.8	31

#	ARTICLE	IF	CITATIONS
145	Possible Dual-Charge-Carrier Mechanism of Surface Conduction on $\hat{\text{I}}^3$ -Alumina. <i>Journal of Physical Chemistry C</i> , 2007, 111, 5506-5513.	3.1	11
146	Simultaneous acquisition and effective separation of intermolecular multiple-quantum signals of different orders. <i>Chemical Physics Letters</i> , 2007, 438, 308-314.	2.6	6
147	Apparent longitudinal relaxation in solutions with intermolecular dipolar interactions and slow chemical exchange. <i>Chemical Physics Letters</i> , 2007, 446, 223-227.	2.6	5
148	Chaos suppression by feedback control in nuclear magnetic resonance. <i>Physica B: Condensed Matter</i> , 2007, 396, 57-61.	2.7	3
149	Interactions of methane, ethane and pentane with the (110C) surface of $\hat{\text{I}}^3$ -alumina. <i>Journal of Molecular Catalysis A</i> , 2007, 275, 63-71.	4.8	9
150	Modeling and simulation of magnetic resonance imaging based on intermolecular multiple quantum coherences. , 2006, , .		0
151	Suppression of undesired peaks due to residual intermolecular dipolar interactions in liquid NMR. <i>Chemical Physics Letters</i> , 2006, 417, 48-52.	2.6	7
152	Formation and identification of pure intermolecular zero-quantum coherence signal in liquid NMR. <i>Chemical Physics Letters</i> , 2006, 421, 171-178.	2.6	9
153	Double-quantum-filtered intermolecular single-quantum coherences in nuclear magnetic resonance spectroscopy and imaging. <i>Chemical Physics Letters</i> , 2006, 429, 611-616.	2.6	8
154	Investigation on the interactions between diperoxovanadate and substituted phenanthroline. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006, 64, 255-263.	3.9	5
155	Multinuclear NMR spectroscopic and theoretical study on the interactions between diperoxovanadate complex and picoline-like ligands. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2006, 65, 616-622.	3.9	13
156	Adsorption of 1-hexene on $\hat{\text{I}}^3$ -alumina (110C). <i>Journal of Molecular Catalysis A</i> , 2006, 248, 76-83.	4.8	7
157	Numerical Simulations of Contribution of Chemical Shift in Novel Magnetic Resonance Imaging. <i>Lecture Notes in Computer Science</i> , 2006, , 374-383.	1.3	3
158	A simulation algorithm based on Bloch equations and product operator matrix: application to dipolar and scalar couplings. <i>Journal of Magnetic Resonance</i> , 2005, 172, 242-253.	2.1	40
159	Selection of intra- or inter-molecular multiple-quantum coherences in NMR of highly polarized solution. <i>Physica B: Condensed Matter</i> , 2005, 362, 286-294.	2.7	4
160	Finite difference simulation of diffusion behaviors under inter- and intra-molecular multiple-quantum coherences in liquid NMR. <i>Chemical Physics Letters</i> , 2005, 407, 438-443.	2.6	10
161	Investigation on the complex of diperoxovanadate with 2-(2- $\hat{\text{I}}^2$ -pyridyl)-imidazole. <i>Journal of Inorganic Biochemistry</i> , 2005, 99, 1945-1951.	3.5	28
162	Propagator formalism and computer simulation of restricted diffusion behaviors of inter-molecular multiple-quantum coherences. <i>Physica B: Condensed Matter</i> , 2005, 366, 127-137.	2.7	4

#	ARTICLE	IF	CITATIONS
163	NMR and Theoretical Study on the Coordination and Solution Structures of the Interaction between Diperoxovanadate Complexes and Histidine-like Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 6755-6762.	4.0	24
164	Theoretical formalism and experimental verification of line shapes of NMR intermolecular multiple-quantum coherence spectra. <i>Journal of Chemical Physics</i> , 2005, 123, 074317.	3.0	13
165	Spectroscopic studies on the interactions between a bioactive diperoxovanadate complex and pyridine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2004, 60, 391-396.	3.9	21
166	Phase transformation mechanism between γ - and δ -alumina. <i>Physical Review B</i> , 2003, 67, .	3.2	81
167	Theoretical study on ^{19}F magnetic shielding constants of some metal fluorides. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 902-907.	1.9	15
168	Adsorption of alcohols on γ -alumina (110 C). <i>Journal of Molecular Catalysis A</i> , 2003, 193, 157-164.	4.8	62
169	Synthesis and Spectroscopic Characterizations of an Insulinomimetic Peroxovanadate Complex in Aqueous Solution. <i>Chinese Journal of Chemistry</i> , 2003, 21, 746-750.	4.9	6
170	Migration of Aluminum Atoms in the Transformation of γ - to δ -Alumina. <i>Materials Research Society Symposia Proceedings</i> , 2002, 731, 361.	0.1	0
171	Theoretical Investigation of ^{19}F NMR Chemical Shielding of Alkaline-Earth-Metal and Alkali-Metal Fluorides. <i>Journal of Physical Chemistry A</i> , 2002, 106, 1060-1066.	2.5	27
172	^{19}F NMR chemical shielding for metal fluorides MF_2 (M=Zn, Cd, Pb), MF_3 (M=Al, Ga, In) and SnF_4 . <i>Chemical Physics Letters</i> , 2002, 362, 13-18.	2.6	14
173	Atomic Scale Mechanism of the Transformation of γ -Alumina to δ -Alumina. <i>Physical Review Letters</i> , 2002, 89, 235501.	7.8	45
174	Density functional model cluster study of adsorption of acetylene on magnesium oxide. <i>Surface Science</i> , 2001, 479, 169-182.	1.9	5
175	Ab Initio calculation of ^{19}F NMR chemical shielding for alkaline-earth-metal fluorides. <i>Chinese Journal of Chemistry</i> , 2001, 19, 1179-1183.	4.9	0
176	An average-bond-energy method used for band-offset calculation for a strained heterojunction. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 7759-7770.	1.8	1
177	Tungsten Atoms and Clusters Adsorbed on the $\text{MgO}(001)$ Surface: A Density Functional Study. <i>Journal of Physical Chemistry B</i> , 2000, 104, 11506-11514.	2.6	14
178	NMR studies on $[\text{VS}_4\text{Cun}]$ (n=3, 4, 5, 6) clusters. <i>Polyhedron</i> , 1999, 18, 1339-1343.	2.2	5
179	Ab initio calculations of ^{19}F NMR chemical shielding for alkali-metal fluorides. Projects 19605004, 29892166 supported by National Natural Science Foundation of China, Natural Science Foundation of Fujian Province. <i>Chemical Physics Letters</i> , 1999, 302, 73-76.	2.6	21
180	Valence-band offsets of III-V alloy heterojunctions. <i>Surface and Interface Analysis</i> , 1999, 28, 177-180.	1.8	6

#	ARTICLE	IF	CITATIONS
181	Storage capacity of the Hopfield neural network. <i>Physica A: Statistical Mechanics and Its Applications</i> , 1997, 246, 313-319.	2.6	3
182	Studies on the band structures of some low-temperature superconductors. <i>International Journal of Quantum Chemistry</i> , 1997, 64, 459-472.	2.0	0
183	Studies on the band structures of some layered transition metal dichalcogenides. <i>Computational and Theoretical Chemistry</i> , 1996, 362, 379-385.	1.5	8
184	Studies on the band structures of some Laves-phase compounds. <i>Polyhedron</i> , 1995, 14, 3537-3544.	2.2	3
185	Theoretical investigation on the band structures of several Chevrel-phase compounds. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1995, 91, 479.	1.7	8
186	Theoretical studies on the band structures of superconducting solid compounds: Nb ₃ X (X=Si, Ge, Sn, Pb). <i>Chinese Journal of Chemistry</i> , 1994, 12, 385-391.	4.9	4