

# Murad Atmaca

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8508592/publications.pdf>

Version: 2024-02-01

83  
papers

2,049  
citations

201385

27  
h-index

253896

43  
g-index

84  
all docs

84  
docs citations

84  
times ranked

2616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Health Anxiety, Health Perception, and Healthy Lifestyle Behavior Among Psychiatric Patients During the COVID-19 Pandemic. primary care companion for CNS disorders, The, 2022, 24, .	0.2	1
2	Magnetic resonance imaging histogram analysis of amygdala in functional neurological disorder. Psychiatry Research - Neuroimaging, 2022, 323, 111487.	0.9	0
3	Insula volumes are altered in patients with social anxiety disorder. Behavioural Brain Research, 2021, 400, 113012.	1.2	4
4	Magnetic resonance imaging histogram analysis of corpus callosum in a functional neurological disorder. Turkish Journal of Medical Sciences, 2021, 51, 140-147.	0.4	8
5	Superior Temporal Gyrus Volumes in Patients With Social Anxiety Disorder. primary care companion for CNS disorders, The, 2021, 23, .	0.2	6
6	Suicidal Ideation, Self-esteem, and Hopelessness in Patients With Pulmonary Arterial Hypertension. primary care companion for CNS disorders, The, 2021, 23, .	0.2	0
7	The anxiety levels, quality of sleep and life and problem-solving skills in healthcare workers employed in COVID-19 services. Journal of Clinical Neuroscience, 2020, 80, 131-136.	0.8	105
8	Emotional intelligence and problem solving skills in individuals who attempted suicide. Journal of Clinical Neuroscience, 2020, 74, 120-123.	0.8	13
9	1HMRS in hippocampus of the patients with conversion disorder. Noropsikiyatri Arsivi, 2020, 58, 99-102.	0.2	0
10	Self-Esteem and Defense Mechanisms in HIV-Positive and AIDS Patients. primary care companion for CNS disorders, The, 2020, 22, .	0.2	0
11	Improvement of an atypical Kikuchi-Fujimoto disease (KFD) with antidepressant treatment: the first psychiatric approach to a KFD case. Journal of Theoretical Social Psychology, 2019, 29, 107-109.	1.2	1
12	&lt;p&gt;QT and P-wave dispersion during the manic phase of bipolar disorder&lt;/p&gt;. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 1805-1811.	1.0	6
13	Pineal gland volumes are changed in patients with obsessive-compulsive personality disorder. Journal of Clinical Neuroscience, 2019, 70, 221-225.	0.8	5
14	Hippocampus and amygdalar volumes in patients with obsessive-compulsive personality disorder. Journal of Clinical Neuroscience, 2019, 64, 259-263.	0.8	11
15	Levels of basophils and eosinophils are elevated while lymphocytes are reduced in patients with panic disorder compared to controls: a preliminary study. Journal of Theoretical Social Psychology, 2019, 29, 315-319.	1.2	3
16	Psychiatric symptoms in migraine patients and their attitudes towards psychological support on stigmatization. Journal of Clinical Neuroscience, 2019, 62, 180-183.	0.8	10
17	Insula volume in patients diagnosed with obsessive compulsive disorder and its relation with clinical variables. Noropsikiyatri Arsivi, 2019, 57, 89-92.	0.2	1
18	Functional and Structural Neural Changes in Obsessive-compulsive Disorder after Pharmacotherapy. Current Neuropharmacology, 2019, 17, 737-740.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Orbito-frontal cortex and thalamus volumes in the patients with obsessive-compulsive disorder before and after cognitive behavioral therapy. <i>International Journal of Psychiatry in Medicine</i> , 2018, 53, 243-255.	0.8	11
20	Pituitary gland volumes in patients with obsessive-compulsive disorder before and after cognitive-behavioral therapy. <i>Revista Brasileira De Psiquiatria</i> , 2018, 40, 420-423.	0.9	5
21	Case Reports Presentations. <i>Journal of Theoretical Social Psychology</i> , 2018, 28, 114-270.	1.2	34
22	Orbito-frontal cortex volumes in patients with antisocial personality disorder. <i>Asian Journal of Psychiatry</i> , 2017, 28, 131-132.	0.9	2
23	Effects of Mastalgia in Young Women on Quality of Life, Depression, and Anxiety Levels. <i>Indian Journal of Surgery</i> , 2016, 78, 96-99.	0.2	21
24	Studies on the reproductive effects of chronic treatment with agomelatine in the rat. <i>European Journal of Pharmacology</i> , 2016, 770, 33-39.	1.7	21
25	Treatment-refractory obsessive compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 70, 127-133.	2.5	23
26	Orbito-frontal cortex and thalamus volumes in obsessive-compulsive disorder before and after pharmacotherapy. <i>Brain Imaging and Behavior</i> , 2016, 10, 669-674.	1.1	11
27	Pituitary volumes are changed in patients with conversion disorder. <i>Brain Imaging and Behavior</i> , 2016, 10, 92-95.	1.1	23
28	Hippocampus and amygdala volumes in patients with vaginismus. <i>World Journal of Psychiatry</i> , 2016, 6, 221.	1.3	5
29	Effects of anti-obsessional treatment on pituitary volumes in obsessive-compulsive disorder. <i>Psychiatria Danubina</i> , 2016, 28, 58-62.	0.2	2
30	Peripheral Edema Related to Paroxetine Discontinuation: A Case Report. <i>Journal of Microbiology and Biotechnology</i> , 2015, 25, 291-294.	0.9	3
31	Anxiety and Depression Symptoms in Patients with Chronic Obstructive Pulmonary Disease. <i>Journal of Microbiology and Biotechnology</i> , 2015, 25, 151-161.	0.9	4
32	Frequency of anemia in chronic psychiatry patients. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2737.	1.0	28
33	Increased serum prolactin in borderline personality disorder. <i>International Journal of Psychiatry in Medicine</i> , 2015, 49, 169-175.	0.8	5
34	<sup>1</sup> HMRS results of hippocampus in the patients with obsessive-compulsive disorder before and after cognitive behavioral therapy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 285-289.	1.2	12
35	Pituitary volumes of the patients with borderline personality disorder are not changed. <i>International Journal of Psychiatry in Medicine</i> , 2015, 49, 237-244.	0.8	0
36	P wave dispersion in obsessive-compulsive disorder. <i>Indian Journal of Psychiatry</i> , 2015, 57, 196.	0.4	6

#	ARTICLE	IF	CITATIONS
37	Obsessive-compulsive (anankastic) personality disorder: toward the ICD-11 classification. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 40-50.	0.9	25
38	Pituitary gland in psychiatric disorders: a review of neuroimaging findings. <i>Pituitary</i> , 2014, 17, 392-397.	1.6	7
39	A case of Ventricular Tachycardia and Cardiac Arrest Associated with Sertraline and Mirtazapine Combination. <i>Iranian Journal of Psychiatry</i> , 2014, 9, 45-6.	0.4	1
40	Altered Neurochemical Ingredient of Hippocampus in Patients with Bipolar Depression. <i>Depression Research and Treatment</i> , 2012, 2012, 1-6.	0.7	7
41	QT wave dispersion in patients with panic disorder. <i>Neuroscience Bulletin</i> , 2012, 28, 247-252.	1.5	20
42	Hippocampal Neurochemical Pathology in Patients with Panic Disorder. <i>Psychiatry Investigation</i> , 2012, 9, 161.	0.7	2
43	Hippocampus and amygdalar volumes in patients with somatization disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1699-1703.	2.5	45
44	Acute Severe Hepatotoxicity Associated with Clomipramine. <i>Journal of Microbiology and Biotechnology</i> , 2011, 21, 154-155.	0.9	4
45	Delayed-onset akathisia due to amisulpride. <i>Indian Journal of Pharmacology</i> , 2011, 43, 460.	0.4	5
46	Mirtazapine Augmentation for Selective Serotonin Reuptake Inhibitor-Induced Sexual Dysfunction: A Retropective Investigation. <i>Psychiatry Investigation</i> , 2011, 8, 55.	0.7	24
47	Do Defense Styles of Ego Relate to Volumes of Orbito-Frontal Cortex in Patients with Obsessive-Compulsive Disorder?. <i>Psychiatry Investigation</i> , 2011, 8, 123.	0.7	10
48	Neutrophils Are Decreased in Obsessive-Compulsive Disorder: Preliminary Investigation. <i>Psychiatry Investigation</i> , 2011, 8, 362.	0.7	8
49	The association of myelin oligodendrocyte glycoprotein gene and white matter volume in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2010, 124, 309-313.	2.0	29
50	Serotonin 5-HT1DB Gene's Interaction with Key Brain Regions in Obsessive-Compulsive Disorder. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 23-28.	0.9	4
51	P wave dispersion in patients with hypochondriasis. <i>Neuroscience Letters</i> , 2010, 485, 148-150.	1.0	11
52	Attention Deficit Hyperactivity Disorder Erroneously Diagnosed and Treated as Bipolar Disorder. <i>Journal of Attention Disorders</i> , 2009, 13, 197-198.	1.5	7
53	Low plasma adiponectin levels in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2009, 117, 205-207.	2.0	7
54	Neurochemistry of the hippocampus in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2009, 63, 486-490.	1.0	28

#	ARTICLE	IF	CITATIONS
55	Valproate and neuroprotective effects for bipolar disorder. <i>International Review of Psychiatry</i> , 2009, 21, 410-413.	1.4	14
56	Effect of sertindole on QTc interval in patients with schizophrenia. <i>Neuroscience Letters</i> , 2008, 442, 1-3.	1.0	5
57	Antioxidant enzyme and malondialdehyde levels in patients with social phobia. <i>Psychiatry Research</i> , 2008, 159, 95-100.	1.7	57
58	Serum leptin and cholesterol values in violent and non-violent suicide attempters. <i>Psychiatry Research</i> , 2008, 158, 87-91.	1.7	65
59	Hippocampus and amygdalar volumes in patients with refractory obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1283-1286.	2.5	73
60	Corpus callosum areas in first-episode patients with bipolar disorder. <i>Psychological Medicine</i> , 2007, 37, 699.	2.7	58
61	Hippocampal 1H MRS in patients with bipolar disorder taking valproate versus valproate plus quetiapine. <i>Psychological Medicine</i> , 2007, 37, 121-129.	2.7	54
62	Plasma nitric oxide and leptin values in patients with olanzapine-induced weight gain. <i>Journal of Psychiatric Research</i> , 2007, 41, 74-79.	1.5	28
63	Cingulate gyrus volumetry in drug free bipolar patients and patients treated with valproate or valproate and quetiapine. <i>Journal of Psychiatric Research</i> , 2007, 41, 821-827.	1.5	60
64	Volumetric investigation of brain regions in patients with conversion disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 708-713.	2.5	50
65	Hippocampal 1H MRS in first-episode bipolar I patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1235-1239.	2.5	39
66	Serum Ghrelin and Cholesterol Values in Suicide Attempters. <i>Neuropsychobiology</i> , 2006, 54, 59-63.	0.9	43
67	Serum folate and homocysteine levels in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 616-620.	1.0	41
68	Plasma nitrate values in patients with obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 621-623.	1.0	34
69	The effect of extract of ginkgo biloba addition to olanzapine on therapeutic effect and antioxidant enzyme levels in patients with schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 652-656.	1.0	45
70	ORIGINAL RESEARCH "EJACULATORY DISORDERS: Serum Antioxidant Enzymes and Malondialdehyde Levels in Patients with Premature Ejaculation Before and After Pharmacotherapy. <i>Journal of Sexual Medicine</i> , 2005, 2, 254-258.	0.3	2
71	Nizatidine for the treatment of patients with quetiapine-induced weight gain. <i>Human Psychopharmacology</i> , 2004, 19, 37-40.	0.7	44
72	Neopterin production in posttraumatic stress disorder before and after pharmacotherapy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2003, 253, 34-36.	1.8	2

#	ARTICLE	IF	CITATIONS
73	Fluoxetine versus Vitex agnus castus extract in the treatment of premenstrual dysphoric disorder. Human Psychopharmacology, 2003, 18, 191-195.	0.7	105
74	Switching to tianeptine in patients with antidepressant-induced sexual dysfunction. Human Psychopharmacology, 2003, 18, 277-280.	0.7	37
75	Nizatidine treatment and its relationship with leptin levels in patients with olanzapine-induced weight gain. Human Psychopharmacology, 2003, 18, 457-461.	0.7	54
76	Serum Leptin and Triglyceride Levels in Patients on Treatment With Atypical Antipsychotics. Journal of Clinical Psychiatry, 2003, 64, 598-604.	1.1	149
77	Serum Leptin and Cholesterol Levels in Patients with Bipolar Disorder. Neuropsychobiology, 2002, 46, 176-179.	0.9	86
78	Serum Cholesterol and Leptin Levels in Patients with Borderline Personality Disorder. Neuropsychobiology, 2002, 45, 167-171.	0.9	49
79	Serum Leptin and Cholesterol Values in Suicide Attempters. Neuropsychobiology, 2002, 45, 124-127.	0.9	87
80	Weight Gain and Serum Leptin Levels in Patients on Lithium Treatment. Neuropsychobiology, 2002, 46, 67-69.	0.9	63
81	Quetiapine-associated and dose-related hypomania in a woman with schizophrenia. European Psychiatry, 2002, 17, 292-293.	0.1	16
82	Quetiapine Is Not Associated with Increase in Prolactin Secretion in Contrast to Haloperidol. Archives of Medical Research, 2002, 33, 562-565.	1.5	37
83	Efficacy of citalopram and moclobemide in patients with social phobia: some preliminary findings. Human Psychopharmacology, 2002, 17, 401-405.	0.7	16