

# Paolo Piaggi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8509744/paolo-piaggi-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216  
papers

4,506  
citations

37  
h-index

57  
g-index

243  
ext. papers

5,537  
ext. citations

5.2  
avg, IF

5.7  
L-index

#	Paper	IF	Citations
216	Circulating metabolite profile in young adulthood identifies long-term diabetes susceptibility: the Coronary Artery Risk Development in Young Adults (CARDIA) study.. <i>Diabetologia</i> , <b>2022</b> , 65, 657	10.3	0
215	Meal-to-meal and day-to-day macronutrient variation in an ad libitum vending food paradigm.. <i>Appetite</i> , <b>2022</b> , 171, 105944	4.5	1
214	Prevalence and diagnostic value of extra-left ventricle echocardiographic findings in transthyretin-related cardiac amyloidosis.. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2022</b> , 1-8	2.7	
213	Development of a Web-Based School Support System Within the AVATAR Project for Psychosocial Well-being in Adolescents: Pilot Feasibility Study. <i>JMIR Formative Research</i> , <b>2021</b> , 5, e24840	2.5	
212	Role of the mononuclear cell infiltrate in Graves' orbitopathy (GO): results of a large cohort study. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 1	5.2	3
211	Non-transmural myocardial infarction associated with regional contractile function is an independent predictor of positive outcome: an integrated approach to myocardial viability. <i>Journal of Cardiovascular Magnetic Resonance</i> , <b>2021</b> , 23, 121	6.9	0
210	Reduced Albumin Concentration Predicts Weight Gain and Higher Energy Intake in Humans. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 642568	5.7	2
209	Health-Related Quality of Life in Italian Adolescents During Covid-19 Outbreak. <i>Frontiers in Pediatrics</i> , <b>2021</b> , 9, 611136	3.4	5
208	Reduced brown adipose tissue activity during cold exposure is a metabolic feature of the human thrifty phenotype. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 117, 154709	12.7	6
207	Urinary Dopamine Excretion Rate Decreases during Acute Dietary Protein Deprivation and Is Associated with Increased Plasma Pancreatic Polypeptide Concentration. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
206	Management of Thyrotoxicosis Induced by PD1 or PD-L1 Blockade. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, bvab093	0.4	1
205	Management of Thyrotoxicosis Induced by PD1 or PD-L1 Blockade. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A841-A841	0.4	78
204	Metabolic Characterization of Meat, Fish, and Soda Intake in Males: Secondary Results from a Randomized Inpatient Pilot Study. <i>Obesity</i> , <b>2021</b> , 29, 995-1002	8	
203	Higher fasting plasma FGF21 concentration is associated with lower ad libitum soda consumption in humans. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 1518-1522	7	0
202	Whole Tumor Capsule Is Prognostic of Very Good Outcome in the Classical Variant of Papillary Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e4072-e4083	5.6	3
201	Reduced adaptive thermogenesis during acute protein-imbalanced overfeeding is a metabolic hallmark of the human thrifty phenotype. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 1396-1407	7	2
200	Do the Heterozygous Carriers of a CYP24A1 Mutation Display a Different Biochemical Phenotype Than Wild Types?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 708-717	5.6	5

199	Ca19.9 Positivity and Doubling Time Are Prognostic Factors of Mortality in Patients with Advanced Medullary Thyroid Cancer with No Evidence of Structural Disease Progression According to Response Evaluation Criteria in Solid Tumors. <i>Thyroid</i> , <b>2021</b> , 31, 1050-1055	6.2	4
198	Patients With MEN1 Are at an Increased Risk for Venous Thromboembolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e460-e468	5.6	1
197	Gene expression profile in metastatic and non-metastatic parathyroid carcinoma. <i>Endocrine-Related Cancer</i> , <b>2021</b> , 28, 111-134	5.7	5
196	Pseudohypoparathyroidism: Focus on Cerebral and Renal Calcifications. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e3005-e3020	5.6	1
195	Teaching geriatric medicine through gamification: a tool for enhancing postgraduate education in geriatric medicine. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 1	4.8	1
194	Relationship between Weight Status and Health-Related Quality of Life in a Sample of Early Adolescents from Central and Northern Italy: A Cross-Sectional Study of the AVATAR Project Participants. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
193	Energy Balance and Control of Body Weight: Possible Effects of Meal Timing and Circadian Rhythm Dysregulation. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	3
192	Assessing mPTC Progression during Active Surveillance: Volume or Diameter Increase?. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
191	Statins for Graves' orbitopathy (STAGO): a phase 2, open-label, adaptive, single centre, randomised clinical trial. <i>Lancet Diabetes and Endocrinology</i> , <b>2021</b> , 9, 733-742	18.1	9
190	Reduced metabolic efficiency in sedentary eucaloric conditions predicts greater weight regain in adults with obesity following sustained weight loss. <i>International Journal of Obesity</i> , <b>2021</b> , 45, 840-849	5.5	2
189	Lower insulin clearance is associated with increased risk of type 2 diabetes in Native Americans. <i>Diabetologia</i> , <b>2021</b> , 64, 914-922	10.3	7
188	Metabolic Responses to 24-Hour Fasting and Mild Cold Exposure in Overweight Individuals Are Correlated and Accompanied by Changes in FGF21 Concentration. <i>Diabetes</i> , <b>2020</b> , 69, 1382-1388	0.9	8
187	Assessing established BMI variants for a role in nighttime eating behavior in robustly phenotyped Southwestern American Indians. <i>European Journal of Clinical Nutrition</i> , <b>2020</b> , 74, 1718-1724	5.2	3
186	Thyroglobulin Changes are Highly Dependent on TSH in Low-risk DTC Patients not Treated with Radioiodine. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	2
185	Effects of underfeeding and oral vancomycin on gut microbiome and nutrient absorption in humans. <i>Nature Medicine</i> , <b>2020</b> , 26, 589-598	50.5	34
184	Metabolic Factors Determining the Susceptibility to Weight Gain: Current Evidence. <i>Current Obesity Reports</i> , <b>2020</b> , 9, 121-135	8.4	8
183	Recharacterizing the Metabolic State of Energy Balance in Thrifty and Spendthrift Phenotypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	9
182	Outcome of classical (CVPTC) and follicular (FVPTC) variants of papillary thyroid cancer: 15 years of follow-up. <i>Endocrine</i> , <b>2020</b> , 68, 607-616	4	6

181	Early adaptive thermogenesis is a determinant of weight loss after six weeks of caloric restriction in overweight subjects. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 110, 154303	12.7	10
180	Low Serum Insulinlike Growth Factor-1 Levels Correlate with High BMI in American Indian Adults. <i>Obesity</i> , <b>2020</b> , 28, 676-682	8	
179	The impact of menarche on health-related quality of life in a sample of Italian adolescents: evidence from school-based AVATAR project. <i>European Journal of Pediatrics</i> , <b>2020</b> , 179, 973-978	4.1	6
178	Thigh Adipocyte Size is Inversely Related to Energy Intake and Respiratory Quotient in Healthy Women. <i>Obesity</i> , <b>2020</b> , 28, 1129-1140	8	1
177	Urinary Norepinephrine Is a Metabolic Determinant of 24-Hour Energy Expenditure and Sleeping Metabolic Rate in Adult Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	3
176	No difference in the outcome of metastatic thyroid cancer patients when using recombinant or endogenous TSH. <i>European Journal of Endocrinology</i> , <b>2020</b> , 183, 411-417	6.5	3
175	Medullary thyroid cancer treated with vandetanib: predictors of a longer and durable response. <i>Endocrine-Related Cancer</i> , <b>2020</b> , 27, 97-110	5.7	19
174	MON-495 Influence of Lymphocytic Thyroiditis at Histology and Serum Thyroglobulin Autoantibodies on the Course of Papillary Thyroid Carcinoma. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
173	SUN-124 Are Venous Thromboembolic Events Increased in MEN1 Patients?. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
172	Impact of Advanced Age on the Clinical Presentation and Outcome of Sporadic Medullary Thyroid Carcinoma. <i>Cancers</i> , <b>2020</b> , 13,	6.6	4
171	Role of Prophylactic Central Compartment Lymph Node Dissection on the Outcome Of Patients With Papillary Thyroid Carcinoma and Synchronous Ipsilateral Cervical Lymph Node Metastases. <i>Endocrine Practice</i> , <b>2020</b> , 26, 807-817	3.2	3
170	2018-P: Whole-Genome Sequence Identifies Potentially Functional Variants in Cytochrome B5 Type A (CYB5A) that Associate with Obesity in Southwest American Indians. <i>Diabetes</i> , <b>2020</b> , 69, 2018-P	0.9	
169	Impaired Metabolic Flexibility to High-Fat Overfeeding Predicts Future Weight Gain in Healthy Adults. <i>Diabetes</i> , <b>2020</b> , 69, 181-192	0.9	21
168	Active Surveillance in Papillary Thyroid Microcarcinomas is Feasible and Safe: Experience at a Single Italian Center. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	43
167	Potential Impact of BMI on the Aggressiveness of Presentation and Clinical Outcome of Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	13
166	Procedures for Measuring Excreted and Ingested Calories to Assess Nutrient Absorption Using Bomb Calorimetry. <i>Obesity</i> , <b>2020</b> , 28, 2315-2322	8	1
165	MON-586 Gut Hormones Response to 24-H High Carbohydrate Overfeeding Is a Determinant of Metabolic Adaptation to Carbohydrate Intake in Healthy Individuals. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
164	Exome Sequencing Identifies A Nonsense Variant in DAO Associated With Reduced Energy Expenditure in American Indians. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	1

163	Is Dietary Nonadherence Unique to Obesity and Weight Loss? Results From a Randomized Clinical Trial. <i>Obesity</i> , <b>2020</b> , 28, 2020-2027	8	4
162	Psychopathological and psychiatric evaluation of patients affected by lipodystrophy. <i>Eating and Weight Disorders</i> , <b>2020</b> , 25, 991-998	3.6	6
161	Hydration biomarkers and copeptin: relationship with ad libitum energy intake, energy expenditure, and metabolic fuel selection. <i>European Journal of Clinical Nutrition</i> , <b>2020</b> , 74, 158-166	5.2	4
160	DELAYED 131-I FIRST TREATMENT AFTER SURGERY HAS NO IMPACT ON THE MEDIAN TERM OUTCOME OF PATIENTS WITH INTERMEDIATE RISK DIFFERENTIATED THYROID CANCER. <i>Endocrine Practice</i> , <b>2020</b> , 26, 58-71	3.2	5
159	Genetic interaction analysis of VEGF-A rs3025039 and VEGFR-2 rs2071559 identifies a genetic profile at higher risk to develop nodular goiter. <i>Journal of Endocrinological Investigation</i> , <b>2020</b> , 43, 149-155	5.2	1
158	Higher Urinary Dopamine Concentration is Associated with Greater Ad Libitum Energy Intake in Humans. <i>Obesity</i> , <b>2020</b> , 28, 953-961	8	4
157	Nonthyroidal second primary malignancies in differentiated thyroid cancer patients: Is the incidence increased comparing to the general population and could it be a radioiodine therapy consequence?. <i>International Journal of Cancer</i> , <b>2020</b> , 147, 2838-2846	7.5	6
156	Medullary thyroid cancer treated with vandetanib: predictors of a longer and durable response. <i>Endocrine-Related Cancer</i> , <b>2020</b> , 27, 97-110	5.7	8
155	Peptide/Receptor Co-evolution Explains the Lipolytic Function of the Neuropeptide TLQP-21. <i>Cell Reports</i> , <b>2019</b> , 28, 2567-2580.e6	10.6	11
154	Core body temperature, energy expenditure, and epinephrine during fasting, eucaloric feeding, and overfeeding in healthy adult men: evidence for a ceiling effect for human thermogenic response to diet. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 94, 59-68	12.7	5
153	Metabolic response to fasting predicts weight gain during low-protein overfeeding in lean men: further evidence for spendthrift and thrifty metabolic phenotypes. <i>American Journal of Clinical Nutrition</i> , <b>2019</b> , 110, 593-604	7	20
152	Ophthalmologic evaluation of severely obese patients undergoing bariatric surgery: A pilot, monocentric, prospective, open-label study. <i>PLoS ONE</i> , <b>2019</b> , 14, e0216351	3.7	5
151	Metabolic Determinants of Weight Gain in Humans. <i>Obesity</i> , <b>2019</b> , 27, 691-699	8	40
150	Assessing the Role of 98 Established Loci for BMI in American Indians. <i>Obesity</i> , <b>2019</b> , 27, 845-854	8	8
149	Whole transcriptome targeted gene quantification provides new insights on pulmonary sarcomatoid carcinomas. <i>Scientific Reports</i> , <b>2019</b> , 9, 3536	4.9	10
148	Serum IGF-binding protein 2 (IGFBP-2) concentrations change early after gastric bypass bariatric surgery revealing a possible marker of leptin sensitivity in obese subjects. <i>Endocrine</i> , <b>2019</b> , 65, 86-93	4	13
147	Effects of Short-Term Fasting and Different Overfeeding Diets on Thyroid Hormones in Healthy Humans. <i>Thyroid</i> , <b>2019</b> , 29, 1209-1219	6.2	13
146	Differential expression of RET isoforms in normal thyroid tissues, papillary and medullary thyroid carcinomas. <i>Endocrine</i> , <b>2019</b> , 65, 623-629	4	0

145	Atg7 Knockdown Reduces Chemerin Secretion in Murine Adipocytes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 5715-5728	5.6	4
144	SAT-106 Plasma Interleukine-6 (IL-6) Concentration Is a Determinant of Free-Living Weight Change in Healthy Humans. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,	0.4	78
143	2116-P: A Pipeline to Explore Rare Variation Which Can Contribute to Extreme Obesity in American Indians. <i>Diabetes</i> , <b>2019</b> , 68, 2116-P	0.9	
142	Usefulness of Triiodothyronine Replacement Therapy in Patients With ST Elevation Myocardial Infarction and Borderline/Reduced Triiodothyronine Levels (from the THIRST Study). <i>American Journal of Cardiology</i> , <b>2019</b> , 123, 905-912	3	32
141	A low resting metabolic rate in late childhood is associated with weight gain in adolescence. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 93, 68-74	12.7	6
140	Cognitive dietary restraint, disinhibition, and hunger are associated with 24-h energy expenditure. <i>International Journal of Obesity</i> , <b>2019</b> , 43, 1456-1465	5.5	10
139	VOmax is associated with measures of energy expenditure in sedentary condition but does not predict weight change. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 90, 44-51	12.7	7
138	Fasting glucagon-like peptide 1 concentration is associated with lower carbohydrate intake and increases with overeating. <i>Journal of Endocrinological Investigation</i> , <b>2019</b> , 42, 557-566	5.2	5
137	FGF21 Is a Hormonal Mediator of the Human "Thrifty" Metabolic Phenotype. <i>Diabetes</i> , <b>2019</b> , 68, 318-323	0.9	34
136	mRNA and miRNA expression profiling of follicular variant of papillary thyroid carcinoma with and without distant metastases. <i>Molecular and Cellular Endocrinology</i> , <b>2019</b> , 479, 93-102	4.4	5
135	High Fat and Sugar Consumption During Ad Libitum Intake Predicts Weight Gain. <i>Obesity</i> , <b>2018</b> , 26, 689-695	6.95	14
134	Identification and functional analysis of a novel G310D variant in the insulin-like growth factor 1 receptor (IGF1R) gene associated with type 2 diabetes in American Indians. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2018</b> , 34, e2994	7.5	2
133	Association of T and B Cells Infiltrating Orbital Tissues With Clinical Features of Graves Orbitopathy. <i>JAMA Ophthalmology</i> , <b>2018</b> , 136, 613-619	3.9	31
132	One-Hour Plasma Glucose Compared With Two-Hour Plasma Glucose in Relation to Diabetic Retinopathy in American Indians. <i>Diabetes Care</i> , <b>2018</b> , 41, 1212-1217	14.6	11
131	Effect of Thyroglobulin Autoantibodies on the Metabolic Clearance of Serum Thyroglobulin. <i>Thyroid</i> , <b>2018</b> , 28, 288-294	6.2	10
130	A six-gene panel to label follicular adenoma, low- and high-risk follicular thyroid carcinoma. <i>Endocrine Connections</i> , <b>2018</b> , 7, 124-132	3.5	11
129	Respiratory Training Late After Fontan Intervention: Impact on Cardiorespiratory Performance. <i>Pediatric Cardiology</i> , <b>2018</b> , 39, 695-704	2.1	12
128	Cycling Efficiency During Incremental Cycle Ergometry After 24 Hours of Overfeeding or Fasting. <i>Obesity</i> , <b>2018</b> , 26, 368-377	8	2

127	Functional and association analysis of an Amerindian-derived population-specific p.(Thr280Met) variant in RBPJL, a component of the PTF1 complex. <i>European Journal of Human Genetics</i> , <b>2018</b> , 26, 238-246	5.3	6
126	Deviations in energy sensing predict long-term weight change in overweight Native Americans. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 82, 65-71	12.7	14
125	Peripheral Endocannabinoids Associated With Energy Expenditure in Native Americans of Southwestern Heritage. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 1077-1087	5.6	13
124	Exenatide has a pronounced effect on energy intake but not energy expenditure in non-diabetic subjects with obesity: A randomized, double-blind, placebo-controlled trial. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 85, 116-125	12.7	15
123	RESIDUAL INTRARETINAL EDEMA AFTER 25-GAUGE VITRECTOMY AND MACULAR PUCKER REMOVAL: Is Intraoperative Sustained-release Dexamethasone a Real Treatment Option?. <i>Retina</i> , <b>2018</b> , 38, 993-999	3.6	7
122	Liver Enlargement Predicts Obstructive Sleep Apnea-Hypopnea Syndrome in Morbidly Obese Women. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 293	5.7	
121	Norepinephrine and T4 Are Predictors of Fat Mass Gain in Humans With Cold-Induced Brown Adipose Tissue Activation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 2689-2697	5.6	9
120	Patients with Indeterminate Thyroid Nodules at Cytology and Cancer at Histology Have a More Favorable Outcome Compared with Patients with Suspicious or Malignant Cytology. <i>Thyroid</i> , <b>2018</b> , 28, 1318-1324	6.2	2
119	Authors' response (August 21, 2017) to the letter to the Editor concerning the paper "Mortality for chronic-degenerative diseases in Tuscany: Ecological study comparing neighboring areas with substantial difference in environmental pollution". <i>International Journal of Occupational Medicine and Environmental Health</i> , <b>2018</b> , 31, 547-549	1.5	
118	A Low-Frequency Amerindian Specific Variant inPALD1, a Negative Regulator of Insulin Signaling, Associates with Type 2 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 213-LB	0.9	
117	Energy expenditure in the etiology of human obesity: spendthrift and thrifty metabolic phenotypes and energy-sensing mechanisms. <i>Journal of Endocrinological Investigation</i> , <b>2018</b> , 41, 83-89	5.2	38
116	Energy Expenditure and Hormone Responses in Humans After Overeating High-Fructose Corn Syrup Versus Whole-Wheat Foods. <i>Obesity</i> , <b>2018</b> , 26, 141-149	8	2
115	Decline in the acute insulin response in relationship to plasma glucose concentrations. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2018</b> , 34, e2953	7.5	3
114	Canagliflozin triggers the FGF23/1,25-dihydroxyvitamin D/PTH axis in healthy volunteers in a randomized crossover study. <i>JCI Insight</i> , <b>2018</b> , 3,	9.9	59
113	Endocannabinoid Anandamide Mediates the Effect of Skeletal Muscle Sphingomyelins on Human Energy Expenditure. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 3757-3766	5.6	5
112	Prognostic Role of Cardiac Magnetic Resonance in Arrhythmogenic Right Ventricular Cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2018</b> , 122, 1745-1753	3	18
111	Clinical, pathological and genetic features of anaplastic and poorly differentiated thyroid cancer: A single institute experience. <i>Oncology Letters</i> , <b>2018</b> , 15, 9174-9182	2.6	14
110	Response of skeletal muscle UCP2-expression during metabolic adaptation to caloric restriction. <i>International Journal of Obesity</i> , <b>2018</b> , 42, 974-984	5.5	9

109	Changing Trend of Thyroglobulin Antibodies in Patients With Differentiated Thyroid Cancer Treated With Total Thyroidectomy Without I Ablation. <i>Thyroid</i> , <b>2018</b> , 28, 871-879	6.2	21
108	Differential methylation of genes in individuals exposed to maternal diabetes in utero. <i>Diabetologia</i> , <b>2017</b> , 60, 645-655	10.3	49
107	Specific skeletal muscle sphingolipid compounds in energy expenditure regulation and weight gain in Native Americans of Southwestern heritage. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 1585-1593	5.5	3
106	The obese brain as a heritable phenotype: a combined morphometry and twin study. <i>International Journal of Obesity</i> , <b>2017</b> , 41, 458-466	5.5	17
105	Cross calibration of two dual-energy X-ray densitometers and comparison of visceral adipose tissue measurements by iDXA and MRI. <i>Obesity</i> , <b>2017</b> , 25, 332-337	8	29
104	Neuromodulation directed at the prefrontal cortex of subjects with obesity reduces snack food intake and hunger in a randomized trial. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 106, 1347-1357	7	31
103	Differences in miRNA expression profiles between wild-type and mutated NIFTPs. <i>Endocrine-Related Cancer</i> , <b>2017</b> , 24, 543-553	5.7	11
102	Left and right ventricular morphology, function and late gadolinium enhancement extent and localization change with different clinical presentation of acute myocarditis Data from the ITALian multicenter study on MYocarditis (ITAMY). <i>Journal of Cardiovascular Medicine</i> , <b>2017</b> , 18, 881-887	1.9	6
101	High-risk patients with mild-moderate left ventricular dysfunction after a previous myocardial infarction. A long-term prognostic data by cardiac magnetic resonance. <i>International Journal of Cardiology</i> , <b>2017</b> , 245, 13-19	3.2	2
100	Autoantibodies against PFDN2 are associated with an increased risk of type 2 diabetes: A case-control study. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2017</b> , 33, e2922	7.5	11
99	A Novel Approach to Predict 24-Hour Energy Expenditure Based on Hematologic Volumes: Development and Validation of Models Comparable to Mifflin-St Jeor and Body Composition Models. <i>Journal of the Academy of Nutrition and Dietetics</i> , <b>2017</b> , 117, 1177-1187	3.9	1
98	One-hour and two-hour postload plasma glucose concentrations are comparable predictors of type 2 diabetes mellitus in Southwestern Native Americans. <i>Diabetologia</i> , <b>2017</b> , 60, 1704-1711	10.3	29
97	Low Elasticity of Thyroid Nodules on Ultrasound Elastography Is Correlated with Malignancy, Degree of Fibrosis, and High Expression of Galectin-3 and Fibronectin-1. <i>Thyroid</i> , <b>2017</b> , 27, 103-110	6.2	24
96	The Consistency in Macronutrient Oxidation and the Role for Epinephrine in the Response to Fasting and Overfeeding. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 279-289	5.6	22
95	In Vitro lipolysis is associated with whole-body lipid oxidation and weight gain in humans. <i>Obesity</i> , <b>2017</b> , 25, 207-214	8	8
94	Assessing variation across 8 established East Asian loci for type 2 diabetes mellitus in American Indians: Suggestive evidence for new sex-specific diabetes signals in GLIS3 and ZFAND3. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2017</b> , 33, e2869	7.5	12
93	A Genome-Wide Association Study Using a Custom Genotyping Array Identifies Variants in Associated With Reduced Energy Expenditure in American Indians. <i>Diabetes</i> , <b>2017</b> , 66, 2284-2295	0.9	20
92	Mortality for chronic-degenerative diseases in Tuscany: Ecological study comparing neighboring areas with substantial differences in environmental pollution. <i>International Journal of Occupational Medicine and Environmental Health</i> , <b>2017</b> , 30, 641-653	1.5	3



91	Postoperative Thyroglobulin and Neck Ultrasound in the Risk Restratification and Decision to Perform 131I Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 893-902	5.6	27
90	Quantitative Comparison Between Amyloid Deposition Detected by (99m)Tc-Diphosphonate Imaging and Myocardial Deformation Evaluated by Strain Echocardiography in Transthyretin-Related Cardiac Amyloidosis. <i>Circulation Journal</i> , <b>2016</b> , 80, 1998-2003	2.9	16
89	Papillary Thyroid Carcinoma With Rare Exon 15 BRAF Mutation Has Indolent Behavior: A Single-Institution Experience. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 4413-4420	5.6	38
88	Higher insulin and higher body fat via leptin are associated with disadvantageous decisions in the Iowa gambling task. <i>Physiology and Behavior</i> , <b>2016</b> , 167, 392-398	3.5	1
87	Weight Loss and Variation of Levothyroxine Requirements in Hypothyroid Obese Patients After Bariatric Surgery. <i>Thyroid</i> , <b>2016</b> , 26, 499-503	6.2	29
86	Assessment of established HDL-C loci for association with HDL-C levels and type 2 diabetes in Pima Indians. <i>Diabetologia</i> , <b>2016</b> , 59, 481-91	10.3	13
85	IL-8 and VEGFR-2 polymorphisms modulate long-term functional response to intravitreal ranibizumab in exudative age-related macular degeneration. <i>Pharmacogenomics</i> , <b>2016</b> , 17, 35-9	2.6	14
84	Chronic Renin-Angiotensin System (RAS) Blockade May Not Induce Hypotension During Anaesthesia for Bariatric Surgery. <i>Obesity Surgery</i> , <b>2016</b> , 26, 1303-7	3.7	6
83	Analysis of SLC16A11 Variants in 12,811 American Indians: Genotype-Obesity Interaction for Type 2 Diabetes and an Association With RNASEK Expression. <i>Diabetes</i> , <b>2016</b> , 65, 510-9	0.9	16
82	LASER PROPHYLACTIC TREATMENT OF THE FELLOW EYE IN GIANT RETINAL TEARS: Long-Term Follow-up. <i>Retina</i> , <b>2016</b> , 36, 962-6	3.6	6
81	New insights in the molecular signature of advanced medullary thyroid cancer: evidence of a bad outcome of cases with double mutations. <i>Journal of Medical Genetics</i> , <b>2016</b> , 53, 729-734	5.8	38
80	Significance of Low Levels of Thyroglobulin Autoantibodies Associated with Undetectable Thyroglobulin After Thyroidectomy for Differentiated Thyroid Carcinoma. <i>Thyroid</i> , <b>2016</b> , 26, 798-806	6.2	23
79	The impact of genetic variants on BMI increase during childhood versus adulthood. <i>International Journal of Obesity</i> , <b>2016</b> , 40, 1301-9	5.5	9
78	Usefulness of late gadolinium enhancement MRI combined with stress imaging in predictive significant coronary stenosis in new-diagnosed left ventricular dysfunction. <i>International Journal of Cardiology</i> , <b>2016</b> , 224, 337-342	3.2	5
77	Prophylactic central compartment lymph node dissection in papillary thyroid carcinoma: clinical implications derived from the first prospective randomized controlled single institution study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1316-24	5.6	167
76	Fasting hyperglycemia predicts lower rates of weight gain by increased energy expenditure and fat oxidation rate. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1078-87	5.6	18
75	Exploring the concept of eating dyscontrol in severely obese patients candidate to bariatric surgery. <i>Clinical Obesity</i> , <b>2015</b> , 5, 22-30	3.6	2
74	Energy Expenditure Responses to Fasting and Overfeeding Identify Phenotypes Associated With Weight Change. <i>Diabetes</i> , <b>2015</b> , 64, 3680-9	0.9	45

73	Higher Daily Energy Expenditure and Respiratory Quotient, Rather Than Fat-Free Mass, Independently Determine Greater ad Libitum Overeating. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 3011-20	5.6	43
72	Elevated level of serum carbohydrate antigen 19.9 as predictor of mortality in patients with advanced medullary thyroid cancer. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 297-304	6.5	23
71	Intravitreal ranibizumab for predominantly hemorrhagic choroidal neovascularization in age-related macular degeneration. <i>Ophthalmologica</i> , <b>2015</b> , 233, 74-81	3.7	4
70	A cis-eQTL in PFKFB2 is associated with diabetic nephropathy, adiposity and insulin secretion in American Indians. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 2985-96	5.6	11
69	Macular pucker: to peel or not to peel the internal limiting membrane? A microperimetric response. <i>Retina</i> , <b>2015</b> , 35, 498-507	3.6	84
68	Increased 24-hour ad libitum food intake is associated with lower plasma irisin concentrations the following morning in adult humans. <i>Appetite</i> , <b>2015</b> , 90, 154-9	4.5	12
67	Neuromodulation targeted to the prefrontal cortex induces changes in energy intake and weight loss in obesity. <i>Obesity</i> , <b>2015</b> , 23, 2149-56	8	64
66	ABCC8 R1420H Loss-of-Function Variant in a Southwest American Indian Community: Association With Increased Birth Weight and Doubled Risk of Type 2 Diabetes. <i>Diabetes</i> , <b>2015</b> , 64, 4322-32	0.9	37
65	Usefulness of Combining Electrocardiographic and Echocardiographic Findings and Brain Natriuretic Peptide in Early Detection of Cardiac Amyloidosis in Subjects With Transthyretin Gene Mutation. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 1122-7	3	24
64	Manually calculated oesophageal bolus clearance time increases in parallel with reflux severity at impedance-pH monitoring. <i>Digestive and Liver Disease</i> , <b>2015</b> , 47, 1027-32	3.3	10
63	Assessing FOXO1A as a potential susceptibility locus for type 2 diabetes and obesity in American Indians. <i>Obesity</i> , <b>2015</b> , 23, 1960-5	8	6
62	The effect of differing patterns of childhood body mass index gain on adult physiology in American Indians. <i>Obesity</i> , <b>2015</b> , 23, 1872-80	8	6
61	Use of a High-Density Protein Microarray to Identify Autoantibodies in Subjects with Type 2 Diabetes Mellitus and an HLA Background Associated with Reduced Insulin Secretion. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143551	3.7	11
60	Association between baseline impedance values and response proton pump inhibitors in patients with heartburn. <i>Clinical Gastroenterology and Hepatology</i> , <b>2015</b> , 13, 1082-8.e1	6.9	98
59	Neck circumference is a predictor of metabolic syndrome and obstructive sleep apnea in short-sleeping obese men and women. <i>Metabolic Syndrome and Related Disorders</i> , <b>2014</b> , 12, 231-41	2.6	56
58	Intratympanic gentamicin for Meniere's disease: short- and long-term follow-up of two regimens of treatment. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2014</b> , 150, 847-52	5.5	26
57	The different requirement of L-T4 therapy in congenital athyreosis compared with adult-acquired hypothyroidism suggests a persisting thyroid hormone resistance at the hypothalamic-pituitary level. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 615-21	6.5	15
56	Clinical and genetic characteristics of a large monocentric series of patients affected by thyroid hormone (Th) resistance and suggestions for differential diagnosis in patients without mutation of Th receptor $\alpha$ <i>Clinical Endocrinology</i> , <b>2014</b> , 81, 921-8	3.4	14

55	Common genetic variation in the glucokinase gene (GCK) is associated with type 2 diabetes and rates of carbohydrate oxidation and energy expenditure. <i>Diabetologia</i> , <b>2014</b> , 57, 1382-90	10.3	27
54	Weight maintenance from young adult weight predicts better health outcomes. <i>Obesity</i> , <b>2014</b> , 22, 2361-9		10
53	Hawthorne effect with transient behavioral and biochemical changes in a randomized controlled sleep extension trial of chronically short-sleeping obese adults: implications for the design and interpretation of clinical studies. <i>PLoS ONE</i> , <b>2014</b> , 9, e104176	3.7	33
52	Abnormal T2-STIR magnetic resonance in hypertrophic cardiomyopathy: a marker of advanced disease and electrical myocardial instability. <i>PLoS ONE</i> , <b>2014</b> , 9, e111366	3.7	24
51	Singular spectrum analysis and adaptive filtering enhance the functional connectivity analysis of resting state fMRI data. <i>International Journal of Neural Systems</i> , <b>2014</b> , 24, 1450010	6.2	18
50	Variants associated with type 2 diabetes identified by the transethnic meta-analysis study: assessment in American Indians and evidence for a new signal in LPP. <i>Diabetologia</i> , <b>2014</b> , 57, 2334-8	10.3	7
49	The large majority of 1520 patients with indeterminate thyroid nodule at cytology have a favorable outcome, and a clinical risk score has a high negative predictive value for a more cumbersome cancer disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3700-7	5.6	36
48	Bimatoprost 0.01% vs bimatoprost 0.03%: a 12-month prospective trial of clinical and in vivo confocal microscopy in glaucoma patients. <i>Eye</i> , <b>2014</b> , 28, 422-9	4.4	16
47	Esophageal baseline impedance levels in patients with pathophysiological characteristics of functional heartburn. <i>Neurogastroenterology and Motility</i> , <b>2014</b> , 26, 546-55	4	147
46	Whole exome sequencing identifies variation in CYB5A and RNF10 associated with adiposity and type 2 diabetes. <i>Obesity</i> , <b>2014</b> , 22, 984-8	8	28
45	Common genetic variation in and near the melanocortin 4 receptor gene (MC4R) is associated with body mass index in American Indian adults and children. <i>Human Genetics</i> , <b>2014</b> , 133, 1431-41	6.3	17
44	Innovative approach to interpret the variability of biomarkers after ultra-endurance exercise: the multifactorial analysis. <i>Biomarkers in Medicine</i> , <b>2014</b> , 8, 881-91	2.3	9
43	Thyroglobulin autoantibodies switch to immunoglobulin (Ig)G1 and IgG3 subclasses and preserve their restricted epitope pattern after 131I treatment for Graves' hyperthyroidism: the activity of autoimmune disease influences subclass distribution but not epitope pattern of autoantibodies. <i>Clinical and Experimental Immunology</i> , <b>2014</b> , 178, 438-46	6.2	13
42	Sleep extension improves neurocognitive functions in chronically sleep-deprived obese individuals. <i>PLoS ONE</i> , <b>2014</b> , 9, e84832	3.7	20
41	Adaptive filtering and random variables coefficient for analyzing functional magnetic resonance imaging data. <i>International Journal of Neural Systems</i> , <b>2013</b> , 23, 1350011	6.2	5
40	Iodine fortification of vegetables improves human iodine nutrition: in vivo evidence for a new model of iodine prophylaxis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E694-7	5.6	38
39	Overfeeding over 24 hours does not activate brown adipose tissue in humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1956-60	5.6	34
38	Lower energy expenditure predicts long-term increases in weight and fat mass. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E703-7	5.6	61

37	Inverse relationship of food and alcohol intake to sleep measures in obesity. <i>Nutrition and Diabetes</i> , <b>2013</b> , 3, e58	4.7	22
36	The size of the community rather than its geographical location better defines the risk of iodine deficiency: results of an extensive survey in Southern Italy. <i>Journal of Endocrinological Investigation</i> , <b>2013</b> , 36, 282-6	5.2	20
35	Analysis of the 3-dimensional fluid-attenuated inversion-recovery (3D-FLAIR) sequence in idiopathic sudden sensorineural hearing loss. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , <b>2013</b> , 139, 456-64	3.9	69
34	Detection and removal of ocular artifacts from EEG signals for an automated REM sleep analysis. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , <b>2013</b> , 2013, 5079-82	0.9	6
33	Lower "awake and fed thermogenesis" predicts future weight gain in subjects with abdominal adiposity. <i>Diabetes</i> , <b>2013</b> , 62, 4043-51	0.9	34
32	Patients with differentiated thyroid cancer who underwent radioiodine thyroid remnant ablation with low-activity $^{131}\text{I}$ after either recombinant human TSH or thyroid hormone therapy withdrawal showed the same outcome after a 10-year follow-up. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 93, 2688-700	5.6	48
31	Obstructive sleep apnea is a predictor of abnormal glucose metabolism in chronically sleep deprived obese adults. <i>PLoS ONE</i> , <b>2013</b> , 8, e65400	3.7	28
30	Cardiac function and oxygen saturation during maximal breath-holding in air and during whole-body surface immersion. <i>Diving and Hyperbaric Medicine</i> , <b>2013</b> , 43, 131-7	1	8
29	Rehabilitative orbital decompression for Graves' orbitopathy: risk factors influencing the new onset of diplopia in primary gaze, outcome and patients' satisfaction. A large retrospective study. <i>Thyroid</i> , <b>2012</b> , 22, 1170-5	6.2	2
28	Progression of myocardial fibrosis assessed with cardiac magnetic resonance in hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 922-9	15.1	100
27	Prevalence of left ventricular hypertrophy and determinants of left ventricular mass in obese women. <i>High Blood Pressure and Cardiovascular Prevention</i> , <b>2012</b> , 19, 33-9	2.9	9
26	Rehabilitative orbital decompression for Graves' orbitopathy: risk factors influencing the new onset of diplopia in primary gaze, outcome, and patients' satisfaction. <i>Thyroid</i> , <b>2012</b> , 22, 1170-5	6.2	35
25	Poor sleep quality and sleep apnea are associated with higher resting energy expenditure in obese individuals with short sleep duration. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 2881-9	5.6	30
24	Serum insulin-like growth factor-1 concentrations are reduced in severely obese women and raise after weight loss induced by laparoscopic adjustable gastric banding. <i>Obesity Surgery</i> , <b>2012</b> , 22, 1276-80	3.7	30
23	The BRAF(V600E) mutation is an independent, poor prognostic factor for the outcome of patients with low-risk intrathyroid papillary thyroid carcinoma: single-institution results from a large cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 4390-8	5.6	175
22	Thyroglobulin autoantibodies in patients with papillary thyroid carcinoma: comparison of different assays and evaluation of causes of discrepancies. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 3974-82	5.6	41
21	Haptoglobin deficiency determines changes in adipocyte size and adipogenesis. <i>Adipocyte</i> , <b>2012</b> , 1, 142-148	3.83	10
20	Lymphocytic thyroiditis on histology correlates with serum thyroglobulin autoantibodies in patients with papillary thyroid carcinoma: impact on detection of serum thyroglobulin. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 2380-7	5.6	53

19	Hepatic left lobe volume is a sensitive index of metabolic improvement in obese women after gastric banding. <i>International Journal of Obesity</i> , <b>2012</b> , 36, 336-41	5.5	13
18	Intratympanic treatment of intractable unilateral Meniere disease: gentamicin or dexamethasone? A randomized controlled trial. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2012</b> , 146, 430-7	5.5	86
17	Adaptive filtering for removing nonstationary physiological noise from resting state fMRI BOLD signals <b>2011</b> ,		1
16	Physiological Cybernetics: An Old-Novel Approach for Students in Biomedical Systems <b>2011</b> ,		1
15	Randomised clinical trial: twice daily esomeprazole 40 mg vs. pantoprazole 40 mg in Barrett's oesophagus for 1 year. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2011</b> , 33, 1019-27	6.1	12
14	<b>2011</b> ,		3
13	In silico and in vitro analysis of rare germline allelic variants of RET oncogene associated with medullary thyroid cancer. <i>Endocrine-Related Cancer</i> , <b>2011</b> , 18, 603-12	5.7	49
12	Human leptin tissue distribution, but not weight loss-dependent change in expression, is associated with methylation of its promoter. <i>Epigenetics</i> , <b>2011</b> , 6, 1198-206	5.7	46
11	Hashimoto's thyroiditis is associated with papillary thyroid carcinoma: role of TSH and of treatment with L-thyroxine. <i>Endocrine-Related Cancer</i> , <b>2011</b> , 18, 429-37	5.7	105
10	Performance evaluation of the Vitros(®) 3600 immunodiagnostic system for the determination of free thyroid hormones. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2011</b> , 49, 1385-1387	5.9	1
9	Early subclinical increase in pulmonary water content in athletes performing sustained heavy exercise at sea level: ultrasound lung comet-tail evidence. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2011</b> , 301, H2161-7	5.2	39
8	Artificial neural networks in the outcome prediction of adjustable gastric banding in obese women. <i>PLoS ONE</i> , <b>2010</b> , 5, e13624	3.7	23
7	Acute exogenous TSH administration stimulates leptin secretion in vivo. <i>European Journal of Endocrinology</i> , <b>2010</b> , 163, 63-7	6.5	46
6	Male sex, single nodularity, and young age are associated with the risk of finding a papillary thyroid cancer on fine-needle aspiration cytology in a large series of patients with nodular thyroid disease. <i>European Journal of Endocrinology</i> , <b>2010</b> , 162, 763-70	6.5	92
5	Real-time elastosonography: useful tool for refining the presurgical diagnosis in thyroid nodules with indeterminate or nondiagnostic cytology. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 5274-80	5.6	154
4	Artificial Neural Networks for nonlinear regression and classification <b>2010</b> ,		10
3	Fine classification of complex motion pattern in fencing. <i>Procedia Engineering</i> , <b>2010</b> , 2, 3423-3428		10
2	Metabolic Response to Fasting Predicts Weight Gain During Low-Protein Overfeeding: Further Evidence for Spendthrift and Thrifty Metabolic Phenotypes. <i>SSRN Electronic Journal</i> ,	1	1

1 Impaired Metabolic Flexibility to High-Fat Overfeeding Predicts Future Weight Gain. *SSRN Electronic Journal*,

1 2