

Alessandro Distante

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8510306/alessandro-distante-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

8,237
citations

45
h-index

89
g-index

158
ext. papers

8,796
ext. citations

6.6
avg, IF

4.69
L-index

#	Paper	IF	Citations
147	"Variant" angina: one aspect of a continuous spectrum of vasospastic myocardial ischemia. Pathogenetic mechanisms, estimated incidence and clinical and coronary arteriographic findings in 138 patients. <i>American Journal of Cardiology</i> , 1978 , 42, 1019-35	3	872
146	Coronary vasospasm as a possible cause of myocardial infarction. A conclusion derived from the study of "preinfarction" angina. <i>New England Journal of Medicine</i> , 1978 , 299, 1271-7	59.2	759
145	Partial thrombosis of the false lumen in patients with acute type B aortic dissection. <i>New England Journal of Medicine</i> , 2007 , 357, 349-59	59.2	519
144	Olive oil and red wine antioxidant polyphenols inhibit endothelial activation: antiatherogenic properties of Mediterranean diet phytochemicals. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 622-9	9.4	504
143	High dose dipyridamole echocardiography test in effort angina pectoris. <i>Journal of the American College of Cardiology</i> , 1986 , 8, 848-54	15.1	290
142	Diagnosis of acute aortic dissection by D-dimer: the International Registry of Acute Aortic Dissection Substudy on Biomarkers (IRAD-Bio) experience. <i>Circulation</i> , 2009 , 119, 2702-7	16.7	227
141	Value of rest thallium-201/technetium-99m sestamibi scans and dobutamine echocardiography for detecting myocardial viability. <i>American Journal of Cardiology</i> , 1993 , 71, 166-72	3	191
140	Dipyridamole-echocardiography test in effort angina pectoris. <i>American Journal of Cardiology</i> , 1985 , 56, 452-6	3	176
139	Oleic acid inhibits endothelial activation : A direct vascular antiatherogenic mechanism of a nutritional component in the mediterranean diet. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 220-8	9.4	166
138	Prognostic importance of dipyridamole-echocardiography test in coronary artery disease. <i>Circulation</i> , 1989 , 80, 450-7	16.7	164
137	Alpha-adrenergic blockade improves recovery of myocardial perfusion and function after coronary stenting in patients with acute myocardial infarction. <i>Circulation</i> , 1999 , 99, 482-90	16.7	154
136	Diagnostic and prognostic value of dipyridamole echocardiography in patients with suspected coronary artery disease. Comparison with exercise electrocardiography. <i>Circulation</i> , 1994 , 89, 1160-73	16.7	150
135	Significance of spasm in the pathogenesis of ischemic heart disease. <i>American Journal of Cardiology</i> , 1979 , 44, 788-92	3	135
134	Management of vasospastic angina at rest with continuous infusion of isosorbide dinitrate. A double crossover study in a coronary care unit. <i>American Journal of Cardiology</i> , 1979 , 44, 533-9	3	129
133	Enhanced sensitivity for detection of coronary artery disease by addition of atropine to dipyridamole echocardiography. <i>European Heart Journal</i> , 1993 , 14, 1216-22	9.5	112
132	Effects of intravenous prostacyclin in variant angina. <i>Circulation</i> , 1982 , 65, 470-7	16.7	103
131	Homocysteine induces VCAM-1 gene expression through NF-kappaB and NAD(P)H oxidase activation: protective role of Mediterranean diet polyphenolic antioxidants. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 293, H2344-54	5.2	94

130	Angle dependence of ultrasonic backscatter in arterial tissues: a study in vitro. <i>Circulation</i> , 1985 , 72, 572-577	16.7	93
129	High dose dipyridamole-echocardiography test in women: correlation with exercise-electrocardiography test and coronary arteriography. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 682-5	15.1	89
128	Usefulness of a high-dose dipyridamole-echocardiography test for diagnosis of syndrome X. <i>American Journal of Cardiology</i> , 1987 , 60, 508-12	3	88
127	Identification of viable myocardium by dipyridamole-induced improvement in regional left ventricular function assessed by echocardiography in myocardial infarction and comparison with thallium scintigraphy at rest. <i>American Journal of Cardiology</i> , 1992 , 70, 703-10	3	87
126	Statins inhibit cyclooxygenase-2 and matrix metalloproteinase-9 in human endothelial cells: anti-angiogenic actions possibly contributing to plaque stability. <i>Cardiovascular Research</i> , 2010 , 86, 311-20	9.9	86
125	Comparison of the high-dose dipyridamole-echocardiography test and exercise two-dimensional echocardiography for diagnosis of coronary artery disease. <i>American Journal of Cardiology</i> , 1987 , 59, 539-42	3	85
124	Transient changes in left ventricular mechanics during attacks of Prinzmetal's angina: an M-mode echocardiographic study. <i>American Heart Journal</i> , 1984 , 107, 465-74	4.9	84
123	Usefulness of the dipyridamole-exercise echocardiography test for diagnosis of coronary artery disease. <i>American Journal of Cardiology</i> , 1988 , 62, 67-70	3	82
122	Incidence and costs of hip fractures compared to acute myocardial infarction in the Italian population: a 4-year survey. <i>Osteoporosis International</i> , 2007 , 18, 211-9	5.3	79
121	Exercise capacity after acute aminophylline administration in angina pectoris. <i>American Journal of Cardiology</i> , 1989 , 63, 14-6	3	78
120	Transient changes in left ventricular mechanics during attacks of Prinzmetal angina: a two-dimensional echocardiographic study. <i>American Heart Journal</i> , 1984 , 108, 440-6	4.9	78
119	Assessment of anatomic and physiological severity of single-vessel coronary artery lesions by dipyridamole echocardiography. Comparison with positron emission tomography and quantitative arteriography. <i>Circulation</i> , 1994 , 89, 753-61	16.7	77
118	Transient myocardial dysfunction during pharmacologic vasodilation as an index of reduced coronary reserve: a coronary hemodynamic and echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1986 , 8, 84-90	15.1	73
117	Quantitative assessment of ultrasonic myocardial reflectivity in hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1991 , 17, 1085-90	15.1	72
116	Chronobiology of rupture and dissection of aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2004 , 40, 382-8	3.5	71
115	Normal ultrasonic myocardial reflectivity in athletes with increased left ventricular mass. A tissue characterization study. <i>Circulation</i> , 1992 , 85, 1828-34	16.7	67
114	Preliminary experience with the smooth muscle troponin-like protein, calponin, as a novel biomarker for diagnosing acute aortic dissection. <i>European Heart Journal</i> , 2008 , 29, 1439-45	9.5	65
113	Usefulness of high-dose dipyridamole echocardiography test in coronary angioplasty. <i>Circulation</i> , 1989 , 80, 807-15	16.7	63

112	Fibrosis, lipids, and calcium in human atherosclerotic plaque. In vitro differentiation from normal aortic walls by ultrasonic attenuation. <i>Circulation Research</i> , 1985 , 56, 556-62	15.7	61
111	Increased echodensity of transiently asynergic myocardium in humans: a novel echocardiographic sign of myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 199-207	15.1	60
110	Dipyridamole-dobutamine echocardiography: a novel test for the detection of milder forms of coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1115-22	15.1	60
109	Hip fractures in Italy: 2000-2005 extension study. <i>Osteoporosis International</i> , 2010 , 21, 1323-30	5.3	57
108	Incidence and costs of hip fractures vs strokes and acute myocardial infarction in Italy: comparative analysis based on national hospitalization records. <i>Clinical Interventions in Aging</i> , 2012 , 7, 575-83	4	49
107	Efficacy of isosorbide-5-mononitrate versus nifedipine in preventing spontaneous and ergonovine-induced myocardial ischaemia. A double-blind, placebo-controlled study. <i>European Heart Journal</i> , 1993 , 14, 845-51	9.5	48
106	Dipyridamole echocardiography in essential hypertensive patients with chest pain. <i>Hypertension</i> , 1988 , 12, 238-43	8.5	48
105	Different degrees of atherosclerosis detected by backscattered ultrasound: an in vitro study on fixed human aortic walls. <i>Journal of Clinical Ultrasound</i> , 1983 , 11, 375-9	1	48
104	Different degrees of ischemic threshold stratified by the dipyridamole-echocardiography test. <i>American Journal of Cardiology</i> , 1987 , 59, 71-3	3	47
103	Prognostic role of transesophageal echocardiography in acute type A aortic dissection. <i>American Heart Journal</i> , 2007 , 153, 1013-20	4.9	45
102	Aminophylline termination of dipyridamole stress as a trigger of coronary vasospasm in variant angina. <i>American Journal of Cardiology</i> , 1988 , 62, 694-7	3	45
101	Dipyridamole-echocardiography test in angina at rest: noninvasive assessment of coronary stenosis underlying spasm. <i>American Heart Journal</i> , 1986 , 111, 688-91	4.9	44
100	PPARgamma agonists inhibit angiogenesis by suppressing PKCalpha- and CREB-mediated COX-2 expression in the human endothelium. <i>Cardiovascular Research</i> , 2010 , 86, 302-10	9.9	43
99	Postischemic left ventricular dysfunction is abolished by alpha-adrenergic blocking agents. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 992-1001	15.1	43
98	Serial evaluation of perfusion defects in patients with a first acute myocardial infarction referred for primary PTCA using intravenous myocardial contrast echocardiography. <i>European Heart Journal</i> , 2001 , 22, 1485-95	9.5	43
97	Echocardiographic versus hemodynamic monitoring during attacks of variant angina pectoris. <i>American Journal of Cardiology</i> , 1985 , 55, 1319-22	3	42
96	Quantitative texture analysis in two-dimensional echocardiography: application to the diagnosis of myocardial amyloidosis. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 666-71	15.1	41
95	Transient myocardial ischemia with minimal electrocardiographic changes: an echocardiographic study in patients with Prinzmetal's angina. <i>American Heart Journal</i> , 1985 , 109, 78-83	4.9	41

94	Role of dipyridamole-echocardiography test in electrocardiographically silent effort myocardial ischemia. <i>American Journal of Cardiology</i> , 1986 , 58, 235-7	3	41
93	Quantitative ultrasonic analysis of myocardium in patients with thalassemia major and iron overload. <i>Circulation</i> , 1993 , 87, 748-54	16.7	40
92	Socioeconomic burden of total joint arthroplasty for symptomatic hip and knee osteoarthritis in the Italian population: a 5-year analysis based on hospitalization records. <i>Arthritis Care and Research</i> , 2012 , 64, 1320-7	4.7	37
91	Reduced serum homocysteine levels in type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005 , 15, 118-24	4.5	35
90	Assessment of coronary reserve by transoesophageal Doppler echocardiography. Direct comparison between different modalities of dipyridamole and adenosine administration. <i>European Heart Journal</i> , 1997 , 18, 514-23	9.5	34
89	Hydrogel based tissue mimicking phantom for in-vitro ultrasound contrast agents studies. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008 , 87, 338-45	3.5	33
88	The use of frequency histograms of ultrasonic backscatter amplitudes for detection of atherosclerosis in vitro. <i>Circulation</i> , 1986 , 74, 1093-8	16.7	32
87	Dipyridamole-echocardiography test in patients with exercise-induced ST-segment elevation. <i>American Journal of Cardiology</i> , 1986 , 57, 765-8	3	32
86	Left ventricular performance and ultrasonic myocardial quantitative reflectivity in endurance senior athletes: an echocardiographic study. <i>European Heart Journal</i> , 1993 , 14, 358-63	9.5	31
85	Ten years of hip fractures in Italy: For the first time a decreasing trend in elderly women. <i>World Journal of Orthopedics</i> , 2014 , 5, 386-91	2.2	29
84	Multiparametric approach to diagnosis of non-Q-wave acute myocardial infarction. <i>American Journal of Cardiology</i> , 1989 , 63, 404-8	3	29
83	Experimental investigations of nonlinearities and destruction mechanisms of an experimental phospholipid-based ultrasound contrast agent. <i>Investigative Radiology</i> , 2007 , 42, 95-104	10.1	28
82	Detection of perfusion defects during coronary occlusion and myocardial reperfusion after thrombolysis by intravenous administration of the echo-enhancing agent BR1. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 169-80	5.8	27
81	Updated incidence rates of fragility fractures in Italy: extension study 2002-2008. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2011 , 8, 54-61		27
80	Biomarker-assisted diagnosis of acute aortic dissection: how far we have come and what to expect. <i>Current Opinion in Cardiology</i> , 2010 , 25, 541-5	2.1	26
79	Nonuniformity of the transmural distribution of coronary blood flow during the cardiac cycle. In vivo documentation by contrast echocardiography. <i>Circulation</i> , 1989 , 79, 179-87	16.7	26
78	Valve surgery in octogenarians: in-hospital and long-term outcomes. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 223-7	3.8	25
77	Residual myocardial perfusion in reversibly damaged myocardium by dipyridamole contrast echocardiography. <i>European Heart Journal</i> , 1996 , 17, 296-301	9.5	24

76	Diabetes and Obesity as Independent Risk Factors for Osteoporosis: Updated Results from the ROIS/EMEROS Registry in a Population of Five Thousand Post-Menopausal Women Living in a Region Characterized by Heavy Environmental Pressure. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	24
75	Role of myocardial oxygen consumption in dipyridamole-induced ischemia. <i>American Heart Journal</i> , 1989 , 118, 314-9	4.9	23
74	Electrocardiographic changes suggestive of myocardial ischemia elicited by dipyridamole infusion in acute rejection early after heart transplantation. <i>Circulation</i> , 1990 , 81, 72-7	16.7	22
73	Epidemiology of fragility fractures in Italy. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2011 , 8, 29-34		21
72	Activation of sympathetic tone during dipyridamole test. <i>Chest</i> , 1992 , 102, 444-7	5.3	20
71	Incidence of breast cancer in Italy: mastectomies and quadrantectomies performed between 2000 and 2005. <i>Journal of Experimental and Clinical Cancer Research</i> , 2009 , 28, 86	12.8	19
70	In vivo radiofrequency ultrasound analysis of normal human heart structures. <i>Journal of Clinical Ultrasound</i> , 1987 , 15, 371-5	1	19
69	Effects of coronary blood flow on myocardial grey level amplitude in two dimensional echocardiography: an experimental study. <i>Cardiovascular Research</i> , 1993 , 27, 279-83	9.9	18
68	Myocardial contrast versus dobutamine echocardiography as predictors of late functional recovery in acute myocardial infarction treated with primary PTCA. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 22-23	15.1	17
67	Myocardial washout of sonicated iopamidol reflects coronary blood flow in the absence of autoregulation. <i>Journal of the American College of Cardiology</i> , 1992 , 20, 1417-24	15.1	17
66	Transmitral flow changes during dipyridamole-induced ischemia. A Doppler-echocardiographic study. <i>Chest</i> , 1989 , 95, 1037-42	5.3	17
65	Dipyridamole-echocardiography test in essential hypertensives with chest pain and angiographically normal coronary arteries. <i>American Journal of Hypertension</i> , 1989 , 2, 120-3	2.3	17
64	Comparison of Dipyridamole-Echocardiography Test and Exercise Thallium-201 Scanning for Diagnosis of Coronary Artery Disease. <i>American Journal of Noninvasive Cardiology</i> , 1989 , 3, 85-92		17
63	Correlative analysis of gene expression profile and prognosis in patients with gliomatosis cerebri. <i>Cancer</i> , 2009 , 115, 3749-57	6.4	16
62	Experimental investigation and theoretical modelling of the nonlinear acoustical behaviour of a liver tissue and comparison with a tissue mimicking hydrogel. <i>Journal of Materials Science: Materials in Medicine</i> , 2008 , 19, 899-906	4.5	16
61	Coronary collateral circulation behaviour and myocardial viability in chronic total occlusion treated with coronary angioplasty. <i>European Heart Journal</i> , 1998 , 19, 1681-7	9.5	16
60	Intracoronary air-filled albumin microspheres for myocardial blood flow measurement. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 2014-21	15.1	16
59	Acute myocardial gray level intensity changes detected by transesophageal echocardiography during intraoperative ischemia. <i>American Journal of Cardiology</i> , 1993 , 72, 465-9	3	16

58	ST segment depression elicited by dipyridamole infusion in asymptomatic hypertensive patients. <i>Hypertension</i> , 1990 , 16, 19-25	8.5	16
57	Does the combination with handgrip increase the sensitivity of dipyridamole-echocardiography test?. <i>Clinical Cardiology</i> , 1987 , 10, 37-9	3.3	16
56	Transient predominant right ventricular ischemia caused by coronary vasospasm. <i>Circulation</i> , 1984 , 70, 170-7	16.7	16
55	Discordance between responses of contrast echo intensity to increased flow rate in human coronary circulation and in vitro. <i>American Heart Journal</i> , 1992 , 124, 398-404	4.9	15
54	Ergonovine-echo test to assess the significance of chest pain at rest without ECG changes. <i>European Heart Journal</i> , 1995 , 16, 1361-6	9.5	14
53	Hyperventilation-echocardiography test for the diagnosis of myocardial ischaemia at rest. <i>European Heart Journal</i> , 1993 , 14, 1088-93	9.5	13
52	The burden of breast cancer in Italy: mastectomies and quadrantectomies performed between 2001 and 2008 based on nationwide hospital discharge records. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012 , 31, 96	12.8	11
51	The Cardiac Rehabilitation Psychodynamic Group Intervention (CR-PGI): An Explorative Study. <i>Frontiers in Psychology</i> , 2018 , 9, 976	3.4	10
50	Right ventricular infarction: the role of echocardiography. <i>Echocardiography</i> , 2001 , 18, 701-7	1.5	10
49	Short-term reproducibility of dipyridamole-echocardiography test. <i>Clinical Cardiology</i> , 1987 , 10, 588-90	3.3	10
48	European Green Deal as social vaccine to overcome COVID-19 health & economic crisis. <i>Lancet Regional Health - Europe, The</i> , 2021 , 2, 100032		10
47	Who benefits from a dietary online intervention? Evidence from Italy, Spain and Greece. <i>Public Health Nutrition</i> , 2017 , 20, 938-947	3.3	9
46	Myocardial washout of sonicated iopamidol does not reflect the transmural distribution of coronary blood flow. <i>European Heart Journal</i> , 1993 , 14, 1072-8	9.5	9
45	Increased sensitivity of flow detection in the left coronary artery by transesophageal echocardiography after intravenous administration of transpulmonary stable echocontrast agent. <i>Journal of the American Society of Echocardiography</i> , 1994 , 7, 327-36	5.8	9
44	Limitations of digital subtraction contrast echocardiography in enhancing left ventricular endocardial definition. <i>American Heart Journal</i> , 1987 , 113, 1437-44	4.9	9
43	Quantification of venous blood signal contribution to BOLD functional activation in the auditory cortex at 3 T. <i>Magnetic Resonance Imaging</i> , 2008 , 26, 1221-31	3.3	8
42	In vivo identification of mitral valve fibrosis and calcium by real-time quantitative ultrasonic analysis. <i>American Journal of Cardiology</i> , 1990 , 65, 355-9	3	8
41	The occurrence of acute myocardial infarction in Italy: a five-year analysis of hospital discharge records. <i>Aging Clinical and Experimental Research</i> , 2011 , 23, 49-54	4.8	7

40	Age dependency of myocardial structure: a quantitative two-dimensional echocardiographic study in a normal population. <i>Echocardiography</i> , 2000 , 17, 201-8	1.5	7
39	Effect of Ivabradine in dilated cardiomyopathy from Duchenne muscular dystrophy: A chance for slowing progression of heart failure?. <i>International Journal of Cardiology</i> , 2016 , 223, 286-288	3.2	7
38	Updated incidence and costs of hip fractures in elderly Italian population. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2587-2593	4.8	6
37	Incidence and costs of hip fractures in elderly Italian population: first regional-based assessment. <i>Archives of Osteoporosis</i> , 2019 , 14, 81	2.9	6
36	Stress echocardiography and myocardial contrast echocardiography in viability assessment. <i>European Heart Journal</i> , 1997 , 18, 714-5	9.5	6
35	Gaseous coronary embolism as a cause of myocardial ischemia during coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 1995 , 75, 282-5	3	6
34	Analysis of right ventricular kinesis by means of transesophageal echocardiography: present problems and perspectives. <i>Echocardiography</i> , 1994 , 11, 179-87	1.5	6
33	Health-care inequalities in Italy: challenges for the Government. <i>Lancet Public Health, The</i> , 2019 , 4, e605	22.4	6
32	Melanoma in the Italian Population and Regional Environmental Influences: A National Retrospective Survey on 2001-2008 Hospitalization Records. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 9102-18	4.6	5
31	Gliomatosis cerebri type II: two case reports. <i>Journal of Medical Case Reports</i> , 2009 , 3,	1.2	5
30	Impact of culprit lesion morphology on prevalence of provoked myocardial ischaemia in patients with old myocardial infarction. A dipyridamole stress echocardiography, exercise electrocardiography and angiographic study. <i>European Heart Journal</i> , 1997 , 18, 596-602	9.5	5
29	Myocardial Perfusion Abnormalities by Intravenous Administration of the Contrast Agent NC100100 in an Experimental Model of Coronary Artery Thrombosis and Reperfusion. <i>Echocardiography</i> , 1998 , 15, 731-740	1.5	5
28	A multicentre approach for the management of adults with congenital heart disease. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 701-5	1.9	5
27	The ability of lumbar spine DXA and phalanx QUS to detect previous fractures in young thalassemic patients with hypogonadism, hypothyroidism, diabetes, and hepatitis-B: A 2-year subgroup analysis from the Taranto Area of Apulia Region. <i>Journal of Pediatric Hematology/Oncology</i> , 2013 , 35, e260-4	1.2	4
26	Assessment of normal testis growth by quantitative texture analysis of 2-D echo images. <i>Medical Engineering and Physics</i> , 1995 , 17, 523-8	2.4	4
25	Quantitative Texture Analysis in Two-Dimensional Echocardiography: Application to the Diagnosis of Myocardial Hemochromatosis. <i>Echocardiography</i> , 1996 , 13, 9-20	1.5	4
24	Oral vs intravenous dipyridamole echocardiography for detecting coronary artery disease. <i>Chest</i> , 1992 , 102, 1189-92	5.3	4
23	Use of official municipal demographics for the estimation of mortality in cities suffering from heavy environmental pollution: Results of the first study on all the neighborhoods of Taranto from 2011 to 2020. <i>Environmental Research</i> , 2021 , 204, 112007	7.9	4

22	Pharmacological Methods Instead of Exercise for the Assessment of Coronary Artery Disease. <i>Echocardiography</i> , 2008 , 8, 99-113	1.5	3
21	Characterization of myocardial tissue in patients undergoing maintenance hemodialysis by quantitative echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 480-7	5.8	3
20	Osteoporosis and cardiovascular diseases' cosegregation: epidemiological features. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2008 , 5, 14-8		3
19	Personalized paths for physical activity: developing a person-centered quantitative function to determine a customized amount of exercise and enhancing individual commitment. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021 , 13, 60	2.4	3
18	Transesophageal echocardiography in myocardial ischemia: a review. <i>Echocardiography</i> , 1995 , 12, 479-94	1.5	2
17	Pharmaco-economic issues in the treatment of severe osteoporosis. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2010 , 7, 61-4		2
16	Quality assurance in radiotherapy. How to improve the effectiveness and completeness of an electronic patient's chart. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2005 , 41, 493-9	1.6	2
15	Coal mining and coal use: the European perspective. <i>Lancet Planetary Health, The</i> , 2019 , 3, e69	9.8	1
14	Hospitalizations in Pediatric and Adult Patients for All Cancer Type in Italy: The EPIKIT Study under the E.U. COHEIRS Project on Environment and Health. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	1
13	Response to Letter Regarding Article, Diagnosis of Acute Aortic Dissection by D-Dimer: The International Registry of Acute Aortic Dissection Substudy on Biomarkers (IRAD-Bio) Experience□ <i>Circulation</i> , 2010 , 121,	16.7	1
12	Impact of chronic patency of infarct-related coronary artery on prevalence of myocardial ischemia during the pharmacologic and exercise stress test. <i>Clinical Cardiology</i> , 1998 , 21, 16-20	3.3	1
11	Contrast echocardiography in the diagnosis of myocardial stunning. <i>Clinical Cardiology</i> , 1999 , 22, 816-8	3.3	1
10	Dipyridamole-echocardiography: clinical usefulness following interventions. <i>Echocardiography</i> , 1992 , 9, 219-23	1.5	1
9	Diabetes and Obesity as Independent Risk Factors for Osteoporosis in Postmenopausal Women: A Population Study. <i>European Journal of Inflammation</i> , 2014 , 12, 479-487	0.3	
8	The First International Stress Echo Symposium. <i>Echocardiography</i> , 1995 , 12, 289-289	1.5	
7	First PISA Stress Echocardiography Meeting. <i>Echocardiography</i> , 1992 , 9, 349-352	1.5	
6	Attilio Maseri, Italian cardiologist of universal value.. <i>Journal of Cardiovascular Medicine</i> , 2022 , 23, 350-352		2
5	Ultrasounds in Cardiology: Recent Results, Limitations and Future Needs 1987 , 340-356		

- 4 Role of Dipyridamole-Echocardiography Tests in the Diagnosis of Coronary Artery Disease in Hypertensives **1989**, 127-133
- 3 Dobutamine or dipyridamole echocardiography: which test for which patient?. *Developments in Cardiovascular Medicine*, **1993**, 129-139
- 2 Myocardial perfusion in hypertensive patients with normal coronary arteries. *Advances in Experimental Medicine and Biology*, **1997**, 432, 215-33 3.6
- 1 Wall thickening and motion in transient myocardial ischemia: Similarities and discrepancies between different models of ischemia in man (Prinzmetal's angina, coronary angioplasty, Dipyridamole test). *Developments in Cardiovascular Medicine*, **1986**, 55-61