Mircea Podar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8510307/publications.pdf

Version: 2024-02-01

38720 27,806 130 50 citations h-index papers

g-index 147 147 147 32300 docs citations times ranked citing authors all docs

17090

122

#	Article	IF	CITATIONS
1	Incorporating concentration-dependent sediment microbial activity into methylmercury production kinetics modeling. Environmental Sciences: Processes and Impacts, 2022, 24, 1392-1405.	1.7	1
2	Complete Genome Sequence of Human Oral Saccharibacterium " Candidatus Nanosynbacter sp. HMT352―Strain KC1. Microbiology Resource Announcements, 2022, , e0120521.	0.3	1
3	Microbial Diversity and Sulfur Cycling in an Early Earth Analogue: From Ancient Novelty to Modern Commonality. MBio, 2022, 13, e0001622.	1.8	15
4	Machine learningâ€based prediction of enzyme substrate scope: Application to bacterial nitrilases. Proteins: Structure, Function and Bioinformatics, 2021, 89, 336-347.	1.5	30
5	Complete Genome Sequence of Desulfobulbus oligotrophicus Prop6, an Anaerobic Deltabacterota Strain That Lacks Mercury Methylation Capability. Microbiology Resource Announcements, 2021, 10, .	0.3	O
6	Complete Genome Sequence of Human Oral <i>Actinomyces</i> sp. HMT897 Strain ORNL0104, a Host of the Saccharibacterium (TM7) HMT351. Microbiology Resource Announcements, 2021, 10, .	0.3	1
7	Metagenome-Assembled Genome Sequences of Novel Prokaryotic Species from the Mercury-Contaminated East Fork Poplar Creek, Oak Ridge, Tennessee, USA. Microbiology Resource Announcements, 2021, 10, .	0.3	2
8	Cultivating the Bacterial Microbiota of <i>Populus</i> Roots. MSystems, 2021, 6, e0130620.	1.7	17
9	Complete Genome Sequence of Human Oral <i>Actinomyces</i> sp. HMT175 Strain ORNL0102, a Host of the Saccharibacterium (TM7) HMT957. Microbiology Resource Announcements, 2021, 10, e0041221.	0.3	O
10	Effects of syntrophic interactions on methyl-mercury generation. , 2021, , .		O
11	Draft Genome Sequence of <i>Schaalia odontolytica</i> Strain ORNL0103, a Basibiont of " <i>Candidatus</i> Saccharibacteria―HMT352. Microbiology Resource Announcements, 2021, 10, e0079321.	0.3	2
12	Microbial diversity analysis of two full-scale seawater desalination treatment trains provides insights into detrimental biofilm formation. , 2021, 1, 100001.		6
13	Comparative Genomics Guides Elucidation of Vitamin B ₁₂ Biosynthesis in Novel Human-Associated <i>Akkermansia</i> Strains. Applied and Environmental Microbiology, 2020, 86, .	1.4	48
14	An Improved hgcAB Primer Set and Direct High-Throughput Sequencing Expand Hg-Methylator Diversity in Nature. Frontiers in Microbiology, 2020, 11, 541554.	1.5	33
15	Complete Genome Sequence of the Novel Roseimicrobium sp. Strain ORNL1, a Verrucomicrobium Isolated from the Populus deltoides Rhizosphere. Microbiology Resource Announcements, 2020, 9, .	0.3	1
16	Comparative Analysis of Microbial Diversity Across Temperature Gradients in Hot Springs From Yellowstone and Iceland. Frontiers in Microbiology, 2020, 11, 1625.	1.5	48
17	Draft Genome Sequence of <i>Larkinella</i> sp. Strain BK230, Isolated from <i>Populus deltoides</i> Roots. Microbiology Resource Announcements, 2020, 9, .	0.3	2
18	Structure determination of the HgcAB complex using metagenome sequence data: insights into microbial mercury methylation. Communications Biology, 2020, 3, 320.	2.0	30

#	Article	IF	Citations
19	Complete Genome Sequence of Starkeya sp. Strain ORNL1, a Soil Alphaproteobacterium Isolated from the Rhizosphere of Populus deltoides. Microbiology Resource Announcements, 2020, 9, .	0.3	1
20	Single-Cell Genomics and the Oral Microbiome. Journal of Dental Research, 2020, 99, 613-620.	2.5	18
21	A Microbe Associated with Sleep Revealed by a Novel Systems Genetic Analysis of the Microbiome in Collaborative Cross Mice. Genetics, 2020, 214, 719-733.	1.2	20
22	Characterization of subsurface media from locations up- and down-gradient of a uranium-contaminated aquifer. Chemosphere, 2020, 255, 126951.	4.2	18
23	Complex subsurface hydrothermal fluid mixing at a submarine arc volcano supports distinct and highly diverse microbial communities. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32627-32638.	3.3	36
24	In-field bioreactors demonstrate dynamic shifts in microbial communities in response to geochemical perturbations. PLoS ONE, 2020, 15, e0232437.	1.1	5
25	A System Biology Approach to Discern the Native Biochemical Function of Hg Methylation Proteins in <i>Desulfovibrio desulfuricans</i>		O
26	Determining the Reliability of Measuring Mercury Cycling Gene Abundance with Correlations with Mercury and Methylmercury Concentrations. Environmental Science & Environmental Science, 2019, 53, 8649-8663.	4.6	99
27	Toward unrestricted use of public genomic data. Science, 2019, 363, 350-352.	6.0	45
28	Consent insufficient for data releaseâ€"Response. Science, 2019, 364, 446-446.	6.0	5
29	Targeted isolation and cultivation of uncultivated bacteria by reverse genomics. Nature Biotechnology, 2019, 37, 1314-1321.	9.4	231
30	A new symbiotic nanoarchaeote (Candidatus Nanoclepta minutus) and its host (Zestosphaera) Tj ETQq0 0 0 rgB 2019, 42, 94-106.	T /Overloc 1.2	k 10 Tf 50 30 76
31	Pseudodesulfovibrio mercurii sp. nov., a mercury-methylating bacterium isolated from sediment. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	0.8	13
32	Complete Genome Sequence of Terriglobus albidus Strain ORNL, an Acidobacterium Isolated from the Populus deltoides Rhizosphere. Microbiology Resource Announcements, 2019, 8, .	0.3	5
33	Genus-Wide Assessment of Lignocellulose Utilization in the Extremely Thermophilic Genus Caldicellulosiruptor by Genomic, Pangenomic, and Metagenomic Analyses. Applied and Environmental Microbiology, 2018, 84, .	1.4	33
34	Microbial community structure with trends in methylation gene diversity and abundance in mercury-contaminated rice paddy soils in Guizhou, China. Environmental Sciences: Processes and Impacts, 2018, 20, 673-685.	1.7	36
35	Robust Mercury Methylation across Diverse Methanogenic Archaea. MBio, 2018, 9, .	1.8	112
36	Insights into the Evolution of Host Association through the Isolation and Characterization of a Novel Human Periodontal Pathobiont, <i>Desulfobulbus oralis</i> . MBio, 2018, 9, .	1.8	32

#	Article	IF	Citations
37	Carbon Amendments Alter Microbial Community Structure and Net Mercury Methylation Potential in Sediments. Applied and Environmental Microbiology, 2018, 84, .	1.4	38
38	Single-cell genomics of co-sorted Nanoarchaeota suggests novel putative host associations and diversification of proteins involved in symbiosis. Microbiome, 2018, 6, 161.	4.9	44
39	Development and characterization of stable anaerobic thermophilic methanogenic microbiomes fermenting switchgrass at decreasing residence times. Biotechnology for Biofuels, 2018, 11, 243.	6.2	37
40	Draft Genome Sequence of a Dictyoglomus sp. from an Enrichment Culture of a New Zealand Geothermal Spring. Genome Announcements, 2018, 6, .	0.8	0
41	Draft Genome Sequence of a Novel Thermofilum sp. Strain from a New Zealand Hot Spring Enrichment Culture. Genome Announcements, 2018, 6, .	0.8	1
42	Genomics of the Uncultivated, Periodontitis-Associated Bacterium <i>Tannerella</i> sp. BU045 (Oral) Tj ETQq0	0 0 rgBT /	Overlock 10 T
43	Temporal Dynamics of In-Field Bioreactor Populations Reflect the Groundwater System and Respond Predictably to Perturbation. Environmental Science & Technology, 2017, 51, 2879-2889.	4.6	15
44	Multi-omics analysis provides insight to the Ignicoccus hospitalis-Nanoarchaeum equitans association. Biochimica Et Biophysica Acta - General Subjects, 2017, 1861, 2218-2227.	1.1	6
45	Hypersaline sapropels act as hotspots for microbial dark matter. Scientific Reports, 2017, 7, 6150.	1.6	15
46	Minimum information about a single amplified genome (MISAG) and a metagenome-assembled genome (MIMAG) of bacteria and archaea. Nature Biotechnology, 2017, 35, 725-731.	9.4	1,512
47	A Complex Endomembrane System in the Archaeon Ignicoccus hospitalis Tapped by Nanoarchaeum equitans. Frontiers in Microbiology, 2017, 8, 1072.	1.5	52
48	Culture Independent Genomic Comparisons Reveal Environmental Adaptations for Altiarchaeales. Frontiers in Microbiology, 2016, 7, 1221.	1.5	25
49	Genomics-informed isolation and characterization of a symbiotic Nanoarchaeota system from a terrestrial geothermal environment. Nature Communications, 2016, 7, 12115.	5.8	154
50	Ultrastructural and Single-Cell-Level Characterization Reveals Metabolic Versatility in a Microbial Eukaryote Community from an Ice-Covered Antarctic Lake. Applied and Environmental Microbiology, 2016, 82, 3659-3670.	1.4	36
51	Enrichment of Root Endophytic Bacteria from Populus deltoides and Single-Cell-Genomics Analysis. Applied and Environmental Microbiology, 2016, 82, 5698-5708.	1.4	53
52	Development and Validation of Broad-Range Qualitative and Clade-Specific Quantitative Molecular Probes for Assessing Mercury Methylation in the Environment. Applied and Environmental Microbiology, 2016, 82, 6068-6078.	1.4	73
53	Draft Genome Sequence of Pyrodictium occultum PL19 T , a Marine Hyperthermophilic Species of Archaea That Grows Optimally at $105 \hat{A}^{\circ}\text{C}$. Genome Announcements, 2016, 4, .	0.8	2
54	A comprehensive benchmarking study of protocols and sequencing platforms for 16S rRNA community profiling. BMC Genomics, 2016, 17, 55.	1.2	387

#	Article	IF	CITATIONS
55	Characterization of Fatty Acids in Crenarchaeota by GC-MS and NMR. Archaea, 2015, 2015, 1-9.	2.3	23
56	Site-Directed Mutagenesis of HgcA and HgcB Reveals Amino Acid Residues Important for Mercury Methylation. Applied and Environmental Microbiology, 2015, 81, 3205-3217.	1.4	73
57	Rescuing Those Left Behind: Recovering and Characterizing Underdigested Membrane and Hydrophobic Proteins To Enhance Proteome Measurement Depth. Analytical Chemistry, 2015, 87, 7720-7728.	3.2	15
58	Structure, mineralogy, and microbial diversity of geothermal spring microbialites associated with a deep oil drilling in Romania. Frontiers in Microbiology, 2015, 6, 253.	1.5	24
59	Contrasting taxonomic stratification of microbial communities in two hypersaline meromictic lakes. ISME Journal, 2015, 9, 2642-2656.	4.4	82
60	Community Analysis of Plant Biomass-Degrading Microorganisms from Obsidian Pool, Yellowstone National Park. Microbial Ecology, 2015, 69, 333-345.	1.4	20
61	Global prevalence and distribution of genes and microorganisms involved in mercury methylation. Science Advances, 2015, 1, e1500675.	4.7	355
62	Untargeted metabolomics studies employing NMR and LC–MS reveal metabolic coupling between Nanoarcheum equitans and its archaeal host Ignicoccus hospitalis. Metabolomics, 2015, 11, 895-907.	1.4	27
63	Life on the edge: functional genomic response of <i>lgnicoccus hospitalis</i> to the presence of <i>Nanoarchaeum equitans</i> . ISME Journal, 2015, 9, 101-114.	4.4	44
64	Targeted Genomic Characterization, Uncultured Bacteria from Human Microbiota, Project. , 2015, , 621-622.		0
65	Single Cell Genomics of Uncultured, Health-Associated Tannerella BU063 (Oral Taxon 286) and Comparison to the Closely Related Pathogen Tannerella forsythia. PLoS ONE, 2014, 9, e89398.	1.1	29
66	Diversity and genomic insights into the uncultured <scp><i>C</i></scp> <i>hloroflexi</i> from the human microbiota. Environmental Microbiology, 2014, 16, 2635-2643.	1.8	55
67	Biogeography of the ecosystems of the healthy human body. Genome Biology, 2013, 14, R1.	13.9	540
68	Insights into archaeal evolution and symbiosis from the genomes of a nanoarchaeon and its inferred crenarchaeal host from Obsidian Pool, Yellowstone National Park. Biology Direct, 2013, 8, 9.	1.9	102
69	Mercury Methylation by Novel Microorganisms from New Environments. Environmental Science & Emp; Technology, 2013, 47, 11810-11820.	4.6	575
70	UGA is an additional glycine codon in uncultured SR1 bacteria from the human microbiota. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 5540-5545.	3.3	290
71	Comparative metagenomic and <scp>rRNA</scp> microbial diversity characterization using archaeal and bacterial synthetic communities. Environmental Microbiology, 2013, 15, 1882-1899.	1.8	202
72	The Genetic Basis for Bacterial Mercury Methylation. Science, 2013, 339, 1332-1335.	6.0	778

#	Article	IF	CITATIONS
73	A Multifactor Analysis of Fungal and Bacterial Community Structure in the Root Microbiome of Mature Populus deltoides Trees. PLoS ONE, 2013, 8, e76382.	1.1	315
74	Hexavalent Chromium Reduction under Fermentative Conditions with Lactate Stimulated Native Microbial Communities. PLoS ONE, 2013, 8, e83909.	1.1	36
75	Targeted Genomic Characterization, Uncultured Bacteria from Human Microbiota, Project., 2013, , 1-2.		1
76	Multiple Single-Cell Genomes Provide Insight into Functions of Uncultured Deltaproteobacteria in the Human Oral Cavity. PLoS ONE, 2013, 8, e59361.	1.1	44
77	Microbial Community Succession during Lactate Amendment and Electron Acceptor Limitation Reveals a Predominance of Metal-Reducing Pelosinus spp. Applied and Environmental Microbiology, 2012, 78, 2082-2091.	1.4	42
78	Draft Genome Sequences for Two Metal-Reducing Pelosinus fermentans Strains Isolated from a Cr(VI)-Contaminated Site and for Type Strain R7. Journal of Bacteriology, 2012, 194, 5147-5148.	1.0	24
79	Distinct and complex bacterial profiles in human periodontitis and health revealed by 16S pyrosequencing. ISME Journal, 2012, 6, 1176-1185.	4.4	799
80	Host genetic and environmental effects on mouse intestinal microbiota. ISME Journal, 2012, 6, 2033-2044.	4.4	206
81	Structure, function and diversity of the healthy human microbiome. Nature, 2012, 486, 207-214.	13.7	9,614
82	A framework for human microbiome research. Nature, 2012, 486, 215-221.	13.7	2,249
83	Interâ€field variability in the microbial communities of hydrothermal vent deposits from a backâ€arc basin. Geobiology, 2012, 10, 333-346.	1.1	86
84	Sequencing Intractable DNA to Close Microbial Genomes. PLoS ONE, 2012, 7, e41295.	1.1	11
85	An intersubunit disulfide bridge stabilizes the tetrameric nucleoside diphosphate kinase of <i>Aquifex aeolicus</i> . Proteins: Structure, Function and Bioinformatics, 2012, 80, 1658-1668.	1.5	8
86	Characterization of the Deltaproteobacteria in contaminated and uncontaminated stream sediments and identification of potential mercury methylators. Aquatic Microbial Ecology, 2012, 66, 271-282.	0.9	26
87	Mercury and Other Heavy Metals Influence Bacterial Community Structure in Contaminated Tennessee Streams. Applied and Environmental Microbiology, 2011, 77, 302-311.	1.4	137
88	Microbial community structure of hydrothermal deposits from geochemically different vent fields along the Midâ€Atlantic Ridge. Environmental Microbiology, 2011, 13, 2158-2171.	1.8	174
89	Cellulases: ambiguous nonhomologous enzymes in a genomic perspective. Trends in Biotechnology, 2011, 29, 473-479.	4.9	78
90	Genome Sequence of the Mercury-Methylating and Pleomorphic Desulfovibrio africanus Strain Walvis Bay. Journal of Bacteriology, 2011, 193, 4037-4038.	1.0	14

#	Article	IF	Citations
91	Distinct Microbial Communities within the Endosphere and Rhizosphere of Populus deltoides Roots across Contrasting Soil Types. Applied and Environmental Microbiology, 2011, 77, 5934-5944.	1.4	524
92	Genome Sequence of the Mercury-Methylating Strain Desulfovibrio desulfuricans ND132. Journal of Bacteriology, 2011, 193, 2078-2079.	1.0	41
93	Proteomic Characterization of Cellular and Molecular Processes that Enable the Nanoarchaeum equitans-Ignicoccus hospitalis Relationship. PLoS ONE, 2011, 6, e22942.	1.1	65
94	Characterization of Archaeal Community in Contaminated and Uncontaminated Surface Stream Sediments. Microbial Ecology, 2010, 60, 784-795.	1.4	51
95	Establishment and metabolic analysis of a model microbial community for understanding trophic and electron accepting interactions of subsurface anaerobic environments. BMC Microbiology, 2010, 10, 149.	1.3	36
96	<i>Caldicellulosiruptor obsidiansis</i> sp. nov., an Anaerobic, Extremely Thermophilic, Cellulolytic Bacterium Isolated from Obsidian Pool, Yellowstone National Park. Applied and Environmental Microbiology, 2010, 76, 1014-1020.	1.4	91
97	Complete Genome Sequence of the Cellulolytic Thermophile <i>Caldicellulosiruptor obsidiansis</i> OB47 ^T . Journal of Bacteriology, 2010, 192, 6099-6100.	1.0	39
98	Complete and Draft Genome Sequences of Six Members of the <i>Aquificales</i> . Journal of Bacteriology, 2009, 191, 1992-1993.	1.0	76
99	Single Cell Whole Genome Amplification of Uncultivated Organisms. Microbiology Monographs, 2009, , 241-256.	0.3	2
100	Single Cell Whole Genome Amplification of Uncultivated Organisms. Microbiology Monographs, 2009, , 83-99.	0.3	2
101	The prokaryotic V4R domain is the likely ancestor of a key component of the eukaryotic vesicle transport system. Biology Direct, 2008, 3, 2.	1.9	24
102	A genomic analysis of the archaeal system Ignicoccus hospitalis-Nanoarchaeum equitans. Genome Biology, 2008, 9, R158.	3.8	104
103	A korarchaeal genome reveals insights into the evolution of the Archaea. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 8102-8107.	3.3	253
104	Targeted Access to the Genomes of Low-Abundance Organisms in Complex Microbial Communities. Applied and Environmental Microbiology, 2007, 73, 3205-3214.	1.4	225
105	Twoâ€Component Systems in Microbial Communities: Approaches and Resources for Generating and Analyzing Metagenomic Data Sets. Methods in Enzymology, 2007, 422, 32-46.	0.4	2
106	Metagenomic and functional analysis of hindgut microbiota of a wood-feeding higher termite. Nature, 2007, 450, 560-565.	13.7	1,181
107	High Throughput Cultivation for Isolation of Novel Marine Microorganisms. Oceanography, 2006, 19, 120-125.	0.5	17
108	New opportunities revealed by biotechnological explorations of extremophiles. Current Opinion in Biotechnology, 2006, 17, 250-255.	3.3	126

#	Article	IF	Citations
109	Environmental Whole-Genome Amplification To Access Microbial Populations in Contaminated Sediments. Applied and Environmental Microbiology, 2006, 72, 3291-3301.	1.4	213
110	A biodiversity-based approach to development of performance enzymes: Applied metagenomics and directed evolution. Industrial Biotechnology, 2005, 1 , $283-287$.	0.5	10
111	Evolution of a microbial nitrilase gene family: a comparative and environmental genomics study. BMC Evolutionary Biology, 2005, 5, 42.	3.2	66
112	The heteromeric Nanoarchaeum equitans splicing endonuclease cleaves noncanonical bulge-helix-bulge motifs of joined tRNA halves. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 17934-17939.	3.3	71
113	Discovery of Pectin-degrading Enzymes and Directed Evolution of a Novel Pectate Lyase for Processing Cotton Fabric. Journal of Biological Chemistry, 2005, 280, 9431-9438.	1.6	106
114	Genome Streamlining in a Cosmopolitan Oceanic Bacterium. Science, 2005, 309, 1242-1245.	6.0	1,034
115	Comparative Metagenomics of Microbial Communities. Science, 2005, 308, 554-557.	6.0	1,432
116	Exploring Nitrilase Sequence Space for Enantioselective Catalysis. Applied and Environmental Microbiology, 2004, 70, 2429-2436.	1.4	212
117	The genome of Nanoarchaeum equitans: Insights into early archaeal evolution and derived parasitism. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 12984-12988.	3.3	488
118	Bacterial Group II Introns in a Deep-Sea Hydrothermal Vent Environment. Applied and Environmental Microbiology, 2002, 68, 6392-6398.	1.4	8
119	A Molecular Phylogenetic Framework for the Phylum Ctenophora Using 18S rRNA Genes. Molecular Phylogenetics and Evolution, 2001, 21, 218-230.	1.2	146
120	Photocrosslinking of 4-thio uracil-containing RNAs supports a side-by-side arrangement of domains 5 and 6 of a group II intron. Rna, 1999, 5, 318-329.	1.6	17
121	Group II intron splicing in vivo by first-step hydrolysis. Nature, 1998, 391, 915-918.	13.7	94
122	The two steps of group II intron self-splicing are mechanistically distinguishable. Rna, 1998, 4, 890-900.	1.6	28
123	More than one way to splice an RNA: Branching without a bulge and splicing without branching in group II introns. Rna, 1998, 4, 1186-1202.	1.6	58
124	Domain 5 binds near a highly conserved dinucleotide in the joiner linking domains 2 and 3 of a group II intron. Rna, 1998, 4, 151-66.	1.6	21
125	[8] Reactions catalyzed by group II introns in Vitro. Methods in Enzymology, 1996, 264, 66-86.	0.4	20
126	Mutations of the two-nucleotide bulge of D5 of a group II intron block splicing in vitro and in vivo: phenotypes and suppressor mutations. Rna, 1996, 2, 1161-72.	1.6	35

#	Article	IF	CITATIONS
127	Stereochemical Selectivity of Group II Intron Splicing, Reverse Splicing, and Hydrolysis Reactions. Molecular and Cellular Biology, 1995, 15, 4466-4478.	1.1	73
128	A UV-induced, $Mg(2+)$ -dependent crosslink traps an active form of domain 3 of a self-splicing group II intron. Rna, 1995, 1, 828-40.	1.6	25
129	The stereochemical course of group II intron self-splicing. Science, 1994, 266, 1685-1688.	6.0	101
130	Regulatory Elements Involved in Tax-Mediated Transactivation of the HTLV-I LTR. Virology, 1993, 196, 442-450.	1.1	56