

Theresa H Wirtz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8511388/publications.pdf>

Version: 2024-02-01

19
papers

425
citations

1307594

7
h-index

940533

16
g-index

20
all docs

20
docs citations

20
times ranked

853
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary Intake Regulates the Circulating Inflammatory Monocyte Pool. <i>Cell</i> , 2019, 178, 1102-1114.e17.	28.9	254
2	Skeletal Muscle Composition Predicts Outcome in Critically Ill Patients. , 2020, 2, e0171.		34
3	Successful Fecal Microbiota Transplantation in a Patient with Severe Complicated <i>Clostridium difficile</i>; Infection after Liver Transplantation. <i>Case Reports in Gastroenterology</i> , 2018, 12, 76-84.	0.6	24
4	Macrophage migration inhibitory factor exerts pro-proliferative and anti-apoptotic effects via CD74 in murine hepatocellular carcinoma. <i>British Journal of Pharmacology</i> , 2021, 178, 4452-4467.	5.4	20
5	Association of Serum Calprotectin Concentrations with Mortality in Critically Ill and Septic Patients. <i>Diagnostics</i> , 2020, 10, 990.	2.6	14
6	Balance between macrophage migration inhibitory factor and sCD74 predicts outcome in patients with acute decompensation of cirrhosis. <i>JHEP Reports</i> , 2021, 3, 100221.	4.9	12
7	Circulating levels of microRNA193a-5p predict outcome in early stage hepatocellular carcinoma. <i>PLoS ONE</i> , 2020, 15, e0239386.	2.5	11
8	Unexpected Pro-Fibrotic Effect of MIF in Non-Alcoholic Steatohepatitis Is Linked to a Shift in NKT Cell Populations. <i>Cells</i> , 2021, 10, 252.	4.1	11
9	Low Myostatin Serum Levels Are Associated with Poor Outcome in Critically Ill Patients. <i>Diagnostics</i> , 2020, 10, 574.	2.6	9
10	CT-based determination of excessive visceral adipose tissue is associated with an impaired survival in critically ill patients. <i>PLoS ONE</i> , 2021, 16, e0250321.	2.5	6
11	Macrophage migration inhibitory factor predicts an unfavorable outcome after transarterial chemoembolization for hepatic malignancies. <i>Clinical and Translational Science</i> , 2021, 14, 1853-1863.	3.1	6
12	Prolonged Survival of a Patient with Advanced-Stage Combined Hepatocellular-Cholangiocarcinoma. <i>Case Reports in Gastroenterology</i> , 2021, 14, 658-667.	0.6	6
13	Midregional Proadrenomedullin (MRproADM) Serum Levels in Critically Ill Patients Are Associated with Short-Term and Overall Mortality during a Two-Year Follow-Up. <i>Mediators of Inflammation</i> , 2020, 2020, 1-10.	3.0	5
14	JAM2 is a multifaceted regulator in hepatic fibrogenesis, supporting LSEC integrity and stellate cell quiescence. <i>Liver International</i> , 2022, 42, 1185-1203.	3.9	5
15	Decreased Bone Mineral Density Is a Predictor of Poor Survival in Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3741.	2.4	3
16	Serum Perilipin 2 (PLIN2) Predicts Multiple Organ Dysfunction in Critically Ill Patients. <i>Biomedicines</i> , 2021, 9, 1210.	3.2	3
17	Immunomodulatory receptor VSIG4 is released during spontaneous bacterial peritonitis and predicts short-term mortality. <i>JHEP Reports</i> , 2021, 4, 100391.	4.9	1
18	Low Serum Levels of Soluble Receptor Activator of Nuclear Factor κ B Ligand (sRANKL) Are Associated with Metabolic Dysregulation and Predict Long-Term Mortality in Critically Ill Patients. <i>Diagnostics</i> , 2022, 12, 62.	2.6	1

#	ARTICLE	IF	CITATIONS
19	Hemosuccus Pancreaticus and Obstructive Jaundice: Two Rare Complications of Chronic Pancreatitis Treated by Arterial Embolization. Zeitschrift Fur Gastroenterologie, 2021, 59, 961-963.	0.5	0