

Maria J Pozo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8512683/publications.pdf>

Version: 2024-02-01

80
papers

12,045
citations

61687

45
h-index

84171

75
g-index

80
all docs

80
docs citations

80
times ranked

10758
citing authors

#	ARTICLE	IF	CITATIONS
1	Nitric oxide signalling in roots is required for MYB72-dependent systemic resistance induced by <i>Trichoderma</i> volatile compounds in Arabidopsis. <i>Journal of Experimental Botany</i> , 2022, 73, 584-595.	2.4	21
2	Strigolactones: New players in the nitrogen-phosphorus signalling interplay. <i>Plant, Cell and Environment</i> , 2022, 45, 512-527.	2.8	25
3	An Updated Review on the Modulation of Carbon Partitioning and Allocation in Arbuscular Mycorrhizal Plants. <i>Microorganisms</i> , 2022, 10, 75.	1.6	19
4	Resistance and Not Plant Fruit Traits Determine Root-Associated Bacterial Community Composition along a Domestication Gradient in Tomato. <i>Plants</i> , 2022, 11, 43.	1.6	1
5	Roots drive oligogalacturonide-induced systemic immunity in tomato. <i>Plant, Cell and Environment</i> , 2021, 44, 275-289.	2.8	35
6	Untapping the potential of plant microbiomes for applications in agriculture. <i>Current Opinion in Plant Biology</i> , 2021, 60, 102034.	3.5	56
7	Mycorrhizal symbiosis primes the accumulation of antiherbivore compounds and enhances herbivore mortality in tomato. <i>Journal of Experimental Botany</i> , 2021, 72, 5038-5050.	2.4	40
8	Mycorrhiza-Induced Resistance against Foliar Pathogens Is Uncoupled of Nutritional Effects under Different Light Intensities. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 402.	1.5	21
9	The Induced Resistance Lexicon: Do TM s and Don TM ts. <i>Trends in Plant Science</i> , 2021, 26, 685-691.	4.3	84
10	Tomato Domestication Affects Potential Functional Molecular Pathways of Root-Associated Soil Bacteria. <i>Plants</i> , 2021, 10, 1942.	1.6	10
11	Microbial Consortia for Effective Biocontrol of Root and Foliar Diseases in Tomato. <i>Frontiers in Plant Science</i> , 2021, 12, 756368.	1.7	42
12	MÃ©nage Ã Trois: Unraveling the Mechanisms Regulating Plant-Microbe-Arthropod Interactions. <i>Trends in Plant Science</i> , 2020, 25, 1215-1226.	4.3	31
13	Root-to-shoot signalling in mycorrhizal tomato plants upon <i>Botrytis cinerea</i> infection. <i>Plant Science</i> , 2020, 298, 110595.	1.7	27
14	Exogenous strigolactones impact metabolic profiles and phosphate starvation signalling in roots. <i>Plant, Cell and Environment</i> , 2020, 43, 1655-1668.	2.8	35
15	Role and mechanisms of callose priming in mycorrhiza-induced resistance. <i>Journal of Experimental Botany</i> , 2020, 71, 2769-2781.	2.4	56
16	Histochemical and Molecular Quantification of Arbuscular Mycorrhiza Symbiosis. <i>Methods in Molecular Biology</i> , 2020, 2083, 293-299.	0.4	3
17	<i>Trichoderma harzianum</i> triggers an early and transient burst of nitric oxide and the upregulation of <i>PHYTOGB1</i> in tomato roots. <i>Plant Signaling and Behavior</i> , 2019, 14, 1640564.	1.2	6
18	Nitric oxide in plant-fungal interactions. <i>Journal of Experimental Botany</i> , 2019, 70, 4489-4503.	2.4	42

#	ARTICLE	IF	CITATIONS
19	Nitric oxide and phytooglobin PHYTOGB1 are regulatory elements in the <i>Solanum lycopersicum</i> – <i>Rhizophagus irregularis</i> mycorrhizal symbiosis. <i>New Phytologist</i> , 2019, 223, 1560-1574.	3.5	39
20	Molecular dialogue between arbuscular mycorrhizal fungi and the nonhost plant <i>Arabidopsis thaliana</i> switches from initial detection to antagonism. <i>New Phytologist</i> , 2019, 223, 867-881.	3.5	49
21	Transcriptional Changes in Mycorrhizal and Nonmycorrhizal Soybean Plants upon Infection with the Fungal Pathogen <i>Macrophomina phaseolina</i> . <i>Molecular Plant-Microbe Interactions</i> , 2018, 31, 842-855.	1.4	30
22	Mycorrhizal tomato plants fine tunes the growth–defence balance upon N depleted root environments. <i>Plant, Cell and Environment</i> , 2018, 41, 406-420.	2.8	66
23	Microbial Community Composition in Take-All Suppressive Soils. <i>Frontiers in Microbiology</i> , 2018, 9, 2198.	1.5	46
24	Growing Research Networks on Mycorrhizae for Mutual Benefits. <i>Trends in Plant Science</i> , 2018, 23, 975-984.	4.3	51
25	Root metabolic plasticity underlies functional diversity in mycorrhiza–enhanced stress tolerance in tomato. <i>New Phytologist</i> , 2018, 220, 1322-1336.	3.5	107
26	Accurate and easy method for systemin quantification and examining metabolic changes under different endogenous levels. <i>Plant Methods</i> , 2018, 14, 33.	1.9	25
27	Shifting from priming of salicylic acid–to jasmonic acid–regulated defences by <i>Trichoderma</i> protects tomato against the root knot nematode <i>Meloidogyne incognita</i> . <i>New Phytologist</i> , 2017, 213, 1363-1377.	3.5	275
28	Screening and Characterization of Potentially Suppressive Soils against <i>Gaeumannomyces graminis</i> under Extensive Wheat Cropping by Chilean Indigenous Communities. <i>Frontiers in Microbiology</i> , 2017, 8, 1552.	1.5	41
29	The Nitrogen Availability Interferes with Mycorrhiza-Induced Resistance against <i>Botrytis cinerea</i> in Tomato. <i>Frontiers in Microbiology</i> , 2016, 7, 1598.	1.5	49
30	Recognizing Plant Defense Priming. <i>Trends in Plant Science</i> , 2016, 21, 818-822.	4.3	549
31	Belowground Defence Strategies in Plants: The Plant– <i>Trichoderma</i> Dialogue. <i>Signaling and Communication in Plants</i> , 2016, , 301-327.	0.5	19
32	Expression of molecular markers associated to defense signaling pathways and strigolactone biosynthesis during the early interaction tomato- <i>Phelipanche ramosa</i> . <i>Physiological and Molecular Plant Pathology</i> , 2016, 94, 100-107.	1.3	24
33	Metabolic transition in mycorrhizal tomato roots. <i>Frontiers in Microbiology</i> , 2015, 6, 598.	1.5	111
34	Induced systemic resistance against <i>Botrytis cinerea</i> by <i>Micromonospora</i> strains isolated from root nodules. <i>Frontiers in Microbiology</i> , 2015, 6, 922.	1.5	101
35	Intra and Inter-Spore Variability in <i>Rhizophagus irregularis</i> AOX Gene. <i>PLoS ONE</i> , 2015, 10, e0142339.	1.1	23
36	Editorial: Above-belowground interactions involving plants, microbes and insects. <i>Frontiers in Plant Science</i> , 2015, 6, 318.	1.7	44

#	ARTICLE	IF	CITATIONS
37	Phytohormones as integrators of environmental signals in the regulation of mycorrhizal symbioses. <i>New Phytologist</i> , 2015, 205, 1431-1436.	3.5	331
38	Differential spatio-temporal expression of carotenoid cleavage dioxygenases regulates apocarotenoid fluxes during AM symbiosis. <i>Plant Science</i> , 2015, 230, 59-69.	1.7	49
39	Microbial priming of plant and animal immunity: symbionts as developmental signals. <i>Trends in Microbiology</i> , 2014, 22, 607-613.	3.5	100
40	Defense Related Phytohormones Regulation in Arbuscular Mycorrhizal Symbioses Depends on the Partner Genotypes. <i>Journal of Chemical Ecology</i> , 2014, 40, 791-803.	0.9	78
41	Do strigolactones contribute to plant defence?. <i>Molecular Plant Pathology</i> , 2014, 15, 211-216.	2.0	173
42	Beneficial microbes in a changing environment: are they always helping plants to deal with insects?. <i>Functional Ecology</i> , 2013, 27, 574-586.	1.7	171
43	Arbuscular mycorrhizal symbiosis influences strigolactone production under salinity and alleviates salt stress in lettuce plants. <i>Journal of Plant Physiology</i> , 2013, 170, 47-55.	1.6	299
44	Deciphering the hormonal signalling network behind the systemic resistance induced by <i>Trichoderma harzianum</i> in tomato. <i>Frontiers in Plant Science</i> , 2013, 4, 206.	1.7	199
45	Chemical Signalling in the Arbuscular Mycorrhizal Symbiosis: Biotechnological Applications. <i>Soil Biology</i> , 2013, , 215-232.	0.6	12
46	Root Allies: Arbuscular Mycorrhizal Fungi Help Plants to Cope with Biotic Stresses. <i>Soil Biology</i> , 2013, , 289-307.	0.6	28
47	The tomato <i>S</i> CAROTENOID CLEAVAGE DIOXYGENASE ⁸ (<i>S</i> CCD ⁸) regulates rhizosphere signaling, plant architecture and affects reproductive development through strigolactone biosynthesis. <i>New Phytologist</i> , 2012, 196, 535-547.	3.5	250
48	Communication in the Rhizosphere, a Target for Pest Management. , 2012, , 109-133.		15
49	Mycorrhiza-Induced Resistance and Priming of Plant Defenses. <i>Journal of Chemical Ecology</i> , 2012, 38, 651-664.	0.9	757
50	Strigolactones: a cry for help in the rhizosphere. <i>Botany</i> , 2011, 89, 513-522.	0.5	78
51	Arbuscular mycorrhizal symbiosis decreases strigolactone production in tomato. <i>Journal of Plant Physiology</i> , 2011, 168, 294-297.	1.6	137
52	Elicitation of foliar resistance mechanisms transiently impairs root association with arbuscular mycorrhizal fungi. <i>Journal of Ecology</i> , 2011, 99, 36-45.	1.9	69
53	AM symbiosis alters phenolic acid content in tomato roots. <i>Plant Signaling and Behavior</i> , 2010, 5, 1138-1140.	1.2	44
54	Hormonal and transcriptional profiles highlight common and differential host responses to arbuscular mycorrhizal fungi and the regulation of the oxylipin pathway. <i>Journal of Experimental Botany</i> , 2010, 61, 2589-2601.	2.4	238

#	ARTICLE	IF	CITATIONS
55	Glucanases and Chitinases as Causal Agents in the Protection of Acacia Extrafloral Nectar from Infestation by Phytopathogens. <i>Plant Physiology</i> , 2010, 152, 1705-1715.	2.3	59
56	Impact of Arbuscular Mycorrhizal Symbiosis on Plant Response to Biotic Stress: The Role of Plant Defence Mechanisms. , 2010, , 193-207.		89
57	Presence of yeasts in floral nectar is consistent with the hypothesis of microbial-mediated signaling in plant-pollinator interactions. <i>Plant Signaling and Behavior</i> , 2009, 4, 1102-1104.	1.2	29
58	Priming of plant innate immunity by rhizobacteria and Î²-aminobutyric acid: differences and similarities in regulation. <i>New Phytologist</i> , 2009, 183, 419-431.	3.5	192
59	Priming Plant Defence Against Pathogens by Arbuscular Mycorrhizal Fungi. , 2009, , 123-135.		58
60	Transcription factor MYC2 is involved in priming for enhanced defense during rhizobacteria-induced systemic resistance in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2008, 180, 511-523.	3.5	264
61	Unraveling mycorrhiza-induced resistance. <i>Current Opinion in Plant Biology</i> , 2007, 10, 393-398.	3.5	919
62	Tvbgn3, a Î²-1,6-Glucanase from the Biocontrol Fungus <i>Trichoderma virens</i> , Is Involved in Mycoparasitism and Control of <i>Pythium ultimum</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 7661-7670.	1.4	87
63	Sm1, a Proteinaceous Elicitor Secreted by the Biocontrol Fungus <i>Trichoderma virens</i> Induces Plant Defense Responses and Systemic Resistance. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 838-853.	1.4	310
64	Priming: Getting Ready for Battle. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 1062-1071.	1.4	1,241
65	Expression of a tomato sugar transporter is increased in leaves of mycorrhizal or <i>Phytophthora parasitica</i> -infected plants. <i>Mycorrhiza</i> , 2005, 15, 489-496.	1.3	33
66	Microbial co-operation in the rhizosphere. <i>Journal of Experimental Botany</i> , 2005, 56, 1761-1778.	2.4	935
67	Signal Signature and Transcriptome Changes of <i>Arabidopsis</i> During Pathogen and Insect Attack. <i>Molecular Plant-Microbe Interactions</i> , 2005, 18, 923-937.	1.4	909
68	Jasmonates Signals in plant-microbe interactions. <i>Journal of Plant Growth Regulation</i> , 2004, 23, 211-222.	2.8	12
69	Jasmonates - Signals in Plant-Microbe Interactions. <i>Journal of Plant Growth Regulation</i> , 2004, 23, 211-222.	2.8	194
70	Functional analysis of <i>tvsp1</i> , a serine protease-encoding gene in the biocontrol agent <i>Trichoderma virens</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 336-348.	0.9	125
71	Enhanced fungal resistance in transgenic cotton expressing an endochitinase gene from <i>Trichoderma virens</i> . <i>Plant Biotechnology Journal</i> , 2003, 1, 321-336.	4.1	142
72	Enhanced biocontrol activity of <i>Trichoderma</i> through inactivation of a mitogen-activated protein kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15965-15970.	3.3	128

#	ARTICLE	IF	CITATIONS
73	Arbuscular mycorrhizal symbiosis regulates plasma membrane H ⁺ -ATPase gene expression in tomato plants. <i>Journal of Experimental Botany</i> , 2002, 53, 1683-1687.	2.4	48
74	Localized versus systemic effect of arbuscular mycorrhizal fungi on defence responses to <i>Phytophthora</i> infection in tomato plants. <i>Journal of Experimental Botany</i> , 2002, 53, 525-534.	2.4	383
75	β-1,3-Glucanase activities in tomato roots inoculated with arbuscular mycorrhizal fungi and/or <i>Phytophthora parasitica</i> and their possible involvement in bioprotection. <i>Plant Science</i> , 1999, 141, 149-157.	1.7	145
76	Chitosanase and chitinase activities in tomato roots during interactions with arbuscular mycorrhizal fungi or <i>Phytophthora parasitica</i> . <i>Journal of Experimental Botany</i> , 1998, 49, 1729-1739.	2.4	74
77	Cell Defense Responses Associated with Localized and Systemic Resistance to <i>Phytophthora parasitica</i> Induced in Tomato by an Arbuscular Mycorrhizal Fungus. <i>Molecular Plant-Microbe Interactions</i> , 1998, 11, 1017-1028.	1.4	319
78	Plant hydrolytic enzymes (chitinases and β-1,3-glucanases) in root reactions to pathogenic and symbiotic microorganisms. <i>Plant and Soil</i> , 1996, 185, 211-221.	1.8	66
79	Induction of new chitinase isoforms in tomato roots during interactions with <i>Glomus mosseae</i> and/or <i>Phytophthora nicotianae</i> var <i>parasitica</i> . <i>Agronomy for Sustainable Development</i> , 1996, 16, 689-697.	0.8	53
80	Compatibility of mycorrhiza-induced resistance with viral and bacterial entomopathogens in the control of <i>Spodoptera exigua</i> in tomato. <i>Pest Management Science</i> , 0, , .	1.7	0