

Neville Owen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8514385/neville-owen-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

570 papers	58,720 citations	109 h-index	230 g-index
586 ext. papers	65,935 ext. citations	4.9 avg, IF	7.9 L-index

#	Paper	IF	Citations
570	Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. <i>Lancet, The</i> , 2012 , 380, 219-29	40	4511
569	Global physical activity levels: surveillance progress, pitfalls, and prospects. <i>Lancet, The</i> , 2012 , 380, 247-57	40	3090
568	Correlates of adults' participation in physical activity: review and update. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 1996-2001	1.2	1747
567	Too much sitting: the population health science of sedentary behavior. <i>Exercise and Sport Sciences Reviews</i> , 2010 , 38, 105-13	6.7	1355
566	Letter to the editor: standardized use of the terms "sedentary" and "sedentary behaviours". <i>Applied Physiology, Nutrition and Metabolism</i> , 2012 , 37, 540-2	3	1262
565	Environmental factors associated with adults' participation in physical activity: a review. <i>American Journal of Preventive Medicine</i> , 2002 , 22, 188-99	6.1	1256
564	Does physical activity attenuate, or even eliminate, the detrimental association of sitting time with mortality? A harmonised meta-analysis of data from more than 1 million men and women. <i>Lancet, The</i> , 2016 , 388, 1302-10	40	1242
563	Breaks in sedentary time: beneficial associations with metabolic risk. <i>Diabetes Care</i> , 2008 , 31, 661-6	14.6	1057
562	Sedentary behaviors and subsequent health outcomes in adults a systematic review of longitudinal studies, 1996-2011. <i>American Journal of Preventive Medicine</i> , 2011 , 41, 207-15	6.1	1014
561	Sedentary time and cardio-metabolic biomarkers in US adults: NHANES 2003-06. <i>European Heart Journal</i> , 2011 , 32, 590-7	9.5	972
560	Understanding environmental influences on walking; Review and research agenda. <i>American Journal of Preventive Medicine</i> , 2004 , 27, 67-76	6.1	917
559	Physiological and health implications of a sedentary lifestyle. <i>Applied Physiology, Nutrition and Metabolism</i> , 2010 , 35, 725-40	3	817
558	Breaking up prolonged sitting reduces postprandial glucose and insulin responses. <i>Diabetes Care</i> , 2012 , 35, 976-83	14.6	805
557	Objectively measured sedentary time, physical activity, and metabolic risk: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Diabetes Care</i> , 2008 , 31, 369-71	14.6	772
556	Toward a better understanding of the influences on physical activity: the role of determinants, correlates, causal variables, mediators, moderators, and confounders. <i>American Journal of Preventive Medicine</i> , 2002 , 23, 5-14	6.1	691
555	Evidence-based intervention in physical activity: lessons from around the world. <i>Lancet, The</i> , 2012 , 380, 272-81	40	677
554	Physical activity in relation to urban environments in 14 cities worldwide: a cross-sectional study. <i>Lancet, The</i> , 2016 , 387, 2207-17	40	602

553	Physical activity and sedentary behavior: A population-based study of barriers, enjoyment, and preference.. <i>Health Psychology</i> , 2003 , 22, 178-188	5	595
552	Adults' sedentary behavior determinants and interventions. <i>American Journal of Preventive Medicine</i> , 2011 , 41, 189-96	6.1	578
551	Television viewing time and mortality: the Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Circulation</i> , 2010 , 121, 384-91	16.7	568
550	Too Little Exercise and Too Much Sitting: Inactivity Physiology and the Need for New Recommendations on Sedentary Behavior. <i>Current Cardiovascular Risk Reports</i> , 2008 , 2, 292-298	0.9	543
549	City planning and population health: a global challenge. <i>Lancet, The</i> , 2016 , 388, 2912-2924	40	530
548	Social-cognitive and perceived environment influences associated with physical activity in older Australians. <i>Preventive Medicine</i> , 2000 , 31, 15-22	4.3	509
547	Sedentary behavior: emerging evidence for a new health risk. <i>Mayo Clinic Proceedings</i> , 2010 , 85, 1138-416.4		494
546	High-intensity resistance training improves glycemic control in older patients with type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 1729-36	14.6	480
545	Overweight and obesity in Australia: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Medical Journal of Australia</i> , 2003 , 178, 427-432	4	455
544	Neighborhood walkability and the walking behavior of Australian adults. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 387-95	6.1	449
543	Associations of neighbourhood greenness with physical and mental health: do walking, social coherence and local social interaction explain the relationships?. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, e9	5.1	440
542	Objectively measured light-intensity physical activity is independently associated with 2-h plasma glucose. <i>Diabetes Care</i> , 2007 , 30, 1384-9	14.6	437
541	Physical activity preferences, preferred sources of assistance, and perceived barriers to increased activity among physically inactive Australians. <i>Preventive Medicine</i> , 1997 , 26, 131-7	4.3	394
540	Walkability of local communities: using geographic information systems to objectively assess relevant environmental attributes. <i>Health and Place</i> , 2007 , 13, 111-22	4.6	387
539	Test-retest reliability of four physical activity measures used in population surveys. <i>Journal of Science and Medicine in Sport</i> , 2004 , 7, 205-15	4.4	387
538	Too much sitting--a health hazard. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, 368-76	7.4	375
537	Website-delivered physical activity interventions a review of the literature. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 54-64	6.1	364
536	Occupational sitting and health risks: a systematic review. <i>American Journal of Preventive Medicine</i> , 2010 , 39, 379-88	6.1	354

535	Perceived environmental aesthetics and convenience and company are associated with walking for exercise among Australian adults. <i>Preventive Medicine</i> , 2001 , 33, 434-40	4.3	339
534	Sedentary Behavior and Cardiovascular Morbidity and Mortality: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2016 , 134, e262-79	16.7	325
533	Associations of TV viewing and physical activity with the metabolic syndrome in Australian adults. <i>Diabetologia</i> , 2005 , 48, 2254-61	10.3	311
532	Television time and continuous metabolic risk in physically active adults. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 639-45	1.2	288
531	Perceived environment attributes, residential location, and walking for particular purposes. <i>American Journal of Preventive Medicine</i> , 2004 , 26, 119-25	6.1	287
530	Prolonged sedentary time and physical activity in workplace and non-work contexts: a cross-sectional study of office, customer service and call centre employees. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 128	8.4	277
529	Sit-stand workstations: a pilot intervention to reduce office sitting time. <i>American Journal of Preventive Medicine</i> , 2012 , 43, 298-303	6.1	277
528	Behavioral epidemiology: a systematic framework to classify phases of research on health promotion and disease prevention. <i>Annals of Behavioral Medicine</i> , 2000 , 22, 294-8	4.5	276
527	Telephone interventions for physical activity and dietary behavior change: a systematic review. <i>American Journal of Preventive Medicine</i> , 2007 , 32, 419-34	6.1	274
526	Residents' perceptions of walkability attributes in objectively different neighbourhoods: a pilot study. <i>Health and Place</i> , 2005 , 11, 227-36	4.6	273
525	Motivational Readiness, Self-Efficacy and Decision-Making for Exercise ¹ . <i>Journal of Applied Social Psychology</i> , 1992 , 22, 3-16	2.1	272
524	Reallocating time to sleep, sedentary behaviors, or active behaviors: associations with cardiovascular disease risk biomarkers, NHANES 2005-2006. <i>American Journal of Epidemiology</i> , 2014 , 179, 323-34	3.8	258
523	Associations between recreational walking and attractiveness, size, and proximity of neighborhood open spaces. <i>American Journal of Public Health</i> , 2010 , 100, 1752-7	5.1	252
522	Reducing sitting time in office workers: short-term efficacy of a multicomponent intervention. <i>Preventive Medicine</i> , 2013 , 57, 43-8	4.3	235
521	Physical activity interventions using mass media, print media, and information technology. <i>American Journal of Preventive Medicine</i> , 1998 , 15, 362-78	6.1	229
520	Physical activity and sedentary behavior: a population-based study of barriers, enjoyment, and preference. <i>Health Psychology</i> , 2003 , 22, 178-88	5	223
519	Validity and reliability of measures of television viewing time and other non-occupational sedentary behaviour of adults: a review. <i>Obesity Reviews</i> , 2009 , 10, 7-16	10.6	222
518	Neighborhood SES and walkability are related to physical activity behavior in Belgian adults. <i>Preventive Medicine</i> , 2010 , 50 Suppl 1, S74-9	4.3	212

517	Recommendations for physical activity in older adults. <i>BMJ, The</i> , 2015 , 350, h100	5.9	211
516	Reducing occupational sedentary time: a systematic review and meta-analysis of evidence on activity-permissive workstations. <i>Obesity Reviews</i> , 2014 , 15, 822-38	10.6	207
515	The association between television viewing and overweight among Australian adults participating in varying levels of leisure-time physical activity. <i>International Journal of Obesity</i> , 2000 , 24, 600-6	5.5	200
514	Public open space, physical activity, urban design and public health: Concepts, methods and research agenda. <i>Health and Place</i> , 2015 , 33, 75-82	4.6	199
513	Deleterious associations of sitting time and television viewing time with cardiometabolic risk biomarkers: Australian Diabetes, Obesity and Lifestyle (AusDiab) study 2004-2005. <i>Diabetes Care</i> , 2010 , 33, 327-34	14.6	199
512	Insufficiently active Australian college students: perceived personal, social, and environmental influences. <i>Preventive Medicine</i> , 1999 , 28, 20-7	4.3	198
511	Correlates of non-concordance between perceived and objective measures of walkability. <i>Annals of Behavioral Medicine</i> , 2009 , 37, 228-38	4.5	196
510	Destination and route attributes associated with adults' walking: a review. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1275-86	1.2	195
509	Evaluation of an internet-based physical activity intervention: a preliminary investigation. <i>Annals of Behavioral Medicine</i> , 2003 , 25, 92-9	4.5	192
508	Feasibility of reducing older adults' sedentary time. <i>American Journal of Preventive Medicine</i> , 2011 , 41, 174-7	6.1	191
507	Destinations that matter: associations with walking for transport. <i>Health and Place</i> , 2007 , 13, 713-24	4.6	191
506	Benefits for Type 2 Diabetes of Interrupting Prolonged Sitting With Brief Bouts of Light Walking or Simple Resistance Activities. <i>Diabetes Care</i> , 2016 , 39, 964-72	14.6	184
505	Are workplace interventions to reduce sitting effective? A systematic review. <i>Preventive Medicine</i> , 2010 , 51, 352-6	4.3	182
504	Changes in neighborhood walking are related to changes in perceptions of environmental attributes. <i>Annals of Behavioral Medicine</i> , 2004 , 27, 60-7	4.5	179
503	Replacing sitting time with standing or stepping: associations with cardio-metabolic risk biomarkers. <i>European Heart Journal</i> , 2015 , 36, 2643-9	9.5	177
502	Association of television viewing with fasting and 2-h postchallenge plasma glucose levels in adults without diagnosed diabetes. <i>Diabetes Care</i> , 2007 , 30, 516-22	14.6	177
501	Physical activity and television viewing in relation to risk of undiagnosed abnormal glucose metabolism in adults. <i>Diabetes Care</i> , 2004 , 27, 2603-9	14.6	171
500	Utilization and Harmonization of Adult Accelerometry Data: Review and Expert Consensus. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2129-39	1.2	169

499	Glucose indices, health behaviors, and incidence of diabetes in Australia: the Australian Diabetes, Obesity and Lifestyle Study. <i>Diabetes Care</i> , 2008 , 31, 267-72	14.6	166
498	Too fat to exercise? Obesity as a barrier to physical activity. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 331-3	2.3	165
497	A Cluster Randomized Controlled Trial to Reduce Office Workers' Sitting Time: Effect on Activity Outcomes. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 1787-97	1.2	165
496	Objectively measured physical activity and sedentary time of breast cancer survivors, and associations with adiposity: findings from NHANES (2003-2006). <i>Cancer Causes and Control</i> , 2010 , 21, 283-8	2.8	162
495	Print versus website physical activity programs: a randomized trial. <i>American Journal of Preventive Medicine</i> , 2003 , 25, 88-94	6.1	160
494	Leisure-time, occupational, and household physical activity among professional, skilled, and less-skilled workers and homemakers. <i>Preventive Medicine</i> , 2000 , 30, 191-9	4.3	159
493	Associations of objectively-assessed physical activity and sedentary time with depression: NHANES (2005-2006). <i>Preventive Medicine</i> , 2011 , 53, 284-8	4.3	158
492	Mismatch between perceived and objectively assessed neighborhood walkability attributes: prospective relationships with walking and weight gain. <i>Health and Place</i> , 2011 , 17, 519-24	4.6	158
491	Perceived Neighborhood Environmental Attributes Associated with Walking and Cycling for Transport among Adult Residents of 17 Cities in 12 Countries: The IPEN Study. <i>Environmental Health Perspectives</i> , 2016 , 124, 290-8	8.4	154
490	Workplace sitting and height-adjustable workstations: a randomized controlled trial. <i>American Journal of Preventive Medicine</i> , 2014 , 46, 30-40	6.1	150
489	Is television viewing time a marker of a broader pattern of sedentary behavior?. <i>Annals of Behavioral Medicine</i> , 2008 , 35, 245-50	4.5	141
488	International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: the IPEN adult study. <i>International Journal of Health Geographics</i> , 2014 , 13, 43	3.5	139
487	Alternating bouts of sitting and standing attenuate postprandial glucose responses. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2053-61	1.2	138
486	Advancing science and policy through a coordinated international study of physical activity and built environments: IPEN adult methods. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 581-601	2.5	136
485	Home-based resistance training is not sufficient to maintain improved glycemic control following supervised training in older individuals with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 3-9	14.6	134
484	Sedentary behaviour and health: mapping environmental and social contexts to underpin chronic disease prevention. <i>British Journal of Sports Medicine</i> , 2014 , 48, 174-7	10.3	133
483	Breaking up workplace sitting time with intermittent standing bouts improves fatigue and musculoskeletal discomfort in overweight/obese office workers. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 765-71	2.1	132
482	Light-intensity physical activity and cardiometabolic biomarkers in US adolescents. <i>PLoS ONE</i> , 2013 , 8, e71417	3.7	132

481	Sedentary behavior: understanding and influencing adults' prolonged sitting time. <i>Preventive Medicine</i> , 2012 , 55, 535-9	4.3	131
480	Overweight and obesity in Australia: the 1999-2000 Australian Diabetes, Obesity and Lifestyle Study (AusDiab). <i>Medical Journal of Australia</i> , 2003 , 178, 427-32	4	129
479	Associations between television viewing time and overall sitting time with the metabolic syndrome in older men and women: the Australian Diabetes, Obesity and Lifestyle study. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 788-96	5.6	126
478	Measuring older adults' sedentary time: reliability, validity, and responsiveness. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 2127-33	1.2	126
477	Impact of an Australian mass media campaign targeting physical activity in 1998. <i>American Journal of Preventive Medicine</i> , 2001 , 21, 41-7	6.1	126
476	Associations of location and perceived environmental attributes with walking in neighborhoods. <i>American Journal of Health Promotion</i> , 2004 , 18, 239-42	2.5	125
475	Identifying adults' valid waking wear time by automated estimation in activPAL data collected with a 24 h wear protocol. <i>Physiological Measurement</i> , 2016 , 37, 1653-1668	2.9	125
474	Breaking up prolonged sitting reduces resting blood pressure in overweight/obese adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 976-82	4.5	124
473	Engagement and retention of participants in a physical activity website. <i>Preventive Medicine</i> , 2005 , 40, 54-9	4.3	124
472	Increased cardiometabolic risk is associated with increased TV viewing time. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1511-8	1.2	118
471	Evidence-based approaches to dissemination and diffusion of physical activity interventions. <i>American Journal of Preventive Medicine</i> , 2006 , 31, S35-44	6.1	118
470	Associations of leisure-time internet and computer use with overweight and obesity, physical activity and sedentary behaviors: cross-sectional study. <i>Journal of Medical Internet Research</i> , 2009 , 11, e28	7.6	118
469	Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1539	10.3	114
468	Effects of body composition and fat distribution on ventilatory function in adults. <i>American Journal of Clinical Nutrition</i> , 1998 , 68, 35-41	7	113
467	Relationships of land use mix with walking for transport: do land uses and geographical scale matter?. <i>Journal of Urban Health</i> , 2010 , 87, 782-95	5.8	111
466	Neighborhood walkability and TV viewing time among Australian adults. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 444-9	6.1	110
465	The descriptive epidemiology of a sedentary lifestyle in adult Australians. <i>International Journal of Epidemiology</i> , 1992 , 21, 305-10	7.8	110
464	Health promotion research and the diffusion and institutionalization of interventions. <i>Health Education Research</i> , 1999 , 14, 121-30	1.8	109

463	Stage distributions for five health behaviors in the United States and Australia. <i>Preventive Medicine</i> , 1999 , 28, 61-74	4.3	109
462	Do the associations of sedentary behaviour with cardiovascular disease mortality and cancer mortality differ by physical activity level? A systematic review and harmonised meta-analysis of data from 850 060 participants. <i>British Journal of Sports Medicine</i> , 2019 , 53, 886-894	10.3	108
461	Reported physical activity and sedentary behavior: why do you ask?. <i>Journal of Physical Activity and Health</i> , 2012 , 9 Suppl 1, S68-75	2.5	108
460	Breaking-up sedentary time is associated with physical function in older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 119-24	6.4	106
459	Managing sedentary behavior to reduce the risk of diabetes and cardiovascular disease. <i>Current Diabetes Reports</i> , 2014 , 14, 522	5.6	106
458	Joint associations of multiple leisure-time sedentary behaviours and physical activity with obesity in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 35	8.4	105
457	Perceived neighbourhood environmental attributes associated with adults? recreational walking: IPEN Adult study in 12 countries. <i>Health and Place</i> , 2014 , 28, 22-30	4.6	103
456	Does Walking in the Neighbourhood Enhance Local Sociability?. <i>Urban Studies</i> , 2007 , 44, 1677-1695	3.2	103
455	Checklist of Health Promotion Environments at Worksites (CHEW): development and measurement characteristics. <i>American Journal of Health Promotion</i> , 2002 , 16, 288-99	2.5	103
454	Addressing the nonexercise part of the activity continuum: a more realistic and achievable approach to activity programming for adults with mobility disability?. <i>Physical Therapy</i> , 2012 , 92, 614-25	3.3	102
453	Translating active living research into policy and practice: one important pathway to chronic disease prevention. <i>Journal of Public Health Policy</i> , 2015 , 36, 231-43	2.9	100
452	Objective Versus Perceived Walking Distances to Destinations: Correspondence and Predictive Validity. <i>Environment and Behavior</i> , 2008 , 40, 401-425	5.6	99
451	Perceived barriers to leisure-time physical activity in adults: an ecological perspective. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 451-9	2.5	97
450	Associations of objectively assessed physical activity and sedentary time with biomarkers of breast cancer risk in postmenopausal women: findings from NHANES (2003-2006). <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 183-94	4.4	95
449	Interactive health communication in preventive medicine: internet-based strategies in teaching and research. <i>American Journal of Preventive Medicine</i> , 2000 , 19, 113-20	6.1	95
448	Retest reliability of recall measures of leisure-time physical activity in Australian adults. <i>International Journal of Epidemiology</i> , 1996 , 25, 153-9	7.8	95
447	Perceived neighborhood environmental attributes associated with adults' transport-related walking and cycling: Findings from the USA, Australia and Belgium. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012 , 9, 70	8.4	94
446	Associations of sitting accumulation patterns with cardio-metabolic risk biomarkers in Australian adults. <i>PLoS ONE</i> , 2017 , 12, e0180119	3.7	93

445	Gender differences in prevalence of the metabolic syndrome in Gulf Cooperation Council Countries: a systematic review. <i>Diabetic Medicine</i> , 2010 , 27, 593-7	3.5	93
444	Physical activity measurement--a primer for health promotion. <i>Global Health Promotion</i> , 2006 , 13, 92-103		93
443	Effects of breaking up prolonged sitting on skeletal muscle gene expression. <i>Journal of Applied Physiology</i> , 2013 , 114, 453-60	3.7	92
442	Sitting Less and Moving More: Improved Glycaemic Control for Type 2 Diabetes Prevention and Management. <i>Current Diabetes Reports</i> , 2016 , 16, 114	5.6	92
441	Reducing office workers' sitting time: rationale and study design for the Stand Up Victoria cluster randomized trial. <i>BMC Public Health</i> , 2013 , 13, 1057	4.1	91
440	Dimensions of quality of life and psychosocial variables most salient to colorectal cancer patients. <i>Psycho-Oncology</i> , 2006 , 15, 20-30	3.9	91
439	Sitting time and socio-economic differences in overweight and obesity. <i>International Journal of Obesity</i> , 2007 , 31, 169-76	5.5	90
438	International study of objectively measured physical activity and sedentary time with body mass index and obesity: IPEN adult study. <i>International Journal of Obesity</i> , 2015 , 39, 199-207	5.5	89
437	Television viewing time is associated with overweight/obesity among older adults, independent of meeting physical activity and health guidelines. <i>Journal of Epidemiology</i> , 2012 , 22, 50-6	3.4	89
436	Relationship of television time with accelerometer-derived sedentary time: NHANES. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 822-8	1.2	89
435	Don't take cancer sitting down: a new survivorship research agenda. <i>Cancer</i> , 2013 , 119, 1928-35	6.4	88
434	Associations of physical activity with body weight and fat in men and women. <i>International Journal of Obesity</i> , 2001 , 25, 914-9	5.5	88
433	Explaining socio-economic status differences in walking for transport: an ecological analysis of individual, social and environmental factors. <i>Social Science and Medicine</i> , 2009 , 68, 1013-20	5.1	87
432	Trends in physical activity participation and the impact of integrated campaigns among Australian adults, 1997-99. <i>Australian and New Zealand Journal of Public Health</i> , 2003 , 27, 76-9	2.3	85
431	Sharing good NEWS across the world: developing comparable scores across 12 countries for the Neighborhood Environment Walkability Scale (NEWS). <i>BMC Public Health</i> , 2013 , 13, 309	4.1	84
430	The SOS-framework (Systems of Sedentary behaviours): an international transdisciplinary consensus framework for the study of determinants, research priorities and policy on sedentary behaviour across the life course: a DEDIPAC-study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 83	8.4	83
429	Correlates of Agreement between Accelerometry and Self-reported Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 1075-84	1.2	82
428	The effectiveness of callback counselling for smoking cessation: a randomized trial. <i>Addiction</i> , 2001 , 96, 881-9	4.6	81

427	Neighborhood environmental attributes and adults' sedentary behaviors: Review and research agenda. <i>Preventive Medicine</i> , 2015 , 77, 141-9	4.3	80
426	Prospective relationships of physical activity with quality of life among colorectal cancer survivors. <i>Journal of Clinical Oncology</i> , 2008 , 26, 4480-7	2.2	80
425	Does high-intensity resistance training maintain bone mass during moderate weight loss in older overweight adults with type 2 diabetes?. <i>Osteoporosis International</i> , 2005 , 16, 1703-12	5.3	80
424	Associations between perceived neighborhood environmental attributes and adults' sedentary behavior: findings from the U.S.A., Australia and Belgium. <i>Social Science and Medicine</i> , 2012 , 74, 1375-84	5.1	79
423	Acute effects of breaking up prolonged sitting on fatigue and cognition: a pilot study. <i>BMJ Open</i> , 2016 , 6, e009630	3	79
422	Perceived neighborhood environmental attributes associated with adults' leisure-time physical activity: findings from Belgium, Australia and the USA. <i>Health and Place</i> , 2013 , 19, 59-68	4.6	78
421	Predicting attempts and sustained cessation of smoking after the introduction of workplace smoking bans.. <i>Health Psychology</i> , 1991 , 10, 336-342	5	78
420	Validity of self-reported measures of workplace sitting time and breaks in sitting time. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1907-12	1.2	77
419	Too much sitting and all-cause mortality: is there a causal link?. <i>BMC Public Health</i> , 2016 , 16, 635	4.1	75
418	Neighborhood environments and objectively measured physical activity in 11 countries. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2253-64	1.2	75
417	Evidence of physical activity participation among men and women in the countries of the Gulf cooperation council: a review. <i>Obesity Reviews</i> , 2010 , 11, 457-64	10.6	75
416	Promoting physical activity: the new imperative for public health. <i>Health Education Research</i> , 2000 , 15, 367-76	1.8	75
415	Physical activity for recreation or exercise on neighbourhood streets: associations with perceived environmental attributes. <i>Health and Place</i> , 2009 , 15, 1058-63	4.6	74
414	Socio-demographic correlates of prolonged television viewing time in Australian men and women: the AusDiab study. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 595-601	2.5	74
413	Current injury or disability as a barrier to being more physically active. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 778-82	1.2	74
412	Population prevalence and correlates of stages of change in physical activity. <i>Health Education Quarterly</i> , 1993 , 20, 431-40		73
411	A Cluster RCT to Reduce Workers' Sitting Time: Impact on Cardiometabolic Biomarkers. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 2032-2039	1.2	72
410	Who participates in physical activity intervention trials?. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 85-103	2.5	71

409	Neighborhood walkability and sedentary time in Belgian adults. <i>American Journal of Preventive Medicine</i> , 2010 , 39, 25-32	6.1	71
408	Interrupting prolonged sitting with brief bouts of light walking or simple resistance activities reduces resting blood pressure and plasma noradrenaline in type 2 diabetes. <i>Journal of Hypertension</i> , 2016 , 34, 2376-2382	1.9	71
407	Can psychiatric and chemical dependency treatment units be smoke free?. <i>Journal of Substance Abuse Treatment</i> , 1996 , 13, 107-18	4.2	70
406	Initiating and maintaining recreational walking: a longitudinal study on the influence of neighborhood green space. <i>Preventive Medicine</i> , 2013 , 57, 178-82	4.3	69
405	Low-rate smokers. <i>Preventive Medicine</i> , 1995 , 24, 80-4	4.3	69
404	Iterative development of Stand Up Australia: a multi-component intervention to reduce workplace sitting. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 21	8.4	68
403	Identifying sedentary time using automated estimates of accelerometer wear time. <i>British Journal of Sports Medicine</i> , 2012 , 46, 436-42	10.3	68
402	Acceptability and feasibility of potential intervention strategies for influencing sedentary time at work: focus group interviews in executives and employees. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 22	8.4	67
401	Community center-based resistance training for the maintenance of glycemic control in adults with type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 2586-91	14.6	67
400	Environmental and psychosocial correlates of accelerometer-assessed and self-reported physical activity in Belgian adults. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 235-45	2.6	65
399	Computer use and physical inactivity in young adults: public health perils and potentials of new information technologies. <i>Annals of Behavioral Medicine</i> , 2000 , 22, 269-75	4.5	65
398	Trial of an intervention to reduce passive smoking in infancy. <i>Pediatric Pulmonology</i> , 1987 , 3, 173-8	3.5	64
397	Classroom Standing Desks and Sedentary Behavior: A Systematic Review. <i>Pediatrics</i> , 2016 , 137, e201530874	9.4	63
396	Passive and mentally-active sedentary behaviors and incident major depressive disorder: A 13-year cohort study. <i>Journal of Affective Disorders</i> , 2018 , 241, 579-585	6.6	63
395	Commuting by car: weight gain among physically active adults. <i>American Journal of Preventive Medicine</i> , 2013 , 44, 169-73	6.1	63
394	Television viewing time and reduced life expectancy: a life table analysis. <i>British Journal of Sports Medicine</i> , 2012 , 46, 927-30	10.3	63
393	Associations of multiple physical activity domains with mental well-being. <i>Mental Health and Physical Activity</i> , 2009 , 2, 55-64	5	63
392	Randomized trial of a neighborhood environment-focused physical activity website intervention. <i>Preventive Medicine</i> , 2009 , 48, 144-50	4.3	62

391	Colorectal cancer and its prevention: prevalence of beliefs, attitudes, intentions and behaviour. <i>Australian Journal of Public Health</i> , 1995 , 19, 19-23		62
390	An Australian Version of the Neighborhood Environment Walkability Scale: Validity Evidence. <i>Measurement in Physical Education and Exercise Science</i> , 2008 , 12, 31-51	1.9	62
389	Population-based randomized controlled trial of a stage-targeted physical activity intervention. <i>Annals of Behavioral Medicine</i> , 2003 , 25, 194-202	4.5	62
388	Feasibility and acceptability of reducing workplace sitting time: a qualitative study with Australian office workers. <i>BMC Public Health</i> , 2016 , 16, 933	4.1	62
387	Street network measures and adults' walking for transport: Application of space syntax. <i>Health and Place</i> , 2016 , 38, 89-95	4.6	61
386	Distinct associations of different sedentary behaviors with health-related attributes among older adults. <i>Preventive Medicine</i> , 2014 , 67, 335-9	4.3	61
385	Perceived Barriers to Physical Activity among Older Australians. <i>Journal of Aging and Physical Activity</i> , 2002 , 10, 271-280	1.6	61
384	Lifestyle factors associated concurrently and prospectively with co-morbid cardiovascular disease in a population-based cohort of colorectal cancer survivors. <i>European Journal of Cancer</i> , 2011 , 47, 267-76	7.5	60
383	Health and mortality consequences of abdominal obesity: evidence from the AusDiab study. <i>Medical Journal of Australia</i> , 2009 , 191, 202-8	4	60
382	Relationship between a 14-day recall measure of leisure-time physical activity and a submaximal test of physical work capacity in a population sample of Australian adults. <i>Research Quarterly for Exercise and Sport</i> , 1996 , 67, 221-7	1.9	60
381	Office workers' objectively assessed total and prolonged sitting time: Individual-level correlates and worksite variations. <i>Preventive Medicine Reports</i> , 2016 , 4, 184-91	2.6	59
380	Sedentary time in older men and women: an international consensus statement and research priorities. <i>British Journal of Sports Medicine</i> , 2017 , 51, 1526-1532	10.3	59
379	Cost-effectiveness of a telephone-delivered intervention for physical activity and diet. <i>PLoS ONE</i> , 2009 , 4, e7135	3.7	59
378	The relationship between body mass index and waist circumference: implications for estimates of the population prevalence of overweight. <i>International Journal of Obesity</i> , 2000 , 24, 1058-61	5.5	59
377	University campus settings and the promotion of physical activity in young adults: lessons from research in Australia and the USA. <i>Health Education</i> , 2001 , 101, 116-125	1	59
376	Interrupting prolonged sitting in type 2 diabetes: nocturnal persistence of improved glycaemic control. <i>Diabetologia</i> , 2017 , 60, 499-507	10.3	58
375	Frequent interruptions of sedentary time modulates contraction- and insulin-stimulated glucose uptake pathways in muscle: Ancillary analysis from randomized clinical trials. <i>Scientific Reports</i> , 2016 , 6, 32044	4.9	58
374	Adults' past-day recall of sedentary time: reliability, validity, and responsiveness. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1198-207	1.2	58

373	Objectively assessed physical activity, sedentary time and waist circumference among prostate cancer survivors: findings from the National Health and Nutrition Examination Survey (2003-2006). <i>European Journal of Cancer Care</i> , 2011 , 20, 514-9	2.4	58
372	Age-related differences in physical activity levels of young adults. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 255-8	1.2	58
371	Reducing youth screen time: qualitative metasynthesis of findings on barriers and facilitators. <i>Health Psychology</i> , 2015 , 34, 381-97	5	57
370	Impact on hemostatic parameters of interrupting sitting with intermittent activity. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1285-91	1.2	56
369	Relationships between neighborhood walkability and adults' physical activity: How important is residential self-selection?. <i>Health and Place</i> , 2011 , 17, 1011-4	4.6	56
368	Breaking up of prolonged sitting over three days sustains, but does not enhance, lowering of postprandial plasma glucose and insulin in overweight and obese adults. <i>Clinical Science</i> , 2015 , 129, 117-27	6.5	55
367	Sedentary behaviors of adults in relation to neighborhood walkability and income. <i>Health Psychology</i> , 2012 , 31, 704-13	5	55
366	Identifying subgroups of U.S. adults at risk for prolonged television viewing to inform program development. <i>American Journal of Preventive Medicine</i> , 2010 , 38, 17-26	6.1	55
365	Testing a hierarchy-of-effects model: pathways from awareness to outcomes in the VERB campaign 2002-2003. <i>American Journal of Preventive Medicine</i> , 2008 , 34, S249-56	6.1	55
364	Associations of leisure-time physical activity with quality of life in a large, population-based sample of colorectal cancer survivors. <i>Cancer Causes and Control</i> , 2007 , 18, 735-42	2.8	54
363	Beneficial associations of physical activity with 2-h but not fasting blood glucose in Australian adults: the AusDiab study. <i>Diabetes Care</i> , 2006 , 29, 2598-604	14.6	53
362	Stand up, sit down, keep moving: turning circles in physical activity research?. <i>British Journal of Sports Medicine</i> , 2009 , 43, 86-8	10.3	52
361	Health behaviors of Australian colorectal cancer survivors, compared with noncancer population controls. <i>Supportive Care in Cancer</i> , 2008 , 16, 1097-104	3.9	52
360	Effects of a national mass-media campaign on physical activity participation. <i>Health Promotion International</i> , 1992 , 7, 241-247	3	52
359	Living well with diabetes: 24-month outcomes from a randomized trial of telephone-delivered weight loss and physical activity intervention to improve glycemic control. <i>Diabetes Care</i> , 2014 , 37, 2177-85	14.6	51
358	Sedentary Behavior and Public Health: Integrating the Evidence and Identifying Potential Solutions. <i>Annual Review of Public Health</i> , 2020 , 41, 265-287	20.6	50
357	Built Environment, Physical Activity, and Obesity: Findings from the International Physical Activity and Environment Network (IPEN) Adult Study. <i>Annual Review of Public Health</i> , 2020 , 41, 119-139	20.6	49
356	Adverse associations of car time with markers of cardio-metabolic risk. <i>Preventive Medicine</i> , 2016 , 83, 26-30	4.3	49

355	Associations of Low- and High-Intensity Light Activity with Cardiometabolic Biomarkers. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 2093-101	1.2	49
354	Physical activity, activity change, and their correlates in a population-based sample of colorectal cancer survivors. <i>Annals of Behavioral Medicine</i> , 2007 , 34, 135-43	4.5	49
353	Sitting Less and Moving More: Implications for Hypertension. <i>Hypertension</i> , 2018 , 72, 1037-1046	8.5	49
352	Smokers' preferences for assistance with cessation. <i>Preventive Medicine</i> , 1990 , 19, 424-31	4.3	48
351	Exercise, Physical Activity, and Sedentary Behavior in the Treatment of Depression: Broadening the Scientific Perspectives and Clinical Opportunities. <i>Frontiers in Psychiatry</i> , 2016 , 7, 36	5	48
350	Replacing Sedentary Time: Meta-analysis of Objective-Assessment Studies. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 395-402	6.1	47
349	Quality of Public Open Spaces and Recreational Walking. <i>American Journal of Public Health</i> , 2015 , 105, 2490-5	5.1	47
348	Recent trends and socio-demographic determinants of exercise participation in Australia. <i>Community Health Studies</i> , 1990 , 14, 19-26		47
347	Socio-Demographic Variations in Walking for Transport and for Recreation or Exercise Among Adult Australians. <i>Journal of Physical Activity and Health</i> , 2006 , 3, 164-178	2.5	47
346	Injury prevention and the promotion of physical activity: what is the nexus?. <i>Journal of Science and Medicine in Sport</i> , 2001 , 4, 77-87	4.4	47
345	Protection Motivation Theory and Adolescents' Perceptions of Exercise ¹ . <i>Journal of Applied Social Psychology</i> , 1992 , 22, 55-69	2.1	47
344	Walkability and walking for transport: characterizing the built environment using space syntax. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 121	8.4	47
343	Older adults' reporting of specific sedentary behaviors: validity and reliability. <i>BMC Public Health</i> , 2014 , 14, 734	4.1	46
342	Small-scale randomized controlled trials need more powerful methods of mediational analysis than the Baron-Kenny method. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 457-64	5.7	46
341	Street connectivity and walking for transport: role of neighborhood destinations. <i>Preventive Medicine</i> , 2014 , 66, 118-22	4.3	45
340	Correlates of prolonged television viewing time in older Japanese men and women. <i>BMC Public Health</i> , 2013 , 13, 213	4.1	44
339	Television viewing time of colorectal cancer survivors is associated prospectively with quality of life. <i>Cancer Causes and Control</i> , 2011 , 22, 1111-20	2.8	44
338	Physical activity as a mediator of the associations between neighborhood walkability and adiposity in Belgian adults. <i>Health and Place</i> , 2010 , 16, 952-60	4.6	44

337	Physical activity of adult Australians: epidemiological evidence and potential strategies for health gain. <i>Journal of Science and Medicine in Sport</i> , 1999 , 2, 30-41	4.4	44
336	Changes in acceptance of workplace smoking bans following their implementation: a prospective study. <i>Preventive Medicine</i> , 1990 , 19, 314-22	4.3	44
335	Objectively-assessed neighbourhood destination accessibility and physical activity in adults from 10 countries: An analysis of moderators and perceptions as mediators. <i>Social Science and Medicine</i> , 2018 , 211, 282-293	5.1	44
334	International study of perceived neighbourhood environmental attributes and Body Mass Index: IPEN Adult study in 12 countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 62	8.4	43
333	Television viewing time and weight gain in colorectal cancer survivors: a prospective population-based study. <i>Cancer Causes and Control</i> , 2009 , 20, 1355-62	2.8	43
332	Stages of readiness to quit smoking: Population prevalence and correlates.. <i>Health Psychology</i> , 1992 , 11, 413-417	5	43
331	A systematic review of physical activity and sedentary behaviour research in the oil-producing countries of the Arabian Peninsula. <i>BMC Public Health</i> , 2016 , 16, 1003	4.1	43
330	Measuring Physical Activity Change in Broad-Reach Intervention Trials. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 194-202	2.5	42
329	Bicycle use for transport in an Australian and a Belgian city: associations with built-environment attributes. <i>Journal of Urban Health</i> , 2010 , 87, 189-198	5.8	42
328	Protective eyewear promotion: applying principles of behaviour change in the design of a squash injury prevention programme. <i>Sports Medicine</i> , 2004 , 34, 629-38	10.6	42
327	The effectiveness of personalized smoking cessation strategies for callers to a Quitline service. <i>Addiction</i> , 2003 , 98, 837-46	4.6	42
326	Associations of social status and health-related beliefs with dietary fat and fiber densities. <i>Preventive Medicine</i> , 1992 , 21, 735-45	4.3	42
325	Sensitivity to Change of Objectively-Derived Measures of Sedentary Behavior. <i>Measurement in Physical Education and Exercise Science</i> , 2015 , 19, 138-147	1.9	41
324	Socio-demographic, psychosocial and home-environmental attributes associated with adults' domestic screen time. <i>BMC Public Health</i> , 2011 , 11, 668	4.1	41
323	Associations of residential density with adolescents' physical activity in a rapidly urbanizing area of Mainland China. <i>Journal of Urban Health</i> , 2010 , 87, 44-53	5.8	41
322	Determining energy expenditure during some household and garden tasks. <i>Medicine and Science in Sports and Exercise</i> , 2002 , 34, 895-902	1.2	41
321	Passive Versus Mentally Active Sedentary Behaviors and Depression. <i>Exercise and Sport Sciences Reviews</i> , 2020 , 48, 20-27	6.7	41
320	Walk Score and Australian adults' home-based walking for transport. <i>Health and Place</i> , 2015 , 35, 60-5	4.6	40

319	Excessive sitting at work and at home: Correlates of occupational sitting and TV viewing time in working adults. <i>BMC Public Health</i> , 2015 , 15, 899	4.1	40
318	Young women as smokers and nonsmokers: a qualitative social identity approach. <i>Qualitative Health Research</i> , 2005 , 15, 1345-59	3.9	40
317	Cardiometabolic Impact of Changing Sitting, Standing, and Stepping in the Workplace. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 516-524	1.2	40
316	Sun exposure and sun protection behaviours among young adult sport competitors. <i>Australian and New Zealand Journal of Public Health</i> , 2007 , 31, 230-4	2.3	39
315	Brazilian adults' sedentary behaviors by life domain: population-based study. <i>PLoS ONE</i> , 2014 , 9, e91614	3.7	38
314	Correlates of change in adults' television viewing time: a four-year follow-up study. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1287-92	1.2	38
313	Perceived barriers to physical activity for colorectal cancer survivors. <i>Supportive Care in Cancer</i> , 2010 , 18, 729-34	3.9	38
312	Comparability of activity monitors used in Asian and Western-country studies for assessing free-living sedentary behaviour. <i>PLoS ONE</i> , 2017 , 12, e0186523	3.7	38
311	Gender differences in physical activity following acute myocardial infarction in adults: A prospective, observational study. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 192-203	3.9	37
310	Moderating effects of age, gender and education on the associations of perceived neighborhood environment attributes with accelerometer-based physical activity: The IPEN adult study. <i>Health and Place</i> , 2015 , 36, 65-73	4.6	37
309	Relationships of individual, social, and physical environmental factors with older adults' television viewing time. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 508-17	1.6	37
308	Validity of a multi-context sitting questionnaire across demographically diverse population groups: AusDiab3. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 148	8.4	37
307	Habitual physical activity and cardiovascular risk factors. <i>Medical Journal of Australia</i> , 1991 , 154, 22-8	4	37
306	Effects of sedentary behaviour interventions on biomarkers of cardiometabolic risk in adults: systematic review with meta-analyses. <i>British Journal of Sports Medicine</i> , 2021 , 55, 144-154	10.3	37
305	Independent and joint associations of TV viewing time and snack food consumption with the metabolic syndrome and its components; a cross-sectional study in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 96	8.4	36
304	Determinants of continuity and change over 10 years in young women's smoking. <i>Addiction</i> , 2009 , 104, 478-87	4.6	36
303	Reaching out to promote physical activity in Australia: a statewide randomized controlled trial of a stage-targeted intervention. <i>American Journal of Health Promotion</i> , 2004 , 18, 283-7	2.5	36
302	Prolonged sitting in cars: prevalence, socio-demographic variations, and trends. <i>Preventive Medicine</i> , 2012 , 55, 315-318	4.3	35

301	Modes of presentation and pathways to diagnosis of colorectal cancer in Queensland. <i>Medical Journal of Australia</i> , 2007 , 186, 288-91	4	35
300	Prospective study of individual, social, and environmental predictors of physical activity: women's leisure running. <i>Psychology of Sport and Exercise</i> , 2005 , 6, 363-376	4.2	35
299	Exercise by Mail: A Mediated Behavior-Change Program for Aerobic Exercise. <i>Journal of Sport and Exercise Psychology</i> , 1987 , 9, 346-357		35
298	Social participation among older adults not engaged in full- or part-time work is associated with more physical activity and less sedentary time. <i>Geriatrics and Gerontology International</i> , 2017 , 17, 1921-1927	3.9	34
297	Measurement and prediction of energy expenditure in males during household and garden tasks. <i>European Journal of Applied Physiology</i> , 2004 , 91, 61-70	3.4	34
296	Trial of print and telephone delivered interventions to influence walking. <i>Preventive Medicine</i> , 2004 , 39, 635-41	4.3	34
295	Characteristics of heavy smokers. <i>Preventive Medicine</i> , 1992 , 21, 311-9	4.3	34
294	Smoking cessation by mail: a comparison of standard and personalized correspondence course formats. <i>Addictive Behaviors</i> , 1989 , 14, 355-63	4.2	34
293	Utility of pwc75% as an estimate of aerobic power in epidemiological and population-based studies. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 348-51	1.2	34
292	Abdominal obesity, TV-viewing time and prospective declines in physical activity. <i>Preventive Medicine</i> , 2011 , 53, 299-302	4.3	33
291	The Australian National Workplace Health Project: design and baseline findings. <i>Preventive Medicine</i> , 2000 , 31, 249-60	4.3	33
290	Associations of sedentary behavior and physical activity with older adults' physical function: an isotemporal substitution approach. <i>BMC Geriatrics</i> , 2017 , 17, 280	4.1	32
289	Hours spent and energy expended in physical activity domains: results from the Tomorrow Project cohort in Alberta, Canada. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 110	8.4	32
288	Residential density and adolescent overweight in a rapidly urbanising region of Mainland China. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 1017-21	5.1	32
287	Perceptions of representatives of public, private, and community sector institutions of the barriers and enablers for physically active transport. <i>Transport Policy</i> , 2010 , 17, 496-504	5.7	32
286	Changes in smoking behaviour after a total workplace smoking ban. <i>Australian Journal of Public Health</i> , 1991 , 15, 130-4		32
285	Better understanding the influence of cigarette smoking and indoor air pollution on chronic obstructive pulmonary disease: a case-control study in Mainland China. <i>Respirology</i> , 2007 , 12, 891-7	3.6	32
284	Why the tobacco industry fears the passive smoking issue. <i>International Journal of Health Services</i> , 1990 , 20, 417-27	2	32

283	Reducing occupational sitting: Workers' perspectives on participation in a multi-component intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 73	8.4	31
282	Cross-sectional and prospective relationships of passive and mentally active sedentary behaviours and physical activity with depression. <i>British Journal of Psychiatry</i> , 2020 , 217, 413-419	5.4	31
281	Should we be concerned about children spending extended periods of time in sedentary pursuits even among the highly active?. <i>Pediatric Obesity</i> , 2008 , 3, 66-8		30
280	From partying to parenthood: young women's perceptions of cigarette smoking across life transitions. <i>Health Education Research</i> , 2006 , 21, 428-39	1.8	30
279	Family average income and diagnosed Type 2 diabetes in urban and rural residents in regional mainland China. <i>Diabetic Medicine</i> , 2006 , 23, 1239-46	3.5	30
278	Family average income and body mass index above the healthy weight range among urban and rural residents in regional Mainland China. <i>Public Health Nutrition</i> , 2005 , 8, 47-51	3.3	30
277	Breaking Up Prolonged Sitting Alters the Postprandial Plasma Lipidomic Profile of Adults With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1991-1999	5.6	29
276	Do associations between objectively-assessed physical activity and neighbourhood environment attributes vary by time of the day and day of the week? IPEN adult study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 34	8.4	29
275	Maintenance of physical activity and dietary change following a telephone-delivered intervention. <i>Health Psychology</i> , 2010 , 29, 566-73	5	29
274	Perceptions of the acceptability and feasibility of reducing occupational sitting: review and thematic synthesis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 90	8.4	29
273	Associations of overall sitting time and TV viewing time with fibrinogen and C reactive protein: the AusDiab study. <i>British Journal of Sports Medicine</i> , 2015 , 49, 255-8	10.3	28
272	Habitual active transport moderates the association of TV viewing time with body mass index. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 11-6	2.5	28
271	Occasional tobacco use among young adult women: a longitudinal analysis of smoking transitions. <i>Tobacco Control</i> , 2007 , 16, 248-54	5.3	28
270	Physical Activity and Sedentary Behavior Subsequent to Serious Orthopedic Injury: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 164-177.e6	2.8	27
269	Six-month outcomes from living well with diabetes: A randomized trial of a telephone-delivered weight loss and physical activity intervention to improve glycemic control. <i>Annals of Behavioral Medicine</i> , 2013 , 46, 193-203	4.5	27
268	Mediators of physical activity change in a behavioral modification program for type 2 diabetes patients. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 105	8.4	27
267	Physical activity, television viewing time, and retinal microvascular caliber: the multi-ethnic study of atherosclerosis. <i>American Journal of Epidemiology</i> , 2011 , 173, 518-25	3.8	27
266	Sociodemographic variation in the perception of barriers to exercise among Japanese adults. <i>Journal of Epidemiology</i> , 2009 , 19, 161-8	3.4	27

265	Associations of television viewing time with excess body weight among urban and rural high-school students in regional mainland China. <i>Public Health Nutrition</i> , 2008 , 11, 891-6	3.3	27
264	Stages of motivational readiness for physical activity: a comparison of different algorithms of classification. <i>British Journal of Health Psychology</i> , 2004 , 9, 253-67	8.3	27
263	Socioeconomic status and personal characteristics as predictors of dietary change. <i>Journal of Nutrition Education and Behavior</i> , 1995 , 27, 173-181		27
262	Predicting attempts and sustained cessation of smoking after the introduction of workplace smoking bans. <i>Health Psychology</i> , 1991 , 10, 336-42	5	27
261	Physical Activity, Television Viewing Time, and 12-Year Changes in Waist Circumference. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 633-40	1.2	27
260	Distinct effects of acute exercise and breaks in sitting on working memory and executive function in older adults: a three-arm, randomised cross-over trial to evaluate the effects of exercise with and without breaks in sitting on cognition. <i>British Journal of Sports Medicine</i> , 2020 , 54, 776-781	10.3	27
259	Built environmental factors and adults' travel behaviors: Role of street layout and local destinations. <i>Preventive Medicine</i> , 2017 , 96, 124-128	4.3	26
258	Interacting psychosocial and environmental correlates of leisure-time physical activity: a three-country study. <i>Health Psychology</i> , 2014 , 33, 699-709	5	26
257	Evaluation framework for translational research: case study of Australia's get healthy information and coaching service(R). <i>Health Promotion Practice</i> , 2013 , 14, 380-9	1.8	26
256	Correlates of Omani adults' physical inactivity and sitting time. <i>Public Health Nutrition</i> , 2013 , 16, 65-72	3.3	26
255	Physical activity and sedentary behaviours among rural adults in Suixi, China: a cross-sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011 , 8, 37	8.4	26
254	Who comes to a workplace health risk assessment?. <i>International Journal of Behavioral Medicine</i> , 1998 , 5, 323-34	2.6	26
253	Sun exposure concern, sun protection behaviors and physical activity among Australian adults. <i>Cancer Causes and Control</i> , 2007 , 18, 1009-14	2.8	26
252	Inactive Australian college students' preferred activities, sources of assistance, and motivators. <i>American Journal of Health Promotion</i> , 1999 , 13, 197-9; ii	2.5	26
251	Associations of context-specific sitting time with markers of cardiometabolic risk in Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 114	8.4	26
250	SIMPLE INTERMITTENT RESISTANCE ACTIVITY MITIGATES THE DETRIMENTAL EFFECT OF PROLONGED UNBROKEN SITTING ON ARTERIAL FUNCTION IN OVERWEIGHT AND OBESE ADULTS. <i>Journal of Applied Physiology</i> , 2018 ,	3.7	26
249	Novel strategies for sedentary behavior research. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1311-5	1.2	25
248	Prolonged uninterrupted sitting elevates postprandial hyperglycaemia proportional to degree of insulin resistance. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1526-1530	6.7	25

247	Alternating Sitting and Standing Increases the Workplace Energy Expenditure of Overweight Adults. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 24-9	2.5	25
246	Ambulatory monitoring and sedentary behaviour: a population-health perspective. <i>Physiological Measurement</i> , 2012 , 33, 1801-10	2.9	25
245	The effectiveness of a squash eyewear promotion strategy. <i>British Journal of Sports Medicine</i> , 2005 , 39, 681-5	10.3	25
244	Trial of an intervention to reduce chronic benzodiazepine use among residents of aged-care accommodation. <i>Australian and New Zealand Journal of Medicine</i> , 1993 , 23, 343-7		25
243	Associations of television viewing time with adults' well-being and vitality. <i>Preventive Medicine</i> , 2014 , 69, 69-74	4.3	24
242	Associations of physical activity and sitting time with the metabolic syndrome among Omani adults. <i>Obesity</i> , 2012 , 20, 2290-5	8	24
241	A telephone-delivered physical activity and dietary intervention for type 2 diabetes and hypertension: does intervention dose influence outcomes?. <i>American Journal of Health Promotion</i> , 2011 , 25, 257-63	2.5	24
240	Too Much Sitting and Metabolic Risk Has Modern Technology Caught Up with Us?. <i>European Endocrinology</i> , 2010 , 06, 19	3.4	24
239	Associations of street layout with walking and sedentary behaviors in an urban and a rural area of Japan. <i>Health and Place</i> , 2017 , 45, 64-69	4.6	23
238	Television viewing time and risk of chronic kidney disease in adults: the AusDiab Study. <i>Annals of Behavioral Medicine</i> , 2010 , 40, 265-74	4.5	23
237	Associations of perceived community environmental attributes with walking in a population-based sample of adults with type 2 diabetes. <i>Annals of Behavioral Medicine</i> , 2008 , 35, 170-8	4.5	23
236	Need to smoke in the context of workplace smoking bans. <i>Preventive Medicine</i> , 1995 , 24, 56-60	4.3	23
235	An economic evaluation of four work site based cardiovascular risk factor interventions. <i>Health Education Quarterly</i> , 1995 , 22, 9-19		23
234	Development of Behaviorally-Based Policy Guidelines for the Promotion of Exercise. <i>Journal of Public Health Policy</i> , 1989 , 10, 43	2.9	23
233	High neighborhood walkability mitigates declines in middle-to-older aged adults' walking for transport. <i>Journal of Physical Activity and Health</i> , 2012 , 9, 1004-8	2.5	22
232	Psychosocial correlates of leisure-time walking among Australian adults of lower and higher socio-economic status. <i>Health Education Research</i> , 2010 , 25, 316-24	1.8	22
231	Residential proximity to school and the active travel choices of parents. <i>Health Promotion Journal of Australia</i> , 2007 , 18, 127-34	1.7	22
230	Towards more rigorous evaluation of health promotion programmes. <i>Australian Psychologist</i> , 1986 , 21, 79-91	1.7	22

229	Associations of Monitor-Assessed Activity with Performance-Based Physical Function. <i>PLoS ONE</i> , 2016 , 11, e0153398	3.7	22
228	Natural movement: A space syntax theory linking urban form and function with walking for transport. <i>Health and Place</i> , 2019 , 58, 102072	4.6	22
227	Associations of sedentary behavior in leisure and occupational contexts with symptoms of depression and anxiety. <i>Preventive Medicine</i> , 2020 , 133, 106021	4.3	21
226	Intervening to reduce workplace sitting: mediating role of social-cognitive constructs during a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 27	8.4	21
225	Addressing physical inactivity in Omani adults: perceptions of public health managers. <i>Public Health Nutrition</i> , 2014 , 17, 674-81	3.3	21
224	Relating physical activity to health status, social connections and community facilities. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 631-7	2.3	21
223	Exploring the feasibility and acceptability of using internet technology to promote physical activity within a defined community. <i>Health Promotion Journal of Australia</i> , 2005 , 16, 82-4	1.7	21
222	Staff members' acceptance of the introduction of workplace smoking bans in the Australian public service. <i>Medical Journal of Australia</i> , 1989 , 151, 525-8	4	21
221	Controversies in the Science of Sedentary Behaviour and Health: Insights, Perspectives and Future directions from the 2018 Queensland Sedentary Behaviour Think Tank. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	21
220	Objectively-Assessed Patterns and Reported Domains of Sedentary Behavior Among Japanese Older Adults. <i>Journal of Epidemiology</i> , 2019 , 29, 334-339	3.4	21
219	Diurnal Patterns and Correlates of Older Adults' Sedentary Behavior. <i>PLoS ONE</i> , 2015 , 10, e0133175	3.7	20
218	Are public open space attributes associated with walking and depression?. <i>Cities</i> , 2018 , 74, 119-125	5.6	20
217	Validity and Reliability of Japanese-Language Self-reported Measures for Assessing Adults Domain-Specific Sedentary Time. <i>Journal of Epidemiology</i> , 2018 , 28, 149-155	3.4	20
216	Evaluating the Evidence on Sitting, Smoking, and Health: Is Sitting Really the New Smoking?. <i>American Journal of Public Health</i> , 2018 , 108, 1478-1482	5.1	20
215	Patterns of objectively assessed sedentary time and physical activity among Japanese workers: a cross-sectional observational study. <i>BMJ Open</i> , 2019 , 9, e021690	3	19
214	Associations of interruptions to leisure-time sedentary behaviour with symptoms of depression and anxiety. <i>Translational Psychiatry</i> , 2020 , 10, 128	8.6	19
213	Activity-Friendly Built Environment Attributes and Adult Adiposity. <i>Current Obesity Reports</i> , 2014 , 3, 183-188	3.4	19
212	Physical activity, television viewing time, and retinal vascular caliber. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 280-6	1.2	19

211	Self-reported information on the diagnosis of colorectal cancer was reliable but not necessarily valid. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 498-504	5.7	19
210	'Occasional' and 'social' smokers: potential target groups for smoking cessation campaigns?. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 550-4	2.3	19
209	Associations of leisure-time sitting in cars with neighborhood walkability. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 1129-32	2.5	18
208	Adverse associations of increases in television viewing time with 5-year changes in glucose homeostasis markers: the AusDiab study. <i>Diabetic Medicine</i> , 2012 , 29, 918-25	3.5	18
207	The neurobiology of overeating. Treating overweight individuals should make use of neuroscience research, but not at the expense of population approaches to diet and lifestyle. <i>EMBO Reports</i> , 2012 , 13, 785-90	6.5	18
206	Multiple health behavior changes and co-variation in a telephone counseling trial. <i>Annals of Behavioral Medicine</i> , 2010 , 39, 250-7	4.5	18
205	Increasing male involvement in family planning decision making: trial of a social-cognitive intervention in rural Vietnam. <i>Health Education Research</i> , 2005 , 20, 548-56	1.8	18
204	Smokers unlikely to quit. <i>Journal of Behavioral Medicine</i> , 1991 , 14, 627-36	3.6	18
203	Neighborhood walkability and 12-year changes in cardio-metabolic risk: the mediating role of physical activity. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 86	8.4	17
202	Medication use and its correlates among the elderly. <i>Australian Journal of Public Health</i> , 1993 , 17, 18-22		17
201	Economic evaluation of a randomized controlled trial of an intervention to reduce office workers' sitting time: the "Stand Up Victoria" trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018 , 44, 503-511	4.3	17
200	Sit less and move more for cardiovascular health: emerging insights and opportunities. <i>Nature Reviews Cardiology</i> , 2021 , 18, 637-648	14.8	17
199	Does the type of activity "break" from prolonged sitting differentially impact on postprandial blood glucose reductions? An exploratory analysis. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017 , 42, 897-900	3.9	16
198	Prospective Associations of Local Destinations and Routes With Middle-to-Older Aged Adults' Walking. <i>Gerontologist</i> , 2018 , 58, 121-129	5	16
197	New exercise prescription: don't just sit there: stand up and move more, more often. <i>Archives of Internal Medicine</i> , 2012 , 172, 500-1		16
196	Reliability of moderate-intensity and vigorous physical activity stage of change measures for young adults. <i>Preventive Medicine</i> , 2003 , 37, 177-81	4.3	16
195	Prevalence and correlates of walkable short car trips: A cross-sectional multilevel analysis. <i>Journal of Transport and Health</i> , 2017 , 4, 73-80	3	15
194	Neighborhood environmental attributes and adults' maintenance of regular walking. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 1204-10	1.2	15

193	Sedentary Behavior, Physical Activity, and All-Cause Mortality: Dose-Response and Intensity Weighted Time-Use Meta-analysis. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1206-1212.e3 ⁵	5.9	15
192	Habitual active transport, TV viewing and weight gain: a four year follow-up study. <i>Preventive Medicine</i> , 2012 , 54, 201-4	4.3	15
191	The behavioural epidemiology of weight control. <i>Australian Journal of Public Health</i> , 1994 , 18, 143-8		15
190	Leaving work to smoke. <i>Addiction</i> , 1997 , 92, 1361-1368	4.6	15
189	Weight-control practices of adults in a rural community. <i>Australian and New Zealand Journal of Public Health</i> , 1998 , 22, 73-9	2.3	15
188	Male involvement in family planning in rural Vietnam: an application of the Transtheoretical Model. <i>Health Education Research</i> , 2003 , 18, 171-80	1.8	15
187	Levels of physical activity for colon cancer prevention compared with generic public health recommendations: population prevalence and sociodemographic correlates. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1000-2	4	15
186	Facilitating transfer and maintenance of fluency in stuttering therapy. <i>The Journal of Speech and Hearing Disorders</i> , 1977 , 42, 65-76		15
185	Do associations of sex, age and education with transport and leisure-time physical activity differ across 17 cities in 12 countries?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 121	8.4	15
184	Too much sitting and dysglycemia: Mechanistic links and implications for obesity. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019 , 4, 42-49	1.7	15
183	Replacing sedentary time with physical activity: effects on health-related quality of life in older Japanese adults. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 240	3	15
182	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. <i>Preventive Medicine</i> , 2018 , 115, 126-133	4.3	15
181	Twelve-Year Television Viewing Time Trajectories and Physical Function in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 1359-1365	1.2	14
180	Perceived neighbourhood environmental attributes and prospective changes in TV viewing time among older Australian adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 50	8.4	14
179	Associations of strength training with impaired glucose metabolism: the AusDiab Study. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 299-303	1.2	14
178	Spousal concordance and reliability of the 'Prudence Score' as a summary of diet and lifestyle. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 320-4	2.3	14
177	Translation from research to practice: community dissemination of a telephone-delivered physical activity and dietary behavior change intervention. <i>American Journal of Health Promotion</i> , 2012 , 26, 253-9 ^{2.5}		14
176	Strategic initiatives to promote participation in physical activity. <i>Health Promotion International</i> , 1996 , 11, 213-218	3	14

175	The Effect of Adding Telephone Contact to Self-Instructional Smoking-Cessation Materials. <i>Behaviour Change</i> , 1992 , 9, 216-222	1.1	14
174	Habitual physical activity levels predict treatment outcomes in depressed adults: A prospective cohort study. <i>Preventive Medicine</i> , 2016 , 88, 53-8	4.3	14
173	Walk Score [®] and Japanese adults' physically-active and sedentary behaviors. <i>Cities</i> , 2018 , 74, 151-155	5.6	13
172	Social cognitive correlates of young adult sport competitors' sunscreen use. <i>Health Education and Behavior</i> , 2011 , 38, 6-14	4.2	13
171	Unprotected eyes in squash: not seeing the risk of injury. <i>Journal of Science and Medicine in Sport</i> , 2005 , 8, 92-100	4.4	13
170	Individual, Psychosocial, and environmental correlates of 4-year declines in walking among middle-to-older aged adults. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 1078-84	2.5	12
169	Physical activity, family history of diabetes and risk of developing hyperglycaemia and diabetes among adults in Mainland China. <i>Diabetic Medicine</i> , 2012 , 29, 593-9	3.5	12
168	Results from the dissemination of an evidence-based telephone-delivered intervention for healthy lifestyle and weight loss: the Optimal Health Program. <i>Translational Behavioral Medicine</i> , 2013 , 3, 340-50 ^{3.2}		12
167	Joint associations of poor diet quality and prolonged television viewing time with abnormal glucose metabolism in Australian men and women. <i>Preventive Medicine</i> , 2013 , 57, 471-6	4.3	12
166	Behaviourally-based principles as guidelines for health promotion. <i>Community Health Studies</i> , 1985 , 9, 131-8		12
165	Smoking reduction and cessation among young adult women: a 7-year prospective analysis. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 1457-66	4.9	12
164	Knowledge, beliefs and attitudes of squash venue operators relating to use of protective eyewear. <i>International Journal of Injury Control and Safety Promotion</i> , 2004 , 11, 47-53		12
163	Piloting the feasibility and effectiveness of print- and telephone-mediated interventions for promoting the adoption of physical activity in Australian adults. <i>Journal of Science and Medicine in Sport</i> , 2005 , 8, 134-42	4.4	12
162	Exercise persistence: Contributions of psychology to the promotion of regular physical activity. <i>Australian Psychologist</i> , 1986 , 21, 427-466	1.7	12
161	Psychology, public health, and cigarette smoking. <i>Australian Psychologist</i> , 1988 , 23, 137-152	1.7	12
160	Associations of neighborhood walkability with intensity- and bout-specific physical activity and sedentary behavior of older adults in Japan. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 861-867	2.9	11
159	Joint associations of physical activity and hypertension with the development of type 2 diabetes among urban men and women in Mainland China. <i>PLoS ONE</i> , 2014 , 9, e88719	3.7	11
158	Associations of physical activity and television viewing time with retinal vascular caliber in a multiethnic Asian population 2011 , 52, 6522-8		11

157	Approaches to promoting more widespread participation in physical activity. <i>Community Health Studies</i> , 1988 , 12, 339-47		11
156	Gender, Age, and Educational-Attainment Differences in Australian Adults' Participation in Vigorous Sporting and Fitness Activities. <i>Journal of Physical Activity and Health</i> , 2004 , 1, 377-388	2.5	11
155	Do squash players accurately report use of appropriate protective eyewear?. <i>Journal of Science and Medicine in Sport</i> , 2005 , 8, 352-6	4.4	11
154	Predicting Australian adolescents' intentions to minimize sun exposure. <i>Psychology and Health</i> , 1998 , 13, 111-119	2.9	11
153	Behavioral intervention studies and behavioral epidemiology research to improve smoking-cessation strategies. <i>Health Education Research</i> , 1989 , 4, 145-153	1.8	11
152	Prospective relationships of mentally passive sedentary behaviors with depression: Mediation by sleep problems. <i>Journal of Affective Disorders</i> , 2020 , 265, 538-544	6.6	11
151	Relationships of sun-protection habit strength with sunscreen use during outdoor sport and physical activity. <i>International Journal of Environmental Research and Public Health</i> , 2012 , 9, 916-23	4.6	10
150	Sedentary versus inactive: distinctions for disease prevention. <i>Nature Reviews Cardiology</i> , 2010 , 7, doi:10.1083/nrcardio.2010.68-c1; author reply doi:	14.8	10
149	Reliability of a measure of prediagnosis physical activity for cancer survivors. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 715-9	1.2	10
148	Introduction. Interactive health communication in preventive medicine. <i>American Journal of Preventive Medicine</i> , 2000 , 19, 111-2	6.1	10
147	Community cholesterol screenings: the impact of follow-up letters and incentives on retest rates and biometric changes in follow-up screenings. <i>American Journal of Health Promotion</i> , 1990 , 5, 58-61	2.5	10
146	What strategies do desk-based workers choose to reduce sitting time and how well do they work? Findings from a cluster randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 98	8.4	10
145	Acute effects of active breaks during prolonged sitting on subcutaneous adipose tissue gene expression: an ancillary analysis of a randomised controlled trial. <i>Scientific Reports</i> , 2019 , 9, 3847	4.9	9
144	Walkable area within which destinations matter: differences between Australian and Japanese cities. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP2757-63	2	9
143	Associations of office workers' objectively assessed occupational sitting, standing and stepping time with musculoskeletal symptoms. <i>Ergonomics</i> , 2018 , 61, 1187-1195	2.9	9
142	Associations of Perceived and Objectively Measured Neighborhood Environmental Attributes With Leisure-Time Sitting for Transport. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 1372-1377	2.5	9
141	Associations of neighbourhood walkability indices with weight gain. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 33	8.4	9
140	Influence of Socioeconomic Status on the Effectiveness of Dietary Counselling in Healthy Volunteers. <i>Journal of Nutrition Education and Behavior</i> , 1997 , 29, 27-35		9

139	The implications of genetic susceptibility for the prevention of colorectal cancer: a qualitative study of older adults' understanding. <i>Public Health Genomics</i> , 2008 , 11, 283-8		9
138	Motivational readiness for active commuting by university students: incentives and barriers. <i>Health Promotion Journal of Australia</i> , 2008 , 19, 210-5	1.7	9
137	Preventive care in general practice in Australia: a public health perspective. <i>Patient Education and Counseling</i> , 1995 , 25, 305-10	3.1	9
136	Current status of sport psychology. <i>Australian Psychologist</i> , 1987 , 22, 63-76	1.7	9
135	A cluster randomized controlled trial to reduce office workers' sitting time: effect on productivity outcomes. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 483-492	4.3	9
134	Objectively Assessing Walkability of Local Communities: Using GIS to Identify the Relevant Environmental Attributes 2007 , 91-104		9
133	Prolonged uninterrupted sitting increases fatigue in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 135, 128-133	7.4	9
132	Domain-specific physical activity and the risk of colorectal cancer: results from the Melbourne Collaborative Cohort Study. <i>BMC Cancer</i> , 2018 , 18, 1063	4.8	9
131	Determining thresholds for spatial urban design and transport features that support walking to create healthy and sustainable cities: findings from the IPEN Adult study.. <i>The Lancet Global Health</i> , 2022 , 10, e895-e906	13.6	9
130	Local-Area Walkability and Socioeconomic Disparities of Cardiovascular Disease Mortality in Japan. <i>Journal of the American Heart Association</i> , 2020 , 9, e016152	6	8
129	Retirement Health and Lifestyle Study: Australian Neighborhood Environments and Physical Activity in Older Adults. <i>Environment and Behavior</i> , 2018 , 50, 426-453	5.6	8
128	Is measurement error altered by participation in a physical activity intervention?. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1004-11	1.2	8
127	Are barriers to physical activity similar for adults with and without abnormal glucose metabolism?. <i>The Diabetes Educator</i> , 2010 , 36, 495-502	2.5	8
126	Use of benzodiazepines among residents of aged-care accommodation. <i>Community Health Studies</i> , 1988 , 12, 394-9		8
125	Smoking-related beliefs and behaviour of South Australians with diabetes. <i>Australian Journal of Public Health</i> , 1995 , 19, 309-12		8
124	New techniques and issues in assessing walking behavior and its contexts. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, S574-83	1.2	8
123	Promoting reduced smoking rates in the context of workplace smoking bans. <i>American Journal of Health Promotion</i> , 1999 , 14, 1-3, ii	2.5	8
122	Pilot study of the effects of a workplace smoking ban on indices of smoking, cigarette craving, stress and other health behaviours. <i>Psychology and Health</i> , 1993 , 8, 223-229	2.9	8

121	Regulatory influences on health-related behaviours: The case of workplace smoking-bans. <i>Australian Psychologist</i> , 1991 , 26, 188-191	1.7	8
120	Advising patients to stop smoking. <i>Medical Journal of Australia</i> , 1985 , 142, 176-178	4	8
119	A National Strategy for Promoting Physical Activity in Oman: A call for action. <i>Sultan Qaboos University Medical Journal</i> , 2014 , 14, e170-5	0.9	8
118	Supporting Workers to Sit Less and Move More Through the Web-Based BeUpstanding Program: Protocol for a Single-Arm, Repeated Measures Implementation Study. <i>JMIR Research Protocols</i> , 2020 , 9, e15756	2	8
117	Acute effects of interrupting prolonged sitting on vascular function in type 2 diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021 , 320, H393-H403	5.2	8
116	Joint associations of smoking and television viewing time on cancer and cardiovascular disease mortality. <i>International Journal of Cancer</i> , 2017 , 140, 1538-1544	7.5	7
115	Interrupting Sitting Time with Simple Resistance Activities Lowers Postprandial Insulinemia in Adults with Overweight or Obesity. <i>Obesity</i> , 2019 , 27, 1428-1433	8	7
114	Distances walked to and from local destinations: Age-related variations and implications for determining buffer sizes. <i>Journal of Transport and Health</i> , 2019 , 15, 100621	3	7
113	Joint impact of physical activity and family history on the development of diabetes among urban adults in Mainland China: a pooled analysis of community-based prospective cohort studies. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP372-81	2	7
112	Dietary behaviours of volunteers for a nutrition education program, compared with a population sample. <i>Australian Journal of Public Health</i> , 1995 , 19, 64-9		7
111	Educational and environmental interventions for cardiovascular health promotion in socially disadvantaged primary schools. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 188-94	2.3	7
110	Population versus Clinical Perspectives on Smoking Behaviour. <i>Behaviour Change</i> , 1990 , 7, 120-125	1.1	7
109	Health psychology in australia. <i>Psychology and Health</i> , 1990 , 4, 73-81	2.9	7
108	Applying GIS in Physical Activity Research: Community Walkability and Walking Behaviors. <i>Lecture Notes in Geoinformation and Cartography</i> , 2007 , 72-89	0.3	7
107	Hypertension, white-coat hypertension and masked hypertension in Australia: findings from the Australian Diabetes, Obesity, and Lifestyle Study 3. <i>Journal of Hypertension</i> , 2019 , 37, 1615-1623	1.9	7
106	Between-meal sucrose-sweetened beverage consumption impairs glycaemia and lipid metabolism during prolonged sitting: A randomized controlled trial. <i>Clinical Nutrition</i> , 2019 , 38, 1536-1543	5.9	7
105	Changes in physical activity and sedentary behavior associated with an exercise intervention in depressed adults. <i>Psychology of Sport and Exercise</i> , 2017 , 30, 10-18	4.2	6
104	Television Viewing Time and Inflammatory-Related Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 2040-2047	1.2	6

103	Combined effects of continuous exercise and intermittent active interruptions to prolonged sitting on postprandial glucose, insulin, and triglycerides in adults with obesity: a randomized crossover trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 152	8.4	6
102	Models for Understanding Sedentary Behaviour. <i>Springer Series on Epidemiology and Public Health</i> , 2018 , 381-403	0.4	6
101	Urban Densification and 12-Year Changes in Cardiovascular Risk Markers. <i>Journal of the American Heart Association</i> , 2019 , 8, e013199	6	6
100	Self-help smoking cessation materials. <i>Australian Journal of Public Health</i> , 1992 , 16, 188-91		6
99	Cigarette Smoking is Negatively Associated with Family Average Income Among Urban and Rural Men in Regional Mainland China. <i>International Journal of Mental Health and Addiction</i> , 2007 , 5, 17-23	8.8	6
98	Neighborhood and Individual Socio-Economic Variations in the Contribution of Occupational Physical Activity to Total Physical Activity. <i>Journal of Physical Activity and Health</i> , 2006 , 3, 179-190	2.5	6
97	Predictors of men's acceptance of modern contraceptive practice: study in rural Vietnam. <i>Health Education and Behavior</i> , 2005 , 32, 738-50	4.2	6
96	Australia: perspectives in school health. <i>Journal of School Health</i> , 1990 , 60, 301-7	2.1	6
95	Issues in Changing Behaviour to Promote Health. <i>Behaviour Change</i> , 1986 , 3, 150-157	1.1	6
94	Validity of a simplified measure of participation in vigorous physical activity. <i>Medical Journal of Australia</i> , 1988 , 148, 600	4	6
93	Behavioural Medicine: Research and Development in Disease Prevention. <i>Behaviour Change</i> , 1989 , 6, 3-11	1.1	6
92	Sitting at work & waist circumference-A cross-sectional study of Australian workers. <i>Preventive Medicine</i> , 2020 , 141, 106243	4.3	6
91	Car use and cardiovascular disease risk: Systematic review and implications for transport research. <i>Journal of Transport and Health</i> , 2020 , 19, 100930	3	6
90	Office spatial design attributes, sitting, and face-to-face interactions: Systematic review and research agenda. <i>Building and Environment</i> , 2021 , 187, 107426	6.5	6
89	Pre-existing low-back symptoms impact adversely on sitting time reduction in office workers. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 609-618	3.2	5
88	Sedentary Behavior and Health: Broadening the Knowledge Base and Strengthening the Science. <i>Research Quarterly for Exercise and Sport</i> , 2017 , 88, 123-129	1.9	5
87	Associations of local-area walkability with disparities in residents' walking and car use. <i>Preventive Medicine</i> , 2019 , 120, 126-130	4.3	5
86	Associations of built environment and proximity of food outlets with weight status: Analysis from 14 cities in 10 countries. <i>Preventive Medicine</i> , 2019 , 129, 105874	4.3	5

85	Descriptive Epidemiology of Sitting Time in Omani Men and Women: A Known Risk Factor for Non-Communicable Diseases. <i>Oman Medical Journal</i> , 2017 , 32, 233-239	1.4	5
84	Physical activity initiatives for male factory workers: gatekeepers' perceptions of potential motivators and barriers. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 505-10	2.3	5
83	A perspective on the behavioural epidemiology, the determinants, and the stages of exercise involvement. <i>Australian Psychologist</i> , 1995 , 30, 135-140	1.7	5
82	Community exercise programs: follow-up difficulty and outcome. <i>Journal of Behavioral Medicine</i> , 1986 , 9, 111-7	3.6	5
81	Musculoskeletal pain and sedentary behaviour in occupational and non-occupational settings: a systematic review with meta-analysis.. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 159	8.4	5
80	Rise and Recharge: Effects on Activity Outcomes of an e-Health Smartphone Intervention to Reduce Office Workers' Sitting Time. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
79	Sedentary behaviour, physical activity, and renal function in older adults: isothermal substitution modelling. <i>BMC Nephrology</i> , 2020 , 21, 211	2.7	4
78	Physical Activity and Sedentary Behavior 6Months After Musculoskeletal Trauma: What Factors Predict Recovery?. <i>Physical Therapy</i> , 2020 , 100, 332-345	3.3	4
77	Perceived Availability of Office Shared Spaces and Workplace Sitting: Moderation by Organizational Norms and Behavioral Autonomy. <i>Environment and Behavior</i> , 2019 , 51, 856-878	5.6	4
76	Television viewing time is associated with overweight/obesity among older adults, independent of meeting physical activity and health guidelines: reply to Stabler and colleagues. <i>Journal of Epidemiology</i> , 2013 , 23, 398	3.4	4
75	HIV infection among male prisoners in South Australia, 1989 to 1994. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 572-6	2.3	4
74	How to: Organize and Conduct Joint and Integrated Teaching. <i>Medical Teacher</i> , 1982 , 4, 47-55	3	4
73	Sedentary behaviour and physical activity patterns in adults with traumatic limb fracture. <i>AIMS Medical Science</i> , 2019 , 6, 1-12	0.4	4
72	Designing for the Dissemination of Environmental and Policy Initiatives and Programs for High-Risk Groups 2012 , 114-127		4
71	A quantitative bias analysis to estimate measurement error-related attenuation of the association between self-reported physical activity and colorectal cancer risk. <i>International Journal of Epidemiology</i> , 2020 , 49, 153-161	7.8	4
70	Understanding and Influencing Occupational Sedentary Behavior: A Mixed-Methods Approach in a Multiethnic Asian Population. <i>Health Education and Behavior</i> , 2020 , 47, 419-429	4.2	4
69	Workplace neighbourhood built environment and workers' physically-active and sedentary behaviour: a systematic review of observational studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 148	8.4	4
68	Temporal features of sitting, standing and stepping changes in a cluster-randomised controlled trial of a workplace sitting-reduction intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 111	8.4	4

67	Older Adults' Daily Step Counts and Time in Sedentary Behavior and Different Intensities of Physical Activity. <i>Journal of Epidemiology</i> , 2021 , 31, 350-355	3.4	4
66	Calibration of the Active Australia questionnaire and application to a logistic regression model. <i>Journal of Science and Medicine in Sport</i> , 2021 , 24, 474-480	4.4	4
65	Active Aging and Public Health: Evidence, Implications, and Opportunities.. <i>Annual Review of Public Health</i> , 2021 ,	20.6	4
64	Standing up to the cardiometabolic consequences of hematological cancers. <i>Blood Reviews</i> , 2018 , 32, 349-360	11.1	3
63	Test-retest reliability of the Physical Activity Neighborhood Environment Scale among school students in China. <i>Public Health</i> , 2016 , 130, 91-4	4	3
62	Smoking behaviours and beliefs of older Australians. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 603-6	2.3	3
61	Social and behavioural dimensions of community health: An introductory course on psychology in health care settings. <i>Australian Psychologist</i> , 1980 , 15, 169-180	1.7	3
60	Reliability of a multi-domain sedentary behaviour questionnaire and comparability to an overall sitting time estimate. <i>Journal of Sports Sciences</i> , 2020 , 38, 351-356	3.6	3
59	Associations of Device-Measured Sitting, Standing, and Stepping Time With Informal Face-to-Face Interactions at Work. <i>Journal of Occupational and Environmental Medicine</i> , 2019 , 61, 431-436	2	3
58	Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. <i>Experimental Gerontology</i> , 2021 , 143, 111149	4.5	3
57	Start with reducing sedentary behavior: A stepwise approach to physical activity counseling in clinical practice. <i>Patient Education and Counseling</i> , 2021 ,	3.1	3
56	Associations of park features with park use and park-based physical activity in an urban environment in Asia: A cross-sectional study.. <i>Health and Place</i> , 2022 , 75, 102790	4.6	3
55	Stages of readiness to quit smoking: population prevalence and correlates. <i>Health Psychology</i> , 1992 , 11, 413-7	5	3
54	Population density is beneficially associated with 12-year diabetes risk marker change among residents of lower socio-economic neighborhoods. <i>Health and Place</i> , 2019 , 57, 74-81	4.6	2
53	Arriba por la Vida Estudio (AVE): Study protocol for a standing intervention targeting postmenopausal Latinas. <i>Contemporary Clinical Trials</i> , 2019 , 79, 66-72	2.3	2
52	Discussion of How to Have Sustainable Transportation without Making People Drive Less or Give Up Suburban Living by Mark Delucchi and Kenneth S. Kurani. <i>Journal of the Urban Planning and Development Division, ASCE</i> , 2016 , 142, 07016001	2.2	2
51	Correlates of Omani adults' physical inactivity and sitting time [Corrigendum. <i>Public Health Nutrition</i> , 2012 , 15, 2164-2164	3.3	2
50	Commentary: behavioural medicine. <i>Community Health Studies</i> , 1983 , 7, 85-91		2

49	Community Capacity Building for Health Promotion: Lessons from a Regional Australian Initiative. <i>Australian Journal of Primary Health</i> , 2007 , 13, 22	1.4	2
48	AIDS prevention: Epidemiologic and behavioural perspectives. <i>Australian Psychologist</i> , 1991 , 26, 11-17	1.7	2
47	Perspectives on the management of type II diabetes. <i>Australian Psychologist</i> , 1992 , 27, 99-102	1.7	2
46	Do Operant Treatments of Chronic Pain Adhere to Precepts of Behavioural Analysis?. <i>Behavioural and Cognitive Psychotherapy</i> , 1988 , 16, 153-164	2.1	2
45	Impact on adolescent mental health of replacing screen-use with exercise: A prospective cohort study.. <i>Journal of Affective Disorders</i> , 2022 , 301, 240-247	6.6	2
44	Acute cardiometabolic effects of brief active breaks in sitting for patients with rheumatoid arthritis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021 , 321, E782-E794	6	2
43	Descriptive epidemiology of high TV-viewing time in Brazilian adults. <i>Revista Brasileira De Atividade Física E Saúde</i> , 2023 , 23, 1-6		2
42	Physical inactivity and other health risks among Australian males in less-skilled occupations. <i>Journal of Occupational and Environmental Medicine</i> , 1999 , 41, 794-8	2	2
41	Diurnal patterns of objectively measured sedentary time and interruptions to sedentary time are associated with glycaemic indices in type 2 diabetes. <i>Journal of Science and Medicine in Sport</i> , 2020 , 23, 1074-1079	4.4	2
40	Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. <i>BMC Public Health</i> , 2020 , 20, 1248	4.1	2
39	Frequency of Interruptions to Sitting Time: Benefits for Postprandial Metabolism in Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 1254-1263	14.6	2
38	Are Neighborhood Environmental Attributes More Important for Older Than for Younger Adults' Walking? Testing Effect Modification by Age. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 354-359	1.6	2
37	Associations of built environment attributes with bicycle use for transport. <i>Environment and Planning B: Urban Analytics and City Science</i> , 2020 , 47, 1745-1757	2	2
36	Associations of older adults' excursions from home with health-related physical activity and sedentary behavior. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 92, 104276	4	2
35	Response to Letters Regarding Article, Television Viewing Time and Mortality: The Australian Diabetes, Obesity and Lifestyle Study (AusDiab) <i>Circulation</i> , 2010 , 122,	16.7	1
34	Strengthening health promotion in the community health sector. <i>Community Health Studies</i> , 1986 , 10, 438-43		1
33	Physical activity and population health. <i>Journal of Science and Medicine in Sport</i> , 2006 , 9, 209-10	4.4	1
32	Physical activity and health 2001 , 155-161		1

31	The research and development agenda for cancer prevention and education in Australia. <i>Asia-Pacific Journal of Public Health</i> , 1991 , 5, 249-55	2	1
30	Self-Help Books in Behavioural Sport Psychology. <i>Behaviour Change</i> , 1986 , 3, 127-134	1.1	1
29	Mortality Effects of Hypothetical Interventions on Physical Activity and TV Viewing. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 316-323	1.2	1
28	Contrasting compositions of sitting, standing, stepping, and sleeping time: associations with glycaemic outcome by diabetes risk. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 155	8.4	1
27	How supportive are workplace environments for sitting less and moving more? A descriptive study of Australian workplaces participating in the BeUpstanding program.. <i>Preventive Medicine Reports</i> , 2021 , 24, 101616	2.6	1
26	Protocol for a randomized controlled trial of sitting reduction to improve cardiometabolic health in older adults. <i>Contemporary Clinical Trials</i> , 2021 , 111, 106593	2.3	1
25	Agreement between the International Physical Activity Questionnaire and Accelerometry in Adults with Orthopaedic Injury. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
24	The association of TV viewing time with 2-hour plasma glucose is modified by a prudent dietary pattern. <i>Journal of Diabetes</i> , 2021 , 13, 661-671	3.8	1
23	Associations of Vigorous Gardening With Cardiometabolic Risk Markers for Middle-Aged and Older Adults. <i>Journal of Aging and Physical Activity</i> , 2021 , 1-7	1.6	1
22	Sugar sweetened beverages and increasing prevalence of type 2 diabetes in the Indigenous community of Australia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2825-2830	4.5	1
21	Active Transport, the Built Environment, and Human Health. <i>Springer Optimization and Its Applications</i> , 2012 , 43-65	0.4	1
20	Sitting less and moving more for improved metabolic and brain health in type 2 diabetes: 'OPTIMISE your health' trial protocol.. <i>BMC Public Health</i> , 2022 , 22, 929	4.1	1
19	Neighbourhood walkability and dietary attributes: effect modification by area-level socio-economic status.. <i>Public Health Nutrition</i> , 2022 , 1-18	3.3	1
18	Workplace neighbourhood built-environment attributes and sitting at work and for transport among Japanese desk-based workers.. <i>Scientific Reports</i> , 2022 , 12, 195	4.9	0
17	Prevalence of physically active and sedentary travel in a regional area of Japan: Geographic and demographic variations. <i>Journal of Transport and Health</i> , 2022 , 24, 101318	3	0
16	Urban Densification and Physical Activity Change: A 12-Year Longitudinal Study of Australian Adults. <i>American Journal of Epidemiology</i> , 2021 , 190, 2116-2123	3.8	0
15	Variations between major and regional Australian cities in physically active and sedentary travel behaviors. <i>Cities</i> , 2021 , 114, 103200	5.6	0
14	Different frequencies of active interruptions to sitting have distinct effects on 22h glycemic control in type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2969-2978	4.5	0

13	The Associations of COVID-19 Lockdown Restrictions With Longer-Term Activity Levels of Working Adults With Type 2 Diabetes: Cohort Study.. <i>JMIR Diabetes</i> , 2022 , 7, e36181	2.7	0
12	Author response. <i>American Journal of Preventive Medicine</i> , 2013 , 45, e2	6.1	
11	Response to Catania and Dolcini. <i>Annals of Behavioral Medicine</i> , 2002 , 24, 79-79	4.5	
10	Health Promotion: Perspectives on Physical Activity and Weight Control 1998 , 675-689		
9	Preventing Substance Abuse among Children and Adolescents Jean E. Rhodes and Leonard A. Jason New York: Pergamon, 1988, 146pp., hard cover 12.95. <i>Behaviour Change</i> , 1990 , 7, 90-90	1.1	
8	Assessment of Addictive Behaviours, Dennis M. Donovan & G. Alan Marlatt (Editors), New York: Guilford Press, 1989, 497pp. hard cover, \$A74.90.. <i>Behaviour Change</i> , 1991 , 8, 45-46	1.1	
7	The Nature of Drug Dependence, Griffith Edwards & Malcolm Lader (Editors) Oxford: Oxford University Press, 1990, 240pp., \$97.50 hard cover.. <i>Behaviour Change</i> , 1991 , 8, 43-43	1.1	
6	Response depression and facilitation components of the frustration effect in children's behavior. <i>Journal of Experimental Child Psychology</i> , 1972 , 13, 478-87	2.3	
5	Relating physical activity to health status, social connections and community facilities. <i>Australian and New Zealand Journal of Public Health</i> , 1977 , 21, 631-637	2.3	
4	Low-carbon built environments and cardiometabolic health: a systematic review of Australian studies. <i>Cities and Health</i> , 1-14	2.8	
3	Interrupting Sitting Time in Postmenopausal Women: Protocol for the Rise for Health Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021 , 10, e28684	2	
2	Descriptive Epidemiology of Interruptions to Free-Living Sitting Time in Middle-Age and Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 2503-2511	1.2	
1	Letter to the Editor. <i>Current Sports Medicine Reports</i> , 2019 , 18, 421-422	1.9	