

Cecile Alanio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8514991/publications.pdf>

Version: 2024-02-01

32
papers

4,670
citations

331259

21
h-index

433756

31
g-index

41
all docs

41
docs citations

41
times ranked

11485
citing authors

#	ARTICLE	IF	CITATIONS
1	Pembrolizumab for B-cell lymphomas relapsing after or refractory to CD19-directed CAR T-cell therapy. <i>Blood</i> , 2022, 139, 1026-1038.	0.6	67
2	Cytomegalovirus Latent Infection is Associated with an Increased Risk of COVID-19-Related Hospitalization. <i>Journal of Infectious Diseases</i> , 2022, 226, 463-473.	1.9	39
3	Primary immune responses are negatively impacted by persistent herpesvirus infections in older people: results from an observational study on healthy subjects and a vaccination trial on subjects aged more than 70 years old. <i>EBioMedicine</i> , 2022, 76, 103852.	2.7	17
4	Decade-long leukaemia remissions with persistence of CD4+ CAR T cells. <i>Nature</i> , 2022, 602, 503-509.	13.7	369
5	Signaling Through Fc γ RIIA and the C5a-C5aR Pathway Mediate Platelet Hyperactivation in COVID-19. <i>Frontiers in Immunology</i> , 2022, 13, 834988.	2.2	26
6	Immunologic Features in <i>De Novo</i> and Recurrent Glioblastoma Are Associated with Survival Outcomes. <i>Cancer Immunology Research</i> , 2022, 10, 800-810.	1.6	9
7	Sotigalimab and/or nivolumab with chemotherapy in first-line metastatic pancreatic cancer: clinical and immunologic analyses from the randomized phase 2 PRINCE trial. <i>Nature Medicine</i> , 2022, 28, 1167-1177.	15.2	112
8	CD40 agonistic monoclonal antibody APX005M (sotigalimab) and chemotherapy, with or without nivolumab, for the treatment of metastatic pancreatic adenocarcinoma: an open-label, multicentre, phase 1b study. <i>Lancet Oncology</i> , The, 2021, 22, 118-131.	5.1	177
9	Deep immune profiling of MIS-C demonstrates marked but transient immune activation compared with adult and pediatric COVID-19. <i>Science Immunology</i> , 2021, 6, .	5.6	152
10	Seasonal human coronavirus antibodies are boosted upon SARS-CoV-2 infection but not associated with protection. <i>Cell</i> , 2021, 184, 1858-1864.e10.	13.5	332
11	CD8+ T cells contribute to survival in patients with COVID-19 and hematologic cancer. <i>Nature Medicine</i> , 2021, 27, 1280-1289.	15.2	365
12	Vaccine-induced ICOS+CD38+ circulating Tfh are sensitive biosensors of age-related changes in inflammatory pathways. <i>Cell Reports Medicine</i> , 2021, 2, 100262.	3.3	26
13	Neoadjuvant Selicrelumab, an Agonist CD40 Antibody, Induces Changes in the Tumor Microenvironment in Patients with Resectable Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 4574-4586.	3.2	82
14	Subsetting the subsets: Heterogeneity and developmental relationships of T cells in human tumors. <i>Science Immunology</i> , 2021, 6, .	5.6	3
15	Abstract CT005: T cell inflammation in the tumor microenvironment after agonist CD40 antibody: Clinical and translational results of a neoadjuvant clinical trial. , 2021, , .		0
16	Decade-Long Remissions of Leukemia Sustained By the Persistence of Activated CD4+ CAR T-Cells. <i>Blood</i> , 2021, 138, 166-166.	0.6	2
17	Deep immune profiling of COVID-19 patients reveals distinct immunotypes with therapeutic implications. <i>Science</i> , 2020, 369, .	6.0	1,280
18	Exploration of T-Cell Diversity Using Mass Cytometry. <i>Methods in Molecular Biology</i> , 2020, 2111, 1-20.	0.4	4

#	ARTICLE	IF	CITATIONS
19	A comprehensive assessment of demographic, environmental, and host genetic associations with gut microbiome diversity in healthy individuals. <i>Microbiome</i> , 2019, 7, 130.	4.9	101
20	Natural variation in the parameters of innate immune cells is preferentially driven by genetic factors. <i>Nature Immunology</i> , 2018, 19, 302-314.	7.0	205
21	CXCR3/CXCL10 Axis Shapes Tissue Distribution of Memory Phenotype CD8+ T Cells in Nonimmunized Mice. <i>Journal of Immunology</i> , 2018, 200, 139-146.	0.4	23
22	Human thymopoiesis is influenced by a common genetic variant within the <i>TCRA-TCRD</i> locus. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	33
23	Human genetic variants and age are the strongest predictors of humoral immune responses to common pathogens and vaccines. <i>Genome Medicine</i> , 2018, 10, 59.	3.6	113
24	Hepatitis E virus-induced primary cutaneous CD30(+) T cell lymphoproliferative disorder. <i>Journal of Hepatology</i> , 2017, 67, 1334-1339.	1.8	32
25	Regression of a CD30-Positive Primary Cutaneous T-Cell Lymphoproliferation after Ribavirin Treatment of Chronic Hepatitis E Virus Infection. <i>Blood</i> , 2016, 128, 4898-4898.	0.6	0
26	The Milieu Intérieur study – An integrative approach for study of human immunological variance. <i>Clinical Immunology</i> , 2015, 157, 277-293.	1.4	71
27	Bystander hyperactivation of preimmune CD8+ T cells in chronic HCV patients. <i>ELife</i> , 2015, 4, .	2.8	63
28	PD-1-Expressing Tumor-Infiltrating T Cells Are a Favorable Prognostic Biomarker in HPV-Associated Head and Neck Cancer. <i>Cancer Research</i> , 2013, 73, 128-138.	0.4	554
29	Tracking Antigen-Specific CD8+ T Cells Using MHC Class I Multimers. <i>Methods in Molecular Biology</i> , 2013, 960, 309-326.	0.4	2
30	Enumeration of human antigen-specific naive CD8+ T cells reveals conserved precursor frequencies. <i>Blood</i> , 2010, 115, 3718-3725.	0.6	155
31	Association between myeloid malignancies and acquired deficit in protein 4.1R: A retrospective analysis of six patients. <i>American Journal of Hematology</i> , 2008, 83, 275-278.	2.0	17
32	Modulation of Macrophage Activation State Protects Tissue from Necrosis during Critical Limb Ischemia in Thrombospondin-1-Deficient Mice. <i>PLoS ONE</i> , 2008, 3, e3950.	1.1	64