

Colette M Mcdonagh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8515545/colette-m-mcdonagh-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,478
citations

34
h-index

65
g-index

121
ext. papers

4,877
ext. citations

5.4
avg, IF

5.39
L-index

#	Paper	IF	Citations
113	Hybrid Sol-Gel Materials for Optical Sensing Applications. <i>World Scientific Series in Nanoscience and Nanotechnology</i> , 2019 , 37-90	0.1	
112	Incorporating asymmetric PCR and microarray hybridization protocols onto an integrated microfluidic device, screening for the Escherichia coli ssrA gene. <i>Sensors and Actuators B: Chemical</i> , 2018 , 261, 325-334	8.5	6
111	Optical Sensor for Real-Time pH Monitoring in Human Tissue. <i>Small</i> , 2018 , 14, e1803627	11	30
110	In situ generation of plasmonic cavities for high sensitivity fluorophore and biomolecule detection. <i>Nanoscale</i> , 2018 , 10, 18555-18564	7.7	1
109	Controlled surface plasmon enhanced fluorescence from 1D gold gratings via azimuth rotations. <i>Methods and Applications in Fluorescence</i> , 2017 , 5, 015004	3.1	2
108	Highly sensitive detection of C-reactive protein using a novel dissolution approach in a dye-doped silica nanoparticle-based fluorescence immunoassay. <i>Analytical Methods</i> , 2017 , 9, 994-1003	3.2	9
107	Cyanine5-doped silica nanoparticles as ultra-bright immunospecific labels for model circulating tumour cells in flow cytometry and microscopy. <i>Biosensors and Bioelectronics</i> , 2017 , 91, 190-198	11.8	21
106	Baking Powder Actuated Centrifugo-Pneumatic Valving for Automation of Multi-Step Bioassays. <i>Micromachines</i> , 2016 , 7,	3.3	10
105	Ultrasensitive microarray bioassays using cyanine5 dye-doped silica nanoparticles. <i>Nanotechnology</i> , 2016 , 27, 465501	3.4	
104	Micro- and nanostructured sol-gel-based materials for optical chemical sensing (2005-2015). <i>Mikrochimica Acta</i> , 2016 , 183, 2085-2109	5.8	32
103	Synthesis and characterisation of far-red fluorescent cyanine dye doped silica nanoparticles using a modified microemulsion method for application in bioassays. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 470-479	8.5	21
102	Development of a multianalyte optical sol-gel biosensor for medical diagnostic. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 96-103	8.5	9
101	Direct spray deposition of silver nanoparticle films for biosensing applications. <i>RSC Advances</i> , 2015 , 5, 62836-62843	3.7	5
100	Investigating the colloidal stability of fluorescent silica nanoparticles under isotonic conditions for biomedical applications. <i>Journal of Colloid and Interface Science</i> , 2015 , 456, 50-8	9.3	18
99	Development of organically modified silica nanoparticles for monitoring the intracellular level of oxygen using a frequency-domain FLIM platform. <i>RSC Advances</i> , 2015 , 5, 36938-36947	3.7	8
98	Multivalent linkers for improved covalent binding of oligonucleotides to dye-doped silica nanoparticles. <i>Nanotechnology</i> , 2015 , 26, 365703	3.4	5
97	Highly sensitive C-reactive protein (CRP) assay using metal-enhanced fluorescence (MEF). <i>Journal of Nanoparticle Research</i> , 2015 , 17, 1	2.3	7

96	An integrated centrifugo-opto-microfluidic platform for arraying, analysis, identification and manipulation of individual cells. <i>Lab on A Chip</i> , 2015 , 15, 378-81	7.2	43
95	Biocompatibility and Bioimaging Application of Carbon Nanoparticles Synthesized by Phosphorus Pentoxide Combustion Method. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-10	3.2	7
94	Optical chemical pH sensors. <i>Analytical Chemistry</i> , 2014 , 86, 15-29	7.8	351
93	Intracellular pH-sensing using core/shell silica nanoparticles. <i>Journal of Biomedical Nanotechnology</i> , 2014 , 10, 1336-45	4	20
92	Dendrimer driven self-assembly of SPR active silver-gold nanohybrids. <i>Langmuir</i> , 2013 , 29, 4430-3	4	8
91	At-line bioprocess monitoring by immunoassay with rotationally controlled serial siphoning and integrated supercritical angle fluorescence optics. <i>Analytica Chimica Acta</i> , 2013 , 781, 54-62	6.6	34
90	Silica nanoparticles for cell imaging and intracellular sensing. <i>Nanotechnology</i> , 2013 , 24, 442002	3.4	77
89	A chemical quenching- and physical blocking-based method to minimize process-mediated aggregation of antibody-crosslinked nanoparticles for imaging application. <i>Analyst, The</i> , 2013 , 138, 6277-81	5.81	4
88	A rapid, topographical platelet activation assay. <i>Analyst, The</i> , 2013 , 138, 4512-8	5	1
87	Mid-infrared Raman sources using spontaneous Raman scattering in germanium core optical fibers. <i>Applied Physics Letters</i> , 2013 , 102, 011111	3.4	12
86	Development of a sol-gel photonic sensor platform for the detection of biofilm formation. <i>Sensors and Actuators B: Chemical</i> , 2013 , 177, 357-363	8.5	7
85	From particle to platelet: optimization of a stable, high brightness fluorescent nanoparticle based cell detection platform. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013 , 9, 540-9	6	9
84	Protein Integrated, Functionally Active Silver Nanoplanar Structures for Enhanced SPR. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 3078-3083	3.8	3
83	Synthesis, tailoring and characterization of silica nanoparticles containing a highly stable ruthenium complex. <i>Nanotechnology</i> , 2013 , 24, 365705	3.4	10
82	High efficiency ring-lens supercritical angle fluorescence (SAF) detection for optimum bioassay performance. <i>Optics Express</i> , 2013 , 21, 22070-5	3.3	2
81	Optical properties of high refractive index thin films processed at low-temperature. <i>Optical Materials</i> , 2012 , 34, 1366-1370	3.3	35
80	Optimization of size, morphology and colloidal stability of fluorescein dye-doped silica NPs for application in immunoassays. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 2807-18	4.4	22
79	. <i>IEEE Sensors Journal</i> , 2012 , 12, 1425-1426	4	8

78	Synthesis and characterization of model silica-gold core-shell nanohybrid systems to demonstrate plasmonic enhancement of fluorescence. <i>Nanotechnology</i> , 2012 , 23, 325603	3.4	8
77	Intracellular sensing and cell diagnostics using fluorescent silica nanoparticles. <i>Soft Matter</i> , 2012 , 8, 2579.6		35
76	Enhanced Fluorescence-Based Optical Sensor Performance Using a Simple Optical Collection Strategy. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 425-427	2.2	1
75	The development and characterisation of novel hybrid sol-gel-derived films for optical pH sensing. <i>Journal of Materials Chemistry</i> , 2012 , 22, 11720		28
74	Graphene-doped photo-patternable ionogels: tuning of conductivity and mechanical stability of 3D microstructures. <i>Journal of Materials Chemistry</i> , 2012 , 22, 10552		20
73	Synthesis and characterization of a Noble metal Enhanced Optical Nanohybrid (NEON): a high brightness detection platform based on a dye-doped silica nanoparticle. <i>Langmuir</i> , 2012 , 28, 8244-50	4	11
72	Inhibition of neuroblastoma tumor growth by targeted delivery of microRNA-34a using anti-disialoganglioside GD2 coated nanoparticles. <i>PLoS ONE</i> , 2012 , 7, e38129	3.7	175
71	Photo-patternable hybrid ionogels for electrochromic applications. <i>Journal of Materials Chemistry</i> , 2011 , 21, 8687		37
70	Dextran-coated silica nanoparticles for calcium-sensing. <i>Analyst, The</i> , 2011 , 136, 1722-7	5	15
69	Sensing Performance of a Refractometric Optical Sensor Platform Based on Multimode Interference Couplers. <i>IEEE Sensors Journal</i> , 2011 , 11, 3269-3275	4	4
68	Demonstration of surface plasmon-coupled emission using solid-state electrochemiluminescence. <i>Chemical Physics Letters</i> , 2011 , 513, 112-117	2.5	8
67	Synthesis, characterisation and functionalisation of luminescent silica nanoparticles. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 6455-6465	2.3	12
66	Development and characterisation of integrated microfluidics on waveguide-based photonic platforms fabricated from hybrid materials. <i>Microfluidics and Nanofluidics</i> , 2011 , 11, 283-296	2.8	6
65	Low loss optical channel waveguides for the infrared range using niobium based hybrid sol-gel material. <i>Optics Communications</i> , 2011 , 284, 2164-2167	2	9
64	Signal enhancement of surface plasmon-coupled emission (SPCE) with the evanescent field of surface plasmons on a bimetallic paraboloid biochip. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3213-8	11.8	27
63	Label-free optical characterization methods for detecting amine silanization-driven gold nanoparticle self-assembly. <i>Langmuir</i> , 2011 , 27, 10421-8	4	5
62	Novel tantalum based photocurable hybrid sol-gel material employed in the fabrication of channel optical waveguides and three-dimensional structures. <i>Applied Surface Science</i> , 2011 , 257, 2995-2999	6.7	5
61	Synthesis and characterization of monodisperse, mesoporous, and magnetic sub-micron particles doped with a near-infrared fluorescent dye. <i>Journal of Solid State Chemistry</i> , 2011 , 184, 1545-1550	3.3	6

60	Application of niobium enriched ormosils as thermally stable coatings for aerospace aluminium alloys. <i>Surface and Coatings Technology</i> , 2011 , 205, 3992-3998	4.4	20
59	Hybrid zirconium sol-gel thin films with high refractive index 2011 ,		2
58	Controlled deposition of sol-gel sensor material using hemiwicking. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 115008	2	15
57	Corrosion Protection Properties of Various Ligand Modified Organic Inorganic Hybrid Coating on AA 2024-T3. <i>ECS Transactions</i> , 2010 , 24, 231-246	1	5
56	Novel multiparametric approach to elucidate the surface amine-silanization reaction profile on fluorescent silica nanoparticles. <i>Langmuir</i> , 2010 , 26, 18125-34	4	27
55	Optimisation of Plasmonic Enhancement of Fluorescence for Optical Biosensor Applications 2010 , 139-160		1
54	Fluorescence lifetime analysis and fluorescence correlation spectroscopy elucidate the internal architecture of fluorescent silica nanoparticles. <i>Langmuir</i> , 2010 , 26, 13741-6	4	24
53	Enhancing the analytical performance of immunoassays that employ metal-enhanced fluorescence. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 396, 1127-34	4.4	39
52	Demonstration of a surface plasmon-coupled emission (SPCE)-based immunoassay in the absence of a spacer layer. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 1947-54	4.4	16
51	Ratiometric fluorescence-based dissolved carbon dioxide sensor for use in environmental monitoring applications. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 398, 1899-907	4.4	19
50	Optical properties of micro-patterned silver nanoparticle substrates. <i>Journal of Fluorescence</i> , 2010 , 20, 215-23	2.4	8
49	Corrosion protection of AA 2024-T3 aluminium alloys using 3, 4-diaminobenzoic acid chelated zirconium silane hybrid sol-gels. <i>Thin Solid Films</i> , 2010 , 518, 5753-5761	2.2	45
48	Fabrication and performance evaluation of highly sensitive hybrid sol-gel-derived oxygen sensor films based on a fluorinated precursor. <i>Analytica Chimica Acta</i> , 2010 , 666, 83-90	6.6	23
47	Surface plasmon-coupled emission (SPCE)-based immunoassay using a novel paraboloid array biochip. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1344-9	11.8	39
46	Effect of organic chelates on the performance of hybrid sol-gel coated AA 2024-T3 aluminium alloys. <i>Progress in Organic Coatings</i> , 2009 , 66, 406-411	4.8	48
45	Experimental and theoretical studies of the optimisation of fluorescence from near-infrared dye-doped silica nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 1143-9	4.4	43
44	High performance optical ratiometric sol-gel-based pH sensor. <i>Sensors and Actuators B: Chemical</i> , 2009 , 139, 208-213	8.5	83
43	Nanoparticle strategies for enhancing the sensitivity of fluorescence-based biochips. <i>Nanomedicine</i> , 2009 , 4, 645-56	5.6	30

42	Synthesis, Stabilization, and Functionalization of Silver Nanoplates for Biosensor Applications. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 16380-16386	3.8	48
41	Optimization of plasmonic enhancement of fluorescence on plastic substrates. <i>Langmuir</i> , 2008 , 24, 11261-7		42
40	Novel hybrid optical sensor materials for in-breath O(2) analysis. <i>Analyst, The</i> , 2008 , 133, 241-7	5	40
39	Experimental and theoretical evaluation of surface plasmon-coupled emission for sensitive fluorescence detection. <i>Journal of Biomedical Optics</i> , 2008 , 13, 054021	3.5	17
38	Optical chemical sensors. <i>Chemical Reviews</i> , 2008 , 108, 400-22	68.1	767
37	Optimization of Nanoparticle Size for Plasmonic Enhancement of Fluorescence. <i>Plasmonics</i> , 2007 , 2, 15-224		101
36	Development of an optical sensor probe for the detection of dissolved carbon dioxide. <i>Sensors and Actuators B: Chemical</i> , 2006 , 119, 288-294	8.5	49
35	A Prospective Study of the Use of the [Os(tpy) ₂] ²⁺ (tpy = 2,2',6'':2'-Terpyridine) Core as Signalling Scaffolding for the Development of Chemical Sensors. <i>European Journal of Inorganic Chemistry</i> , 2006 , 2006, 2647-2655	2.3	15
34	Development of a fluorescence lifetime-based sol-gel humidity sensor. <i>Analytica Chimica Acta</i> , 2006 , 570, 15-20	6.6	28
33	Plasmonic enhancement using core-shell nanoparticles 2005 , 5824, 79		3
32	Development of an integrated optic oxygen sensor using a novel, generic platform. <i>Analyst, The</i> , 2005 , 130, 41-5	5	32
31	Novel polymer platform for enhanced biochip performance 2005 ,		1
30	Novel hybrid sol-gel materials for smart sensor windows 2005 ,		2
29	Development of a multi-analyte integrated optical sensor platform for indoor air-quality monitoring 2005 ,		2
28	Plasmonic enhancement of fluorescence for sensor applications. <i>Sensors and Actuators B: Chemical</i> , 2005 , 107, 148-153	8.5	106
27	Temperature-corrected pressure-sensitive paint measurements for aerodynamic applications 2003 , 4876, 867		
26	Lifetime-based optical sensor for high-level pCO ₂ detection employing fluorescence resonance energy transfer. <i>Analytica Chimica Acta</i> , 2003 , 480, 275-283	6.6	70
25	Optical sensors for application in intelligent food-packaging technology 2003 , 4876, 806		6

24	Enhanced Fluorescence Sensing Using Sol-Gel Materials. <i>Journal of Fluorescence</i> , 2002 , 12, 333-342	2.4	63
23	Temperature-corrected pressure-sensitive paint measurements using a single camera and a dual-lifetime approach. <i>Measurement Science and Technology</i> , 2002 , 13, 1552-1557	2	87
22	Sol-gel based optical carbon dioxide sensor employing dual luminophore referencing for application in food packaging technology. <i>Analyst, The</i> , 2002 , 127, 1478-83	5	152
21	Characterisation of porosity and sensor response times of sol-gel-derived thin films for oxygen sensor applications. <i>Journal of Non-Crystalline Solids</i> , 2002 , 306, 138-148	3.9	115
20	Phase fluorometric dissolved oxygen sensor. <i>Sensors and Actuators B: Chemical</i> , 2001 , 74, 124-130	8.5	145
19	Photophysics of mixed-ligand polypyridyl ruthenium(II) complexes immobilised in silica sol-gel monoliths. <i>Journal of Materials Chemistry</i> , 1997 , 7, 1473-1479		48
18	Dissolved oxygen sensor based on fluorescence quenching of oxygen-sensitive ruthenium complexes immobilized in sol-gel-derived porous silica coatings. <i>Analyst, The</i> , 1996 , 121, 785-788	5	141
17	Quasi-distributed fiber optic chemical sensing using telecom optical fibers 1996 , 2836, 261		
16	Development of a LED-based phase fluorimetric oxygen sensor using evanescent wave excitation of a sol-gel immobilized dye. <i>Sensors and Actuators B: Chemical</i> , 1995 , 29, 226-230	8.5	65
15	Sol-gel coatings for optical chemical sensors and biosensors. <i>Sensors and Actuators B: Chemical</i> , 1995 , 29, 51-57	8.5	148
14	LED-based fibre optic oxygen sensor using sol-gel coating. <i>Electronics Letters</i> , 1994 , 30, 888	1.1	54
13	Ruthenium-doped sol-gel derived silica films: Oxygen sensitivity of optical decay times. <i>Journal of Sol-Gel Science and Technology</i> , 1994 , 2, 513-517	2.3	12
12	Fibre optic chemical sensors based on evanescent wave interactions in sol-gel-derived porous coatings. <i>Journal of Sol-Gel Science and Technology</i> , 1994 , 2, 661-665	2.3	42
11	Development of an intrinsic phase fluorimetric oxygen sensor using a high-intensity blue LED 1994 , 2360, 461		
10	Development of an LED-based fiber optic oxygen sensor using a sol-gel-derived coating 1994 ,		2
9	Fibre optic oxygen sensor based on fluorescence quenching of evanescent-wave excited ruthenium complexes in sol-gel derived porous coatings. <i>Analyst, The</i> , 1993 , 118, 385-388	5	187
8	A structural study of the sol-gel process by optical fluorescence and decay time spectroscopy. <i>Journal of Non-Crystalline Solids</i> , 1991 , 135, 8-14	3.9	81
7	Exchange interactions between Cr ³⁺ ions in magnesium oxide. III. Luminescence and site-selective spectroscopy. <i>Journal of Physics C: Solid State Physics</i> , 1985 , 18, 6419-6426		11

- 6 Circular polarised emission from F and FAcentres in calcium oxide. *Journal of Physics C: Solid State Physics*, **1982**, 15, 4913-4919 3
- 5 Optical detection of magnetic resonance of FAand F centres in CaO:Mg. *Journal of Physics C: Solid State Physics*, **1980**, 13, 5811-5822 11
- 4 Optical detection of magnetic resonance in MgO:Cr³⁺. II. Cr³⁺ions in tetragonal symmetry sites. *Journal of Physics C: Solid State Physics*, **1980**, 13, 3309-3318 14
- 3 Optical detection of magnetic resonance in the vibronic sidebands of R and N lines in MgO:Cr³⁺. *Journal of Physics C: Solid State Physics*, **1980**, 13, 6025-6031 9
- 2 Optical detection of magnetic resonance in MgO:Cr³⁺. I. Octahedral and orthorhombic site symmetries. *Journal of Physics C: Solid State Physics*, **1980**, 13, 2191-2201 11
- 1 On the triplet state of FA(Mg) centres in calcium oxide. *Journal of Physics C: Solid State Physics*, **1978**, 11, L983-L987 11