

DuÅ;an JeliÄ

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8517119/publications.pdf>

Version: 2024-02-01

26
papers

427
citations

840776

11
h-index

794594

19
g-index

28
all docs

28
docs citations

28
times ranked

739
citing authors

#	ARTICLE	IF	CITATIONS
1	Surveying Europe's Only Cave-Dwelling Chordate Species (<i>Proteus anguinus</i>) Using Environmental DNA. PLoS ONE, 2017, 12, e0170945.	2.5	71
2	Length of activity season drives geographic variation in body size of a widely distributed lizard. Ecology and Evolution, 2013, 3, 2424-2442.	1.9	46
3	Contrasting evolutionary histories of the legless lizards slow worms (<i>Anguis</i>) shaped by the topography of the Balkan Peninsula. BMC Evolutionary Biology, 2016, 16, 99.	3.2	46
4	Phylogeography of the <i>Vipera ursinii</i> complex (Viperidae): mitochondrial markers reveal an east-west disjunction in the Palaearctic region. Journal of Biogeography, 2012, 39, 1836-1847.	3.0	44
5	Foraging mode, relative prey size and diet breadth: A phylogenetically explicit analysis of snake feeding ecology. Journal of Animal Ecology, 2019, 88, 757-767.	2.8	39
6	First clinical experiences about the neurotoxic envenomings inflicted by lowland populations of the Balkan adder, <i>Vipera berus bosniensis</i> . NeuroToxicology, 2011, 32, 68-74.	3.0	24
7	First record of the alien invasive species rotan (<i>Perccottus glenii</i> Dybowski, 1877) in Croatia. Journal of Applied Ichthyology, 2011, 27, 146-147.	0.7	20
8	Introduced species community over-dominates endemic ichthyofauna of High Lika Plateau (Central Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	16
9	Variation in the cranium shape of wall lizards (<i>Podarcis</i> spp.): effects of phylogenetic constraints, allometric constraints and ecology. Zoology, 2012, 115, 207-216.	1.2	13
10	First observation of <i>Posthodiplostomum cuticola</i> (Nordmann, 1832) metacercariae in cypriniformes from Croatia. Helminthologia, 2009, 46, 112-116.	0.9	12
11	Increased genetic structuring of isolated <i>Salamandra salamandra</i> populations (Caudata:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Evolutionary Research, 2017, 55, 138-149.	1.4	12
12	Description of a new species of <i>Phoxinus</i> from the upper Krka River (Adriatic Basin) in Croatia (Actinopterygii: Leuciscidae), first discovered as a molecular clade. Journal of Fish Biology, 2020, 96, 378-393.	1.6	10
13	Monitoring health and reproductive status of olms (<i>Proteus anguinus</i>) by ultrasound. PLoS ONE, 2017, 12, e0182209.	2.5	9
14	Population Genetic Analyses Using 10 New Polymorphic Microsatellite Loci Confirms Genetic Subdivision within the Olm, <i>Proteus anguinus</i> . Journal of Heredity, 2019, 110, 211-218.	2.4	9
15	Morphological and genetic differentiation in the anguid lizard <i>Pseudopus apodus</i> supports the existence of an endemic subspecies in the Levant. Vertebrate Zoology, 0, 71, 175-200.	2.0	7
16	New data on the taxonomic status and distribution of <i>Gambusia</i> sp. in Croatia and Bosnia and Herzegovina. Periodicum Biologorum, 2015, 117, 415-424.	0.1	6
17	Description of a new species of <i>Alburnus Rafinesque, 1820</i> (Actinopterygii, Cyprinidae, Leuciscinae) from the Kolpa River in the Sava River system (upper Danube drainage), with remarks on the geographical distribution of shemayas in the Danube. ZooKeys, 2017, 688, 81-110.	1.1	5
18	Molecular data reveal distinct phylogenetic position of <i>Cottus metae</i> , establish its distribution range, and invalidate the species status of <i>C. Âscaturigo</i> . Journal of Zoological Systematics and Evolutionary Research, 2021, 59, 428-441.	1.4	5

#	ARTICLE	IF	CITATIONS
19	Coevolution between MHC Class I and Antigen-Processing Genes in Salamanders. <i>Molecular Biology and Evolution</i> , 2021, 38, 5092-5106.	8.9	5
20	Hybrid swarm as a result of hybridization between two alien and two native water frog species (genus) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i> <i>Invasions</i> , 2022, 24, 3291-3304.	2.4	5
21	<i>Telestes miloradi</i> Bogutskaya, Zupancic, Bogut & Naseka, 2012 and <i>Delminichthys ghetaldii</i> (Steindachner, 1882) re-discovered in Croatia, requiring urgent protection. <i>Journal of Applied Ichthyology</i> , 2015, 31, 1133-1136.	0.7	4
22	Fauna of the Riparian Ecosystems: Amphibians, Reptiles, Birds, and Mammals. <i>Handbook of Environmental Chemistry</i> , 2015, , 401-435.	0.4	3
23	Morphometric characteristics of Alpine salamanders: a support for subspecies validation and conservation?. <i>Amphibia - Reptilia</i> , 2019, 40, 79-89.	0.5	2
24	Distribution of endangered Italian gudgeon <i>Romanogobio benacensis</i> (Cypriniformes, Cyprinidae,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.1	2
25	Threatened Fishes of the World: <i>Telestes Croaticus</i> (Steindachner, 1866) (Cypriniformes: Cyprinidae). <i>Ribarstvo, Croatian Journal of Fisheries</i> , 2017, 75, 25-29.	0.6	2
26	Ecology, Population Density, and Translocation of the Snake-Eyed Skink (&i>Ablepharus) <i>Tj ETQq0 0 0 rgBT /Overlock 1Q Tf 50 462</i>	0.5	1