

Bodil Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8518357/publications.pdf>

Version: 2024-02-01

36
papers

1,031
citations

516710
16
h-index

414414
32
g-index

36
all docs

36
docs citations

36
times ranked

1640
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Prospective Validation of a Low Rectal Cancer Magnetic Resonance Imaging Staging System and Development of a Local Recurrence Risk Stratification Model. <i>Annals of Surgery</i> , 2016, 263, 751-760. | 4.2 | 243 |
| 2 | Can resistance training impact MRI outcomes in relapsing-remitting multiple sclerosis?. <i>Multiple Sclerosis Journal</i> , 2018, 24, 1356-1365. | 3.0 | 85 |
| 3 | Neoadjuvant therapy abolishes the functional benefits of a larger rectal remnant, as measured by magnetic resonance imaging after restorative rectal cancer surgery. <i>European Journal of Surgical Oncology</i> , 2015, 41, 1493-1499. | 1.0 | 81 |
| 4 | Neuromuscular adaptations to long-term progressive resistance training translates to improved functional capacity for people with multiple sclerosis and is maintained at follow-up. <i>Multiple Sclerosis Journal</i> , 2015, 21, 599-611. | 3.0 | 73 |
| 5 | Efficacy of Injection of Freshly Collected Autologous Adipose Tissue Into Perianal Fistulas in Patients With Crohn's Disease. <i>Gastroenterology</i> , 2019, 156, 2208-2216.e1. | 1.3 | 72 |
| 6 | Extracolonic findings at computed tomography colonography are a challenge. <i>Gut</i> , 2003, 52, 1744-1747. | 12.1 | 68 |
| 7 | Extent and completeness of mesorectal excision evaluated by postoperative magnetic resonance imaging. <i>British Journal of Surgery</i> , 2013, 100, 1357-1367. | 0.3 | 56 |
| 8 | Early and Late Outcomes of Surgery for Locally Recurrent Rectal Cancer: A Prospective 10-Year Study in the Total Mesorectal Excision Era. <i>Annals of Surgical Oncology</i> , 2015, 22, 2677-2684. | 1.5 | 41 |
| 9 | Colonoscopy and Multidetector-Array Computed-Tomographic Colonography: Detection Rates and Feasibility. <i>Endoscopy</i> , 2003, 35, 736-742. | 1.8 | 36 |
| 10 | Reproducibility of Depth of Extramural Tumor Spread and Distance to Circumferential Resection Margin at Rectal MRI: Enhancement of Clinical Guidelines for Neoadjuvant Therapy. <i>American Journal of Roentgenology</i> , 2011, 197, 1360-1366. | 2.2 | 32 |
| 11 | Long-term function and morphology of the anal sphincters and the pelvic floor after primary repair of obstetric anal sphincter injury. <i>Colorectal Disease</i> , 2014, 16, O347-55. | 1.4 | 25 |
| 12 | Paravaginal defect: anatomy, clinical findings, and imaging. <i>International Urogynecology Journal</i> , 2017, 28, 661-673. | 1.4 | 24 |
| 13 | Quantitative Tumor Perfusion Imaging with ⁸² Rb PET/CT in Prostate Cancer: Analytic and Clinical Validation. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1059-1065. | 5.0 | 23 |
| 14 | Suboptimal surgery and omission of neoadjuvant therapy for upper rectal cancer is associated with a high risk of local recurrence. <i>Colorectal Disease</i> , 2015, 17, 216-224. | 1.4 | 21 |
| 15 | Independent Validation of a Diagnostic Noninvasive 3-MicroRNA Ratio Model (uCaP) for Prostate Cancer in Cell-Free Urine. <i>Clinical Chemistry</i> , 2019, 65, 540-548. | 3.2 | 20 |
| 16 | Multi-parametric magnetic resonance imaging monitoring patients in active surveillance for prostate cancer: a prospective cohort study. <i>Scandinavian Journal of Urology</i> , 2018, 52, 8-13. | 1.0 | 16 |
| 17 | Hypercortisolism in Newly Diagnosed Type 2 Diabetes: A Prospective Study of 384 Newly Diagnosed Patients. <i>Hormone and Metabolic Research</i> , 2019, 51, 62-68. | 1.5 | 14 |
| 18 | Pelvic insufficiency fractures frequently occur following preoperative chemotherapy and radiotherapy for rectal cancer – a nationwide MRI study. <i>Colorectal Disease</i> , 2018, 20, 873-880. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prospective evaluation of paravaginal defect repair with and without apical suspension: a 6-month postoperative follow-up with MRI, clinical examination, and questionnaires. <i>International Urogynecology Journal</i> , 2019, 30, 1725-1733. | 1.4 | 12 |
| 20 | Prostate cancer: in-bore magnetic resonance guided biopsies at active surveillance inclusion improve selection of patients for active treatment. <i>Acta Radiologica</i> , 2018, 59, 619-626. | 1.1 | 11 |
| 21 | Pelvic insufficiency fractures, dose volume parameters and plan optimization after radiotherapy for rectal cancer. <i>Clinical and Translational Radiation Oncology</i> , 2019, 19, 72-76. | 1.7 | 11 |
| 22 | Objective measurement of the distal resection margin by MRI of the fresh and fixed specimen after partial mesorectal excision for rectal cancer: 5â€‰%cm is not just 5â€‰%cm and depends on when measured. <i>Acta Radiologica</i> , 2016, 57, 789-795. | 1.1 | 10 |
| 23 | Postgraduate Multidisciplinary Development Program: Impact on the Interpretation of Pelvic MRI in Patients With Rectal Cancer: A Clinical Audit in West Denmark. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 328-334. | 1.3 | 8 |
| 24 | Noncontrast-Enhanced Magnetic Resonance Versus Computed Tomography Angiography in Preoperative Evaluation of Potential Living Renal Donors. <i>Academic Radiology</i> , 2015, 22, 1368-1375. | 2.5 | 8 |
| 25 | Computed Tomography Perfusion, Magnetic Resonance Imaging, and Histopathological Findings After Laparoscopic Renal Cryoablation: An In Vivo Pig Model. <i>Technology in Cancer Research and Treatment</i> , 2017, 16, 406-413. | 1.9 | 8 |
| 26 | Cost-effectiveness of computed tomographic colonography: a prospective comparison with colonoscopy. <i>Acta Radiologica</i> , 2007, 48, 259-266. | 1.1 | 5 |
| 27 | ⁶⁸ Ga-PSMA Uptake in Escherichia coli Spondylodiscitis. <i>Clinical Nuclear Medicine</i> , 2019, 44, 916-919. | 1.3 | 5 |
| 28 | Preoperative planning of renal transplantation: a comparison of non-contrast-enhanced ultrasonography, computed tomography, and magnetic resonance angiography with observations from surgery. <i>Acta Radiologica</i> , 2015, 56, 1527-1533. | 1.1 | 4 |
| 29 | Molecular differences of adipose-derived mesenchymal stem cells between non-responders and responders in treatment ofÂ transphincteric perianal fistulas. <i>Stem Cell Research and Therapy</i> , 2021, 12, 586. | 5.5 | 2 |
| 30 | Non-contrast enhanced magnetic resonance angiography techniques in candidates for kidney transplantation: A comparative study. <i>Radiography</i> , 2013, 19, 212-217. | 2.1 | 1 |
| 31 | Reply to. <i>Annals of Surgery</i> , 2017, 266, e116-e118. | 4.2 | 1 |
| 32 | Effectiveness of infliximab treatment of complex idiopathic anal fistulas. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 391-396. | 1.5 | 1 |
| 33 | Postoperative MRI Findings Following Conventional and Extralevator Abdominoperineal Excision in Low Rectal Cancer. <i>Frontiers in Surgery</i> , 2021, 8, 771107. | 1.4 | 1 |
| 34 | Colon, colonography, and conservatism. <i>Acta Radiologica</i> , 2006, 47, 885-885. | 1.1 | 0 |
| 35 | Risk stratification in men with a negative prostate biopsy: an interim analysis of a prospective cohort study. <i>BJU International</i> , 2021, 128, 702-712. | 2.5 | 0 |
| 36 | Reply. <i>Gastroenterology</i> , 2021, 161, 2068-2069. | 1.3 | 0 |