

Erik R Coats

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8520349/publications.pdf>

Version: 2024-02-01

50
papers

1,402
citations

304368

22
h-index

344852

36
g-index

51
all docs

51
docs citations

51
times ranked

1627
citing authors

#	ARTICLE	IF	CITATIONS
1	Green solvent extraction and properties characterization of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) biosynthesized by mixed microbial consortia fed fermented dairy manure. <i>Bioresource Technology Reports</i> , 2022, 18, 101065.	1.5	4
2	Large-scale switchable potentiostatically controlled/microbial fuel cell bioelectrochemical wastewater treatment system. <i>Bioelectrochemistry</i> , 2021, 138, 107724.	2.4	18
3	Effects of anaerobic HRT and VFA loading on the kinetics and stoichiometry of enhanced biological phosphorus removal. <i>Water Environment Research</i> , 2021, 93, 1608-1618.	1.3	6
4	Integrating dairy manure for enhanced resource recovery at a WRRF: Environmental life cycle and pilot-scale analyses. <i>Water Environment Research</i> , 2021, 93, 2034-2050.	1.3	10
5	Pilot-scale production of poly-3-hydroxybutyrate-co-3-hydroxyvalerate from fermented dairy manure: Process performance, polymer characterization, and scale-up implications. <i>Bioresource Technology Reports</i> , 2020, 12, 100588.	1.5	9
6	Algal diversity and traits predict biomass yield and grazing resistance in wastewater cultivation. <i>Journal of Applied Phycology</i> , 2019, 31, 2323-2334.	1.5	15
7	A natural algal polyculture outperforms an assembled polyculture in wastewater-based open pond biofuel production. <i>Algal Research</i> , 2019, 40, 101488.	2.4	13
8	Cof fermenting Algal Biomass with Municipal Primary Solids to Enhance Carboxylate Production. <i>Water Environment Research</i> , 2018, 90, 1997-2007.	1.3	5
9	Assessing the Effects of RAS Fermentation on EBPR Performance and Associated Microbial Ecology. <i>Water Environment Research</i> , 2018, 90, 659-671.	1.3	11
10	An Eco-Friendly System for the Production of Value-Added Materials from Dairy Manure. <i>Jom</i> , 2018, 70, 1946-1957.	0.9	6
11	Toward Nucleating the Concept of the Water Resource Recovery Facility (WRRF): Perspective from the Principal Actors. <i>Environmental Science & Technology</i> , 2017, 51, 4158-4164.	4.6	37
12	Characterizing and contrasting the microbial ecology of laboratory and full-scale EBPR systems cultured on synthetic and real wastewaters. <i>Water Research</i> , 2017, 108, 124-136.	5.3	62
13	Design Model Parameter Analysis for Nitrifying Trickling Filters. <i>Water Environment Research</i> , 2016, 88, 888-897.	1.3	1
14	Proteomic profiling of an undefined microbial consortium cultured in fermented dairy manure: Methods development. <i>Electrophoresis</i> , 2016, 37, 790-794.	1.3	2
15	Community proteomics provides functional insight into polyhydroxyalkanoate production by a mixed microbial culture cultivated on fermented dairy manure. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 7957-7976.	1.7	17
16	Polyhydroxyalkanoate synthesis by mixed microbial consortia cultured on fermented dairy manure: Effect of aeration on process rates/yields and the associated microbial ecology. <i>Water Research</i> , 2016, 106, 26-40.	5.3	71
17	Toward sustainable dairy waste utilization: enhanced VFA and biogas synthesis via upcycling algal biomass cultured on waste effluent. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 113-121.	1.6	8
18	Reduction of GHG Emissions through the Conversion of Dairy Waste to Value-Added Materials and Products., 2016, , 109-116.		3

#	ARTICLE	IF	CITATIONS
19	Comparative analysis of microbial community of novel lactic acid fermentation inoculated with different undefined mixed cultures. <i>Bioresource Technology</i> , 2015, 179, 268-274.	4.8	48
20	Lactic acid production from potato peel waste by anaerobic sequencing batch fermentation using undefined mixed culture. <i>Waste Management</i> , 2015, 45, 51-56.	3.7	70
21	EBPR Using Crude Glycerol: Assessing Process Resiliency and Exploring Metabolic Anomalies. <i>Water Environment Research</i> , 2015, 87, 68-79.	1.3	15
22	Dairy Wastewaters for Algae Cultivation, Polyhydroxyalkanoate Reactor Effluent Versus Anaerobic Digester Effluent. <i>Bioenergy Research</i> , 2015, 8, 1647-1660.	2.2	25
23	Dairy manure resource recovery utilizing two-stage anaerobic digestion – Implications of solids fractionation. <i>Bioresource Technology</i> , 2015, 198, 237-245.	4.8	10
24	Multivariate near infrared spectroscopy for predicting polyhydroxybutyrate biosynthesis by mixed microbial consortia cultured on crude glycerol. <i>Biomass and Bioenergy</i> , 2015, 81, 490-495.	2.9	6
25	Valorization of residual bacterial biomass waste after polyhydroxyalkanoate isolation by hydrothermal treatment. <i>Bioresource Technology</i> , 2015, 198, 739-745.	4.8	12
26	Influence of organic loading rate and solid retention time on polyhydroxybutyrate production from hybrid poplar hydrolysates using mixed microbial cultures. <i>Bioresource Technology</i> , 2015, 175, 23-33.	4.8	36
27	Performance of a pilot-scale nitrifying trickling filter treating municipal aerated lagoon effluent. <i>Water Environment Research</i> , 2015, 87, 35-43.	1.3	1
28	Should We Build “Obese” or “Lean” Anaerobic Digesters?. <i>PLoS ONE</i> , 2014, 9, e97252.	1.1	23
29	Lactic acid production with undefined mixed culture fermentation of potato peel waste. <i>Waste Management</i> , 2014, 34, 2022-2027.	3.7	97
30	Ultraviolet radiation pre-treatment modifies dairy wastewater, improving its utility as a medium for algal cultivation. <i>Algal Research</i> , 2014, 6, 98-110.	2.4	19
31	Characterization of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) biosynthesized by mixed microbial consortia fed fermented dairy manure. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	34
32	An integrated two-stage anaerobic digestion and biofuel production process to reduce life cycle GHG emissions from US dairies. <i>Biofuels, Bioproducts and Biorefining</i> , 2013, 7, 459-473.	1.9	27
33	Metagenomics-based analysis of viral communities in dairy lagoon wastewater. <i>Journal of Microbiological Methods</i> , 2013, 92, 183-188.	0.7	25
34	Characterization of polyhydroxybutyrate biosynthesized from crude glycerol waste using mixed microbial consortia. <i>Journal of Applied Polymer Science</i> , 2013, 129, 1314-1321.	1.3	29
35	Methane production on thickened, pre-fermented manure. <i>Bioresource Technology</i> , 2012, 107, 205-212.	4.8	18
36	Toward Polyhydroxyalkanoate Production Concurrent with Municipal Wastewater Treatment in a Sequencing Batch Reactor System. <i>Journal of Environmental Engineering, ASCE</i> , 2011, 137, 46-54.	0.7	24

#	ARTICLE	IF	CITATIONS
37	The role of the microbial stringent response in excess intracellular accumulation of phosphorous in mixed consortia fed synthetic wastewater. <i>Water Research</i> , 2011, 45, 5038-5046.	5.3	6
38	Advancing post-anoxic denitrification for biological nutrient removal. <i>Water Research</i> , 2011, 45, 6119-6130.	5.3	91
39	Post-anoxic denitrification driven by PHA and glycogen within enhanced biological phosphorus removal. <i>Bioresource Technology</i> , 2011, 102, 1019-1027.	4.8	82
40	Polyhydroxybutyrate synthesis on biodiesel wastewater using mixed microbial consortia. <i>Bioresource Technology</i> , 2011, 102, 3352-3359.	4.8	105
41	Effect of organic loading and retention time on dairy manure fermentation. <i>Bioresource Technology</i> , 2011, 102, 2572-2577.	4.8	30
42	A Comparative Environmental Life Cycle Analysis for Removing Phosphorus from Wastewater: Biological versus Physical/Chemical Processes. <i>Water Environment Research</i> , 2011, 83, 750-760.	1.3	37
43	Effect of Anaerobic HRT on Biological Phosphorus Removal and the Enrichment of Phosphorus Accumulating Organisms. <i>Water Environment Research</i> , 2011, 83, 461-469.	1.3	27
44	Assessing the Effects of Solids Residence Time and Volatile Fatty Acid Augmentation on Biological Phosphorus Removal Using Real Wastewater. <i>Water Environment Research</i> , 2010, 82, 216-226.	1.3	8
45	Advancing a Novel Process for Post-Anoxic Denitrification. <i>Proceedings of the Water Environment Federation</i> , 2009, 2009, 458-459.	0.0	0
46	Production of natural fiber reinforced thermoplastic composites through the use of polyhydroxybutyrate-rich biomass. <i>Bioresource Technology</i> , 2008, 99, 2680-2686.	4.8	49
47	Production of Polyhydroxyalkanoate During Treatment of Tomato Cannery Wastewater. <i>Water Environment Research</i> , 2008, 80, 367-372.	1.3	62
48	Synthesis of Polyhydroxyalkanoates in Municipal Wastewater Treatment. <i>Water Environment Research</i> , 2007, 79, 2396-2403.	1.3	76
49	Functional stability of a mixed microbial consortium producing PHA from waste carbon sources. <i>Applied Biochemistry and Biotechnology</i> , 2007, 137-140, 909-925.	1.4	10
50	Functional Stability of a Mixed Microbial Consortium Producing PHA From Waste Carbon Sources. , 2007, , 909-925.		2