

# Maik Gollasch

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8520450/maik-gollasch-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80  
papers

4,797  
citations

35  
h-index

69  
g-index

89  
ext. papers

5,497  
ext. citations

6.6  
avg, IF

5.25  
L-index

#	Paper	IF	Citations
80	Myogenic Vasoconstriction Requires Canonical G Signaling of the Angiotensin II Type 1 Receptor.. <i>Journal of the American Heart Association</i> , <b>2022</b> , 11, e022070	6	0
79	Role of TRPC6 in kidney damage after acute ischemic kidney injury.. <i>Scientific Reports</i> , <b>2022</b> , 12, 3038	4.9	0
78	Aging Affects K7 Channels and Perivascular Adipose Tissue-Mediated Vascular Tone.. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 749709	4.6	0
77	Phosphodiesterase 3A and Arterial Hypertension. <i>Circulation</i> , <b>2020</b> , 142, 133-149	16.7	17
76	Age attenuates the T-type Ca 3.2-RyR axis in vascular smooth muscle. <i>Aging Cell</i> , <b>2020</b> , 19, e13134	9.9	11
75	Reproducibility of Heart Rate Variability Revealed by Repeated Measurements during and after Hemodialysis. <i>Blood Purification</i> , <b>2020</b> , 49, 356-363	3.1	1
74	Assessment of nanoindentation in stiffness measurement of soft biomaterials: kidney, liver, spleen and uterus. <i>Scientific Reports</i> , <b>2020</b> , 10, 18784	4.9	4
73	Possible Digenic Disease in a Caucasian Family with COL4A3 and COL4A5 Mutations. <i>Nephron</i> , <b>2019</b> , 141, 213-218	3.3	0
72	Prophylactic inhibition of soluble epoxide hydrolase delays onset of nephritis and ameliorates kidney damage in NZB/W F1 mice. <i>Scientific Reports</i> , <b>2019</b> , 9, 8993	4.9	3
71	Distinguishing Between Biological and Technical Replicates in Hypertension Research on Isolated Arteries. <i>Frontiers in Medicine</i> , <b>2019</b> , 6, 126	4.9	9
70	Pathophysiological Role of Caveolae in Hypertension. <i>Frontiers in Medicine</i> , <b>2019</b> , 6, 153	4.9	8
69	Role of Ryanodine Type 2 Receptors in Elementary Ca Signaling in Arteries and Vascular Adaptive Responses. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e010090	6	17
68	Renal Fibrosis, Immune Cell Infiltration and Changes of TRPC Channel Expression after Unilateral Ureteral Obstruction in <i>Trpc6</i> <sup>-/-</sup> Mice. <i>Cellular Physiology and Biochemistry</i> , <b>2019</b> , 52, 1484-1502	3.9	7
67	Elementary calcium signaling in arterial smooth muscle. <i>Channels</i> , <b>2019</b> , 13, 505-519	3	10
66	Short-Chain Fatty Acid Propionate Protects From Hypertensive Cardiovascular Damage. <i>Circulation</i> , <b>2019</b> , 139, 1407-1421	16.7	204
65	Distinct roles of angiotensin receptors in autonomic dysreflexia following high-level spinal cord injury in mice. <i>Experimental Neurology</i> , <b>2019</b> , 311, 173-181	5.7	5
64	eNOS-NO-induced small blood vessel relaxation requires EHD2-dependent caveolae stabilization <b>2019</b> , 14, e0223620		

63	eNOS-NO-induced small blood vessel relaxation requires EHD2-dependent caveolae stabilization <b>2019</b> , 14, e0223620		
62	eNOS-NO-induced small blood vessel relaxation requires EHD2-dependent caveolae stabilization <b>2019</b> , 14, e0223620		
61	eNOS-NO-induced small blood vessel relaxation requires EHD2-dependent caveolae stabilization <b>2019</b> , 14, e0223620		
60	Cystathionine $\gamma$ -Lyase-Produced Hydrogen Sulfide Controls Endothelial NO Bioavailability and Blood Pressure. <i>Hypertension</i> , <b>2018</b> , 71, 1210-1217	8.5	39
59	Transient Receptor Potential Vanilloid 4 Channel Deficiency Aggravates Tubular Damage after Acute Renal Ischaemia Reperfusion. <i>Scientific Reports</i> , <b>2018</b> , 8, 4878	4.9	12
58	Palmitic Acid Methyl Ester and Its Relation to Control of Tone of Human Visceral Arteries and Rat Aortas by Perivascular Adipose Tissue. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 583	4.6	12
57	Molecular basis for the sensitivity of TRP channels to polyunsaturated fatty acids. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>2018</b> , 391, 833-846	3.4	1
56	SGK1 induces vascular smooth muscle cell calcification through NF- $\kappa$ B signaling. <i>Journal of Clinical Investigation</i> , <b>2018</b> , 128, 3024-3040	15.9	59
55	Perivascular adipose tissue and the dynamic regulation of K <sub>v</sub> 7 and K <sub>v</sub> channels: Implications for resistant hypertension. <i>Microcirculation</i> , <b>2018</b> , 25, e12434	2.9	13
54	RXFP1 Receptor Activation by Relaxin-2 Induces Vascular Relaxation in Mice a G $\beta$ Protein/PI3K/Akt/Nitric Oxide-Coupled Pathway. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 1234	4.6	13
53	Caveolae Link Ca <sub>v</sub> 3.2 Channels to BK-Mediated Feedback in Vascular Smooth Muscle. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2018</b> , 38, 2371-2381	9.4	11
52	Antihypertensive Treatment Patterns and Blood Pressure Control in Older Adults: Results from the Berlin Aging Study II. <i>Drugs and Aging</i> , <b>2018</b> , 35, 993-1003	4.7	3
51	Perivascular Adipose Tissue: the Sixth Man of the Cardiovascular System. <i>Cardiovascular Drugs and Therapy</i> , <b>2018</b> , 32, 481-502	3.9	27
50	Differential targeting and signalling of voltage-gated T-type Ca <sub>v</sub> 3.2 and L-type Ca <sub>v</sub> 1.2 channels to ryanodine receptors in mesenteric arteries. <i>Journal of Physiology</i> , <b>2018</b> , 596, 4863-4877	3.9	8
49	Do K <sub>v</sub> 7.1 channels contribute to control of arterial vascular tone?. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 150-162	8.6	13
48	Adipose-Vascular Coupling and Potential Therapeutics. <i>Annual Review of Pharmacology and Toxicology</i> , <b>2017</b> , 57, 417-436	17.9	30
47	A Clinical Perspective: Contribution of Dysfunctional Perivascular Adipose Tissue (PVAT) to Cardiovascular Risk. <i>Current Hypertension Reports</i> , <b>2016</b> , 18, 82	4.7	25
46	A CD2AP Mutation Associated with Focal Segmental Glomerulosclerosis in Young Adulthood. <i>Clinical Medicine Insights: Case Reports</i> , <b>2016</b> , 9, 15-9	0.8	11

45	TRPC6 G757D Loss-of-Function Mutation Associates with FSGS. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2016</b> , 27, 2771-83	12.7	63
44	Improved tag-switch method reveals that thioredoxin acts as depersulfidase and controls the intracellular levels of protein persulfidation. <i>Chemical Science</i> , <b>2016</b> , 7, 3414-3426	9.4	128
43	The Role of DPO-1 and XE991-Sensitive Potassium Channels in Perivascular Adipose Tissue-Mediated Regulation of Vascular Tone. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 335	4.6	19
42	Role of Cystathionine Gamma-Lyase in Immediate Renal Impairment and Inflammatory Response in Acute Ischemic Kidney Injury. <i>Scientific Reports</i> , <b>2016</b> , 6, 27517	4.9	18
41	Re: Sun-Kui Ke et al. TRiPping over vasotonus regulation in the lung. <i>Respiratory Physiology and Neurobiology</i> , <b>2016</b> , 227, 71-2	2.8	1
40	Regional differences in perivascular adipose tissue impacting vascular homeostasis. <i>Trends in Endocrinology and Metabolism</i> , <b>2015</b> , 26, 367-75	8.8	85
39	Hypoxia and ischemia-reperfusion: a BiK contribution?. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2014</b> , 307, H811-7	5.2	19
38	Stretch-activation of angiotensin II type 1a receptors contributes to the myogenic response of mouse mesenteric and renal arteries. <i>Circulation Research</i> , <b>2014</b> , 115, 263-72	15.7	84
37	Role of TRPV1 channels in ischemia/reperfusion-induced acute kidney injury. <i>PLoS ONE</i> , <b>2014</b> , 9, e109843	3.7	24
36	Perivascular adipose tissue, potassium channels, and vascular dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2014</b> , 34, 1827-30	9.4	44
35	Disruption of vascular Ca <sup>2+</sup> -activated chloride currents lowers blood pressure. <i>Journal of Clinical Investigation</i> , <b>2014</b> , 124, 675-86	15.9	94
34	Stretch-activation of angiotensin II type 1a receptors contributes to the myogenic response of mouse mesenteric and renal arteries (1067.8). <i>FASEB Journal</i> , <b>2014</b> , 28, 1067.8	0.9	
33	Major role of ryanodine type 2 receptors in global and local intracellular calcium release in arterial smooth muscle (1067.7). <i>FASEB Journal</i> , <b>2014</b> , 28, 1067.7	0.9	
32	mTOR and regulation of energy homeostasis in humans. <i>Journal of Molecular Medicine</i> , <b>2013</b> , 91, 1167-75	5.5	19
31	Role of KCNQ channels in skeletal muscle arteries and periadventitial vascular dysfunction. <i>Hypertension</i> , <b>2013</b> , 61, 151-9	8.5	54
30	Vasodilator signals from perivascular adipose tissue. <i>British Journal of Pharmacology</i> , <b>2012</b> , 165, 633-42	8.6	104
29	Differential effects of cystathionine-lyase-dependent vasodilatory H <sub>2</sub> S in periadventitial vasoregulation of rat and mouse aortas. <i>PLoS ONE</i> , <b>2012</b> , 7, e41951	3.7	67
28	Systemic peripheral artery relaxation by KCNQ channel openers and hydrogen sulfide. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 1875-82	1.9	134

27	Interaction between P450 eicosanoids and nitric oxide in the control of arterial tone in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2009</b> , 29, 54-60	9.4	126
26	Arteriovenous malformation in a kidney allograft. <i>CKJ: Clinical Kidney Journal</i> , <b>2009</b> , 2, 320-2	4.5	2
25	Gq-coupled receptors as mechanosensors mediating myogenic vasoconstriction. <i>EMBO Journal</i> , <b>2008</b> , 27, 3092-103	13	269
24	A reduction in the amount and anti-contractile effect of periadventitial mesenteric adipose tissue precedes hypertension development in spontaneously hypertensive rats. <i>Hypertension Research</i> , <b>2008</b> , 31, 1415-23	4.7	51
23	Carbon monoxide targets the pore-forming BK alpha subunit in vascular smooth muscle Ca <sup>2+</sup> -activated large-conductance K <sup>+</sup> channels. <i>FASEB Journal</i> , <b>2008</b> , 22, 1206.5	0.9	2
22	Gq-coupled vasopressor receptors are essential mechanosensitive components for the myogenic vasoconstriction. <i>FASEB Journal</i> , <b>2008</b> , 22, 737.5	0.9	
21	Regulator of G protein signalling 2 ameliorates angiotensin II-induced hypertension in mice. <i>Experimental Physiology</i> , <b>2007</b> , 92, 1014-22	2.4	53
20	Indirect coupling between Cav1.2 channels and ryanodine receptors to generate Ca <sup>2+</sup> sparks in murine arterial smooth muscle cells. <i>Journal of Physiology</i> , <b>2007</b> , 584, 205-19	3.9	51
19	Adiponectin is a novel humoral vasodilator. <i>Cardiovascular Research</i> , <b>2007</b> , 75, 719-27	9.9	202
18	Perivascular adipose tissue and mesenteric vascular function in spontaneously hypertensive rats. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2006</b> , 26, 1297-302	9.4	133
17	Elevated blood pressure linked to primary hyperaldosteronism and impaired vasodilation in BK channel-deficient mice. <i>Circulation</i> , <b>2005</b> , 112, 60-8	16.7	195
16	Increased vascular smooth muscle contractility in TRPC6 <sup>-/-</sup> mice. <i>Molecular and Cellular Biology</i> , <b>2005</b> , 25, 6980-9	4.8	409
15	Visceral periadventitial adipose tissue regulates arterial tone of mesenteric arteries. <i>Hypertension</i> , <b>2004</b> , 44, 271-6	8.5	226
14	Paracrine role for periadventitial adipose tissue in the regulation of arterial tone. <i>Trends in Pharmacological Sciences</i> , <b>2004</b> , 25, 647-53	13.2	128
13	Mechanisms of ADRF release from rat aortic adventitial adipose tissue. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2004</b> , 286, H1107-13	5.2	126
12	Regulation of arterial tone by smooth muscle myosin type II. <i>American Journal of Physiology - Cell Physiology</i> , <b>2002</b> , 283, C1383-9	5.4	12
11	Periadventitial fat releases a vascular relaxing factor. <i>FASEB Journal</i> , <b>2002</b> , 16, 1057-63	0.9	363
10	The BK channel beta1 subunit gene is associated with human baroreflex and blood pressure regulation. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 927-33	1.9	53

9	beta(1)-Subunit of BK channels regulates arterial wall[Ca(2+)] and diameter in mouse cerebral arteries. <i>Journal of Applied Physiology</i> , <b>2001</b> , 91, 1350-4	3.7	43
8	Protein kinase C targeting is regulated by temporal and spatial changes in intracellular free calcium concentration [Ca2+]i. <i>FASEB Journal</i> , <b>2000</b> , 14, 1653-1663	0.9	64
7	Mice with disrupted BK channel beta1 subunit gene feature abnormal Ca(2+) spark/STOC coupling and elevated blood pressure. <i>Circulation Research</i> , <b>2000</b> , 87, E53-60	15.7	265
6	Ignition of calcium sparks in arterial and cardiac muscle through caveolae. <i>Circulation Research</i> , <b>2000</b> , 87, 1034-9	15.7	148
5	Ontogeny of local sarcoplasmic reticulum Ca2+ signals in cerebral arteries: Ca2+ sparks as elementary physiological events. <i>Circulation Research</i> , <b>1998</b> , 83, 1104-14	15.7	99
4	L-type calcium channel expression depends on the differentiated state of vascular smooth muscle cells. <i>FASEB Journal</i> , <b>1998</b> , 12, 593-601	0.9	126
3	Regulation of spontaneous transient outward potassium currents in human coronary arteries. <i>Circulation</i> , <b>1997</b> , 95, 503-10	16.7	44
2	K+ currents in human coronary artery vascular smooth muscle cells. <i>Circulation Research</i> , <b>1996</b> , 78, 676-88	5.7	73
1	Myogenic Vasoconstriction Requires Canonical Gq/11 Signaling of the Angiotensin II Type 1a Receptor in the Murine Vasculature		1