

# Sharon S Allen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8520728/publications.pdf>

Version: 2024-02-01

68  
papers

1,857  
citations

304368

22  
h-index

276539

41  
g-index

68  
all docs

68  
docs citations

68  
times ranked

2012  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of regular cannabis and nicotine use on acute stress responses: chronic nicotine, but not cannabis use, is associated with blunted adrenocortical and cardiovascular responses to stress. <i>Psychopharmacology</i> , 2022, 239, 1551-1561.	1.5	4
2	Bibliometric Approach to Evaluating the Impact of a Building Interdisciplinary Research Careers in Women's Health K12 Research Career Development Program. <i>Journal of Women's Health</i> , 2022, , .	1.5	0
3	Blunted opioid regulation of the HPA stress response during nicotine withdrawal: therapeutic implications. <i>Stress</i> , 2021, 24, 529-540.	0.8	6
4	Effect of exogenous progesterone administration on smoking topography. <i>Addictive Behaviors</i> , 2021, 112, 106570.	1.7	4
5	Bupropion for postpartum smoking relapse: A remote protocol for a two-arm, double-blind, placebo-controlled randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2021, 105, 106352.	0.8	3
6	Early life adversity and appetite hormones: The effects of smoking status, nicotine withdrawal, and relapse on ghrelin and peptide YY during smoking cessation. <i>Addictive Behaviors</i> , 2021, 118, 106866.	1.7	5
7	Tobacco withdrawal increases junk food intake: The role of the endogenous opioid system. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108819.	1.6	7
8	Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (Project Phase): Results of a pilot randomized control trial. <i>Addictive Behaviors</i> , 2021, 125, 107153.	1.7	0
9	Exercise for Smoking Cessation in Postmenopausal Women: A Randomized, Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2020, 22, 1587-1595.	1.4	9
10	Feasibility and acceptability of testing a menstrual-cycle timed smoking cessation intervention for women of reproductive age (Project Phase): Protocol of a pilot randomized controlled trial. <i>Contemporary Clinical Trials Communications</i> , 2020, 18, 100569.	0.5	1
11	Cannabis use and stressful life events during the perinatal period: cross-sectional results from Pregnancy Risk Assessment Monitoring System (PRAMS) data, 2016. <i>Addiction</i> , 2020, 115, 1707-1716.	1.7	25
12	Response to nicotine following overnight smoking abstinence during short-term progesterone treatment in women.. <i>Experimental and Clinical Psychopharmacology</i> , 2020, 28, 306-316.	1.3	0
13	Circulating orexin changes during withdrawal are associated with nicotine craving and risk for smoking relapse. <i>Addiction Biology</i> , 2019, 24, 743-753.	1.4	11
14	Smoking-related symptomatology in pregnant smokers during ad libitum smoking and following overnight smoking abstinence. <i>BMC Research Notes</i> , 2019, 12, 473.	0.6	0
15	Self-reported leisure time exercise change during smoking cessation in men and women. <i>Addictive Behaviors</i> , 2019, 99, 106025.	1.7	0
16	Subjective response to intranasal nicotine administration in oral contraceptive users and naturally-cycling women. <i>Addictive Behaviors</i> , 2019, 98, 106043.	1.7	4
17	Exogenous progesterone for smoking cessation in men and women: a pilot double-blind, placebo-controlled randomized clinical trial. <i>Addiction</i> , 2019, 114, 1800-1813.	1.7	16
18	Longitudinal stability in cigarette smokers of urinary eicosanoid biomarkers of oxidative damage and inflammation. <i>PLoS ONE</i> , 2019, 14, e0215853.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Stressful life events are associated with perinatal cigarette smoking. <i>Preventive Medicine</i> , 2019, 118, 264-271.	1.6	27
20	Longitudinal stability in cigarette smokers of urinary biomarkers of exposure to the toxicants acrylonitrile and acrolein. <i>PLoS ONE</i> , 2019, 14, e0210104.	1.1	20
21	Influences of the Menstrual Phase on Cortisol Response to Stress in Nicotine Dependent Women: A Preliminary Examination. <i>Nicotine and Tobacco Research</i> , 2019, 21, 617-622.	1.4	7
22	Menstrual Cycle in Women Who Co-use Marijuana and Tobacco. <i>Journal of Addiction Medicine</i> , 2018, 12, 207-211.	1.4	16
23	What do medical students know about e-cigarettes? A cross-sectional survey from one U.S. medical school. <i>BMC Medical Education</i> , 2018, 18, 32.	1.0	25
24	Postpartum Changes in Mood and Smoking-Related Symptomatology: An Ecological Momentary Assessment Investigation. <i>Nicotine and Tobacco Research</i> , 2018, 20, 681-689.	1.4	18
25	Hormonal contraceptive use in smokers: Prevalence of use and associations with smoking motives. <i>Addictive Behaviors</i> , 2018, 77, 187-192.	1.7	13
26	Examining characteristics associated with quitting smoking during pregnancy and relapse postpartum. <i>Addictive Behaviors</i> , 2018, 78, 114-119.	1.7	21
27	Association of exercise with smoking-related symptomatology, smoking behavior and impulsivity in men and women. <i>Drug and Alcohol Dependence</i> , 2018, 192, 29-37.	1.6	10
28	Effect of Immediate vs Gradual Reduction in Nicotine Content of Cigarettes on Biomarkers of Smoke Exposure. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 880.	3.8	113
29	Hypothesis-driven physical examination curriculum. <i>Clinical Teacher</i> , 2017, 14, 417-422.	0.4	15
30	Early life adversity influences stress response association with smoking relapse. <i>Psychopharmacology</i> , 2017, 234, 3375-3384.	1.5	12
31	Reduced nicotine content cigarettes and use of alternative nicotine products: exploratory trial. <i>Addiction</i> , 2017, 112, 156-167.	1.7	39
32	Differences in mood and cortisol by menstrual phase during acute smoking abstinence: A within-subject comparison. <i>Experimental and Clinical Psychopharmacology</i> , 2017, 25, 338-345.	1.3	5
33	Ovarian Hormones, Menstrual Cycle Phase, and Smoking: a Review with Recommendations for Future Studies. <i>Current Addiction Reports</i> , 2016, 3, 1-8.	1.6	41
34	Progesterone and Postpartum Smoking Relapse: A Pilot Double-Blind Placebo-Controlled Randomized Trial. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2145-2153.	1.4	28
35	Determining menstrual phase in human biobehavioral research: A review with recommendations. <i>Experimental and Clinical Psychopharmacology</i> , 2016, 24, 1-11.	1.3	111
36	A phase I feasibility study of multi-modality imaging assessing rapid expansion of marrow fat and decreased bone mineral density in cancer patients. <i>Bone</i> , 2015, 73, 90-97.	1.4	27

#	ARTICLE	IF	CITATIONS
37	Subjective response to nicotine by menstrual phase. <i>Addictive Behaviors</i> , 2015, 43, 50-53.	1.7	16
38	Medical school curriculum characteristics associated with intentions and frequency of tobacco dependence treatment among 3rd year U.S. medical students. <i>Preventive Medicine</i> , 2015, 72, 56-63.	1.6	14
39	Associations between adrenocortical activity and nicotine response in female smokers by menstrual phase. <i>Addictive Behaviors</i> , 2015, 50, 135-139.	1.7	7
40	Allopregnanolone association with psychophysiological and cognitive functions during acute smoking abstinence in premenopausal women.. <i>Experimental and Clinical Psychopharmacology</i> , 2015, 23, 22-28.	1.3	8
41	Systematic and Meta-Analytic Review of Research Examining the Impact of Menstrual Cycle Phase and Ovarian Hormones on Smoking and Cessation. <i>Nicotine and Tobacco Research</i> , 2015, 17, 407-421.	1.4	84
42	Circulating leptin and pain perception among tobacco-dependent individuals. <i>Biological Psychology</i> , 2015, 107, 10-15.	1.1	5
43	Sex Differences in Hormonal Responses to Stress and Smoking Relapse: A Prospective Examination. <i>Nicotine and Tobacco Research</i> , 2015, 17, 382-389.	1.4	52
44	Perceived stress and smoking-related behaviors and symptomatology in male and female smokers. <i>Addictive Behaviors</i> , 2015, 51, 80-83.	1.7	92
45	The effect of combination oral contraceptives on smoking-related symptomatology during short-term smoking abstinence. <i>Addictive Behaviors</i> , 2015, 41, 148-151.	1.7	17
46	Combination Varenicline and Bupropion SR for Tobacco-Dependence Treatment in Cigarette Smokers. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 155.	3.8	112
47	Smoking- and menstrual-related symptomatology during short-term smoking abstinence by menstrual phase and depressive symptoms. <i>Addictive Behaviors</i> , 2014, 39, 901-906.	1.7	21
48	Sex differences in response to reduced nicotine content cigarettes. <i>Addictive Behaviors</i> , 2014, 39, 1197-1204.	1.7	29
49	Menstrual phase, depressive symptoms, and allopregnanolone during short-term smoking cessation.. <i>Experimental and Clinical Psychopharmacology</i> , 2013, 21, 427-433.	1.3	11
50	Menstrual Phase and Depressive Symptoms Differences in Physiological Response to Nicotine Following Acute Smoking Abstinence. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1091-1098.	1.4	16
51	The educational and financial impact of using patient educators to teach introductory physical exam skills. <i>Medical Teacher</i> , 2011, 33, 911-918.	1.0	12
52	Severity of withdrawal symptomatology in follicular versus luteal quitters: The combined effects of menstrual phase and withdrawal on smoking cessation outcome. <i>Addictive Behaviors</i> , 2010, 35, 549-552.	1.7	48
53	Circadian patterns of <i>ad libitum</i> smoking by menstrual phase. <i>Human Psychopharmacology</i> , 2009, 24, 503-506.	0.7	7
54	INFLUENCE OF MENSTRUAL CYCLE PHASE ON SMOKING CESSATION TREATMENT OUTCOME: A HYPOTHESIS REGARDING THE DISCORDANT FINDINGS IN THE LITERATURE. <i>Addiction</i> , 2009, 104, 1941-1942.	1.7	31

#	ARTICLE	IF	CITATIONS
55	Short-term weight gain by menstrual phase following smoking cessation in women. <i>Eating Behaviors</i> , 2009, 10, 52-55.	1.1	2
56	Influence of phase-related variability in premenstrual symptomatology, mood, smoking withdrawal, and smoking behavior during ad libitum smoking, on smoking cessation outcome. <i>Addictive Behaviors</i> , 2009, 34, 107-111.	1.7	42
57	Patterns of cortisol and craving by menstrual phase in women attempting to quit smoking. <i>Addictive Behaviors</i> , 2009, 34, 632-635.	1.7	22
58	Nicotine withdrawal and craving in adolescents: Effects of sex and hormonal contraceptive use. <i>Addictive Behaviors</i> , 2009, 34, 620-623.	1.7	34
59	Patterns of self-selected smoking cessation attempts and relapse by menstrual phase. <i>Addictive Behaviors</i> , 2009, 34, 928-931.	1.7	35
60	Menstrual phase effects on smoking relapse. <i>Addiction</i> , 2008, 103, 809-821.	1.7	132
61	Craving, withdrawal, and smoking urges on days immediately prior to smoking relapse. <i>Nicotine and Tobacco Research</i> , 2008, 10, 35-45.	1.4	143
62	Effect of nicotine replacement therapy on post-cessation weight gain and nutrient intake: A randomized controlled trial of postmenopausal female smokers. <i>Addictive Behaviors</i> , 2005, 30, 1273-1280.	1.7	23
63	Transdermal nicotine use in postmenopausal women: Does the treatment efficacy differ in women using and not using hormone replacement therapy?. <i>Nicotine and Tobacco Research</i> , 2004, 6, 777-788.	1.4	18
64	Nicotine withdrawal and depressive symptomatology during short-term smoking abstinence: a comparison of postmenopausal women using and not using hormone replacement therapy. <i>Nicotine and Tobacco Research</i> , 2003, 5, 49-59.	1.4	14
65	Withdrawal and pre-menstrual symptomatology during the menstrual cycle in short-term smoking abstinence: Effects of menstrual cycle on smoking abstinence. <i>Nicotine and Tobacco Research</i> , 1999, 1, 129-142.	1.4	61
66	Symptomatology and energy intake during the menstrual cycle in smoking women. <i>Journal of Substance Abuse</i> , 1996, 8, 303-319.	1.1	58
67	Senior medical students as simulated patients in an objective structured clinical examination: motivation and benefits. <i>Medical Teacher</i> , 1992, 14, 167-177.	1.0	22
68	Structured clinical teaching strategy. <i>Medical Teacher</i> , 1991, 13, 177-184.	1.0	16