

Naira Balzaretti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8520749/publications.pdf>

Version: 2024-02-01

95
papers

1,318
citations

430754

18
h-index

434063

31
g-index

98
all docs

98
docs citations

98
times ranked

1735
citing authors

#	ARTICLE	IF	CITATIONS
1	In-situ FTIR analyses of bentonite under high-pressure. <i>Applied Clay Science</i> , 2011, 51, 202-208.	2.6	125
2	Pressure dependence of the refractive index of diamond, cubic silicon carbide and cubic boron nitride. <i>Solid State Communications</i> , 1996, 99, 943-948.	0.9	98
3	FTIR analysis and evaluation of carcinogenic and mutagenic risks of nitro-polycyclic aromatic hydrocarbons in PM 1.0. <i>Science of the Total Environment</i> , 2016, 541, 1151-1160.	3.9	78
4	Few Layer Reduced Graphene Oxide: Evaluation of the Best Experimental Conditions for Easy Production. <i>Materials Research</i> , 2017, 20, 53-61.	0.6	60
5	Visible-NIR emission and structural properties of Sm ³⁺ doped heavy-metal oxide glass with composition B ₂ O ₃ -PbO-Bi ₂ O ₃ -GeO ₂ . <i>Journal of Luminescence</i> , 2016, 171, 106-111.	1.5	58
6	Report on a second round robin measurement of the thermal conductivity of CVD diamond. <i>Diamond and Related Materials</i> , 1998, 7, 1589-1604.	1.8	38
7	Carbon nanotube/silica composites obtained by sol-gel and high-pressure techniques. <i>Nanotechnology</i> , 2008, 19, 265607.	1.3	36
8	Title is missing!. <i>Journal of Materials Chemistry</i> , 2001, 11, 3377-3381.	6.7	32
9	Pressure dependence of the refractive index of monoclinic and yttria-stabilized cubic zirconia. <i>Physical Review B</i> , 1995, 52, 9266-9269.	1.1	29
10	High pressure loading of organic dyes into a silica matrix. <i>Journal of Non-Crystalline Solids</i> , 1997, 221, 157-162.	1.5	24
11	X-ray study of lithium disilicate glass: High pressure densification and polyamorphism. <i>Journal of Non-Crystalline Solids</i> , 2014, 387, 112-116.	1.5	24
12	Multichannel emission from Pr ³⁺ doped heavy-metal oxide glass B ₂ O ₃ -PbO-GeO ₂ -Bi ₂ O ₃ for broadband signal amplification. <i>Journal of Luminescence</i> , 2016, 180, 341-347.	1.5	24
13	Spectroscopic properties of B ₂ O ₃ -PbO-Bi ₂ O ₃ -GeO ₂ glass doped with Sm ³⁺ and gold nanoparticles. <i>Optical Materials</i> , 2016, 52, 230-236.	1.7	22
14	High-pressure minerals in mafic microgranular enclaves: evidences for co-mingling between lamprophyric and syenitic magmas at mantle conditions. <i>Contributions To Mineralogy and Petrology</i> , 2003, 145, 444-459.	1.2	21
15	Experimental study of plastic deformation during sintering of cubic boron nitride compacts. <i>Diamond and Related Materials</i> , 1999, 8, 1451-1454.	1.8	20
16	Behavior of the refractive index of lithium disilicate glass ceramic processed at high pressure and high temperature. <i>Optical Materials</i> , 2012, 34, 826-831.	1.7	20
17	Fluorescent compacts prepared by the entrapment of benzoxazole type dyes into a silica matrix at high pressure. <i>Journal of Non-Crystalline Solids</i> , 2004, 333, 221-225.	1.5	19
18	First-principles study of carbon nanothreads derived from five-membered heterocyclic rings: thiophene, furan and pyrrole. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 2055-2062.	1.3	19

#	ARTICLE	IF	CITATIONS
19	Variation of the refractive index and polarizability of sapphire under high pressures. <i>Journal of Applied Physics</i> , 1993, 73, 1426-1429.	1.1	18
20	Effect of high pressure in the $\text{Li}_2\text{O}\cdot 2\text{SiO}_2$ crystallization. <i>Journal of Non-Crystalline Solids</i> , 2010, 356, 3004-3008.	1.5	18
21	Effect of high pressure on the mechanical properties of lithium disilicate glass ceramic. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3921-3924.	2.6	18
22	Effect of gold nanoparticles in broadband near-infrared emission of Pr^{3+} doped $\text{B}_2\text{O}_3\cdot\text{PbO}\cdot\text{Bi}_2\text{O}_3\cdot\text{GeO}_2$ glass. <i>Journal of Luminescence</i> , 2017, 181, 147-152.	1.5	17
23	Tuning Anatase-Rutile Phase Transition Temperature: $\text{TiO}_2/\text{SiO}_2$ Nanoparticles Applied in Dye-Sensitized Solar Cells. <i>International Journal of Photoenergy</i> , 2019, 2019, 1-9.	1.4	17
24	A modification of Ångström's method that employs photothermal radiometry to measure thermal diffusivity: Application to chemical vapor deposited diamond. <i>Review of Scientific Instruments</i> , 1998, 69, 237-243.	0.6	15
25	Decomposition of Ethanol Over Ni-Al Catalysts: Effect of Copper Addition. <i>Procedia Engineering</i> , 2012, 42, 335-345.	1.2	15
26	Raman and infrared vibrational modes of tricosane paraffin under high pressure. <i>Vibrational Spectroscopy</i> , 2014, 75, 93-100.	1.2	15
27	Novel NIR emission $4G_{5/2}$ to $6F_{11/2}$ and efficient multichannel emissions of Sm^{3+} doped $\text{GeO}_2\cdot\text{PbO}$ glass. <i>Journal of Luminescence</i> , 2017, 188, 193-198.	1.5	15
28	Volume dependence of the electronic polarizability of magnesium oxide. <i>High Pressure Research</i> , 1990, 2, 183-191.	0.4	14
29	Effect of hydrogen implantation on the graphite used in high pressure diamond synthesis. <i>Diamond and Related Materials</i> , 2000, 9, 22-25.	1.8	14
30	Blue-green luminescent carbon nanodots produced in a silica matrix. <i>Carbon</i> , 2015, 91, 234-240.	5.4	14
31	Pyrolysis of α -aminoacids under high-pressure investigated by XPS, Raman and infrared spectroscopy. <i>Materials Chemistry and Physics</i> , 2018, 211, 107-116.	2.0	14
32	Processing of amorphous carbon films by ultrafast temperature treatment in a confined geometry. <i>Journal of Applied Physics</i> , 2001, 89, 8284-8290.	1.1	13
33	Surfactants for CNTs dispersion in zirconia-based ceramic matrix by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 65, 143-149.	1.1	13
34	Experimental evidence regarding the pressure dependence of fission track annealing in apatite. <i>Earth and Planetary Science Letters</i> , 2014, 390, 1-7.	1.8	13
35	High-Pressure Effect in Visible-NIR Emission of Sm^{3+} -Doped $\text{GeO}_2\cdot\text{PbO}$ Glasses. <i>Journal of Physical Chemistry C</i> , 2017, 121, 28475-28483.	1.5	13
36	Pressure dependence of the refractive index and electronic polarizability of LiF , MgF_2 and CaF_2 . <i>Journal of Physics and Chemistry of Solids</i> , 1996, 57, 179-182.	1.9	12

#	ARTICLE	IF	CITATIONS
37	Structural changes of potassium-saturated smectite at high pressures and high temperatures: Application for subduction zones. <i>Applied Clay Science</i> , 2014, 102, 164-171.	2.6	12
38	Structural and optical properties of Nd ³⁺ doped GeO ₂ -PbO glass modified by TiO ₂ for applications in laser and fiber amplifier. <i>Optical Materials</i> , 2021, 113, 110884.	1.7	12
39	Pressure and temperature stability range of crystalline lithium metasilicate in a binary Li ₂ O·2SiO ₂ glass. <i>Journal of Physics and Chemistry of Solids</i> , 2013, 74, 1179-1183.	1.9	11
40	Photoluminescence of silica monoliths prepared from cold sintering of nanometric aerosol precursors under high pressure. <i>Journal of Luminescence</i> , 2017, 187, 154-159.	1.5	11
41	Comparison of Emissivity, Transmittance, and Reflectance Infrared Spectra of Polycyclic Aromatic Hydrocarbons with those of Atmospheric Particulates (PM ₁). <i>Aerosol and Air Quality Research</i> , 2015, 15, 1627-1639.	0.9	11
42	Ball cratering test on ductile materials. <i>Wear</i> , 2011, 271, 770-774.	1.5	10
43	Stability of lanthanum-saturated montmorillonite under high pressure and high temperature conditions. <i>Applied Clay Science</i> , 2014, 102, 51-59.	2.6	10
44	Fourier transform infrared characterization of the <i>Middle Devonian nonvascular plant Spongiophyton</i> . <i>Palaeontology</i> , 2016, 59, 365-386.	1.0	10
45	Resistance heating of the gasket in a gem-anvil high pressure cell. <i>Review of Scientific Instruments</i> , 1999, 70, 4316-4323.	0.6	9
46	High-pressure Raman and infrared spectroscopy of polyacetylene. <i>Journal of Raman Spectroscopy</i> , 2003, 34, 259-263.	1.2	9
47	Synergistic interplay of ionic liquid and dodecyl sulphate driving the oxidation state of polypyrrole based electrodes. <i>New Journal of Chemistry</i> , 2018, 42, 13828-13835.	1.4	9
48	Chemometrics-assisted study of the interconversion between the crystalline forms of nimodipine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 158, 461-470.	1.4	9
49	Thermal conductivity and thermal diffusivity of selected oxide single crystals. <i>Journal of Materials Research</i> , 2001, 16, 678-682.	1.2	8
50	High-Pressure Entrapment of Rhodamine 6G into a Silica Matrix. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 374, 201-206.	0.4	8
51	Wet ability of PTFE coated diamond films. <i>Surface and Coatings Technology</i> , 2013, 232, 384-388.	2.2	8
52	Effect of High Pressure in the Luminescence of Pr ³⁺ -Doped GeO ₂ -PbO Glass Containing Au Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2018, 122, 27829-27835.	1.5	8
53	Thermal annealing of graphite oxide under high pressure: An experimental and computational study. <i>Carbon</i> , 2018, 139, 1035-1047.	5.4	8
54	Polypyrrole/Ionic Liquid/Au Nanoparticle Counter-Electrodes for Dye-Sensitized Solar Cells: Improving Charge-Transfer Resistance at the CE/Electrolyte Interface. <i>Journal of the Electrochemical Society</i> , 2019, 166, H3188-H3194.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Sm ³⁺ /Yb ³⁺ co-doped GeO ₂ -PbO glass for efficiency enhancement of silicon solar cells. <i>Optical Materials</i> , 2021, 111, 110730.	1.7	8
56	High pressure annealing of CVD diamond films. <i>Diamond and Related Materials</i> , 2003, 12, 290-294.	1.8	7
57	Enhanced mechanical properties in ZrO ₂ multi-walled carbon nanotube nanocomposites produced by sol-gel and high-pressure. <i>Nano Structures Nano Objects</i> , 2015, 4, 1-8.	1.9	7
58	Nanocomposites of polyethylene/polyaniline/graphite with special morphology. <i>Polymer Composites</i> , 2018, 39, 3645-3655.	2.3	7
59	Densification of Lithium Disilicate under High Pressure Investigated by XPS. <i>Open Journal of Inorganic Non-metallic Materials</i> , 2013, 03, 15-21.	2.7	7
60	High pressure annealing of defects induced by ion implantation on graphite. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2001, 175-177, 474-478.	0.6	6
61	Adhesion between CVD diamond and WC-Co induced by high-pressure and high-temperature. <i>Diamond and Related Materials</i> , 2006, 15, 1457-1461.	1.8	6
62	The effect of the combustible agents on the synthesis of Fe-Mo/MgO catalysts for the production of carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2007, 244, 3901-3906.	0.7	6
63	Effect of nitrogen and oxygen in the formation of graphitic structures from pyrolysis of amino acids at high pressures. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 126, 22-30.	2.6	6
64	Study of the TiO ₂ -H ₂ O-B ₂ O ₃ Ternary System at 7.7 GPa and High Temperatures. <i>Chemistry of Materials</i> , 2002, 14, 130-134.	3.2	5
65	Partially stabilized zirconia substrate for chemical vapor deposition of free-standing diamond films. <i>Diamond and Related Materials</i> , 2005, 14, 1605-1610.	1.8	5
66	Acid compositions in a veined-lower mantle, as indicated by inclusions of (K,Na)-Hollandite + SiO ₂ in diamonds. <i>Lithos</i> , 2014, 196-197, 42-53.	0.6	5
67	Growth-rate dependence of the thermal conductivity of chemical-vapor-deposited diamond. <i>Journal of Materials Research</i> , 1999, 14, 3720-3724.	1.2	4
68	Heavy ion (Xe and I) irradiation effects on photoresist films. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2002, 191, 733-738.	0.6	4
69	Evaluation of the adhesion strength of diamond films brazed on K-10 type hard metal. <i>Materials Research</i> , 2004, 7, 293-297.	0.6	4
70	The effects of xenon ion irradiation on the photoluminescence behavior of poly(p-cresolformaldehyde)/diazonaphthoquinone thin films. <i>Applied Surface Science</i> , 2007, 253, 9295-9300.	3.1	4
71	Free-standing boron doped CVD diamond films grown on partially stabilized zirconia substrates. <i>Vibrational Spectroscopy</i> , 2010, 54, 84-88.	1.2	4
72	Nano-microstructured, superhydrophobic, and infrared transparent polytetrafluoroethylene/diamond films. <i>Journal of Nanophotonics</i> , 2013, 7, 073596.	0.4	4

#	ARTICLE	IF	CITATIONS
73	High pressure effect on structural and spectroscopic properties of Sm ³⁺ -doped alkali silicate glasses. High Pressure Research, 2017, 37, 296-311.	0.4	4
74	Thermal stability of lithium metasilicate produced under high pressure from lithium disilicate glass. International Journal of Applied Glass Science, 2019, 10, 522-531.	1.0	4
75	Effect of annealing close to T on the short-range order of lithium disilicate glass. Journal of Non-Crystalline Solids, 2021, 560, 120729.	1.5	4
76	Carbon nanostructures produced by pyrolysis under high pressure inside a nanosize silica matrix. Journal of Raman Spectroscopy, 2012, 43, 1029-1034.	1.2	3
77	High-grade MWCNT/ZrO ₂ composites prepared by sol-gel method and high-pressure technique (4.0 GPa): mechanically resistant, porous, and conductive. Journal of Sol-Gel Science and Technology, 2019, 90, 348-358.	1.1	3
78	Lithium disilicate glass produced at high pressure: Characterization of structural, thermal and mechanical properties. Journal of the American Ceramic Society, 2021, 104, 2552-2559.	1.9	3
79	Structure and mechanical properties of pyrope (Mg ₃ Al ₂ Si ₃ O ₁₂) glass: Effect of high pressure. International Journal of Applied Glass Science, 0, , .	1.0	3
80	Agglomeration defects on irradiated carbon nanotubes. AIP Advances, 2012, 2, 012174.	0.6	2
81	Conference Report: Workshop on Thin Film Thermal Conductivity Measurement at the Thirteenth Symposium on Thermophysical Properties - Boulder, CO - June 25-26, 1997. Journal of Research of the National Institute of Standards and Technology, 1998, 103, 107.	0.4	2
82	THE EFFECT OF THREE-BODY FORCES ON THE VOLUME DEPENDENCE OF THE ELECTRONIC POLARIZABILITY OF ALKALI HALIDES. Journal of Physics and Chemistry of Solids, 1997, 58, 999-1005.	1.9	1
83	Raman investigation of 2,5-bis(benzoxazol-2-yl)-4-methoxyphenol under high pressure. Journal of Raman Spectroscopy, 2003, 34, 244-247.	1.2	1
84	In situ infrared spectroscopy study of sucrose up to 14GPa. Vibrational Spectroscopy, 2011, , .	1.2	1
85	Vibrational study of 5-azacytosine and propanedinitrile under high pressure. Vibrational Spectroscopy, 2015, 78, 60-65.	1.2	1
86	High pressure effect in the near-infrared emission of Nd ³⁺ -doped alkali silicate glasses. High Pressure Research, 2022, 42, 1-13.	0.4	1
87	Interferometric method for high pressure measurements. High Pressure Research, 1991, 7, 85-87.	0.4	0
88	Workshop on thin film thermal conductivity measurements. , 1998, , .		0
89	Diamond nucleation suppression in chemical vapor deposition process. Diamond and Related Materials, 1999, 8, 2110-2117.	1.8	0
90	Bonding CVD Diamond to WC-Co by High Pressure - High Temperature Processing. Materials Research Society Symposia Proceedings, 2006, 987, 1.	0.1	0

#	ARTICLE	IF	CITATIONS
91	Effect of high pressure and high temperature on the mechanical behavior of diamond coated WC-Co. Surface and Coatings Technology, 2009, 203, 3344-3347.	2.2	0
92	Spectroscopic and structural studies: effect of high pressure on selected polymers, glasses and clays. Journal of Physics: Conference Series, 2017, 950, 032015.	0.3	0
93	Electronic Transport and Raman Spectroscopy Characterization in Ion-Implanted Highly Oriented Pyrolytic Graphite. Journal of Low Temperature Physics, 2018, 190, 141-153.	0.6	0
94	Fitting of interatomic potentials by a differential evolution algorithm. Computational Materials Science, 2021, 187, 109929.	1.4	0
95	High Infrared Transmittance, Superhydrophobic Coatings. , 2013, , .		0