

# Bingkun Guo

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8522036/bingkun-guo-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

5,113

citations

36

h-index

71

g-index

90

ext. papers

5,961

ext. citations

10.6

avg, IF

5.63

L-index

#	Paper	IF	Citations
83	Ordered mesoporous metallic MoO <sub>2</sub> materials with highly reversible lithium storage capacity. <i>Nano Letters</i> , <b>2009</b> , 9, 4215-20	11.5	590
82	Removal of interstitial H <sub>2</sub> O in hexacyanometallates for a superior cathode of a sodium-ion battery. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 2658-64	16.4	458
81	Soft-templated mesoporous carbon-carbon nanotube composites for high performance lithium-ion batteries. <i>Advanced Materials</i> , <b>2011</b> , 23, 4661-6	24	312
80	Electrochemical reduction of nano-SiO <sub>2</sub> in hard carbon as anode material for lithium ion batteries. <i>Electrochemistry Communications</i> , <b>2008</b> , 10, 1876-1878	5.1	260
79	A long-life lithium-ion battery with a highly porous TiNb <sub>2</sub> O <sub>7</sub> anode for large-scale electrical energy storage. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 2220-2226	35.4	257
78	Controlled synthesis of mesoporous carbon nanostructures via a "silica-assisted" strategy. <i>Nano Letters</i> , <b>2013</b> , 13, 207-12	11.5	218
77	Synthesis and Lithium Storage Mechanism of Ultrafine MoO <sub>2</sub> Nanorods. <i>Chemistry of Materials</i> , <b>2012</b> , 24, 457-463	9.6	201
76	Mesoporous Prussian blue analogues: template-free synthesis and sodium-ion battery applications. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 3134-7	16.4	196
75	Fe <sub>2</sub> O <sub>3</sub> nanoparticle-loaded carbon nanofibers as stable and high-capacity anodes for rechargeable lithium-ion batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 2672-9	9.5	181
74	An Overview on the Advances of LiCoO <sub>2</sub> Cathodes for Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2000982	21.8	123
73	A Composite Gel Polymer/Glass Fiber Electrolyte for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1402235	21.8	114
72	Electrochemical and Solid-State Lithiation of Graphitic C <sub>3</sub> N <sub>4</sub> . <i>Chemistry of Materials</i> , <b>2013</b> , 25, 503-508	9.6	112
71	Nanofiber membrane supported lung-on-a-chip microdevice for anti-cancer drug testing. <i>Lab on a Chip</i> , <b>2018</b> , 18, 486-495	7.2	110
70	Mobile Ions in Composite Solids. <i>Chemical Reviews</i> , <b>2020</b> , 120, 4169-4221	68.1	105
69	Superior Conductive Solid-like Electrolytes: Nanoconfining Liquids within the Hollow Structures. <i>Nano Letters</i> , <b>2015</b> , 15, 3398-402	11.5	104
68	Highly dispersed sulfur in a porous aromatic framework as a cathode for lithium-sulfur batteries. <i>Chemical Communications</i> , <b>2013</b> , 49, 4905-7	5.8	99
67	Low-Cost Higher Loading of a Sulfur Cathode. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1502059	21.8	83

66	Low-Temperature Fluorination of Soft-Templated Mesoporous Carbons for a High-Power Lithium/Carbon Fluoride Battery. <i>Chemistry of Materials</i> , <b>2011</b> , 23, 4420-4427	9.6	76
65	Assembly of carbon-SnO <sub>2</sub> core-sheath composite nanofibers for superior lithium storage. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 11543-8	4.8	73
64	Ambient lithium-SO <sub>2</sub> batteries with ionic liquids as electrolytes. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 2099-103	16.4	57
63	Enhanced Li storage performance of ordered mesoporous MoO <sub>2</sub> via tungsten doping. <i>Nanoscale</i> , <b>2012</b> , 4, 1541-4	7.7	57
62	Polypyrrole-iron-oxygen coordination complex as high performance lithium storage material. <i>Energy and Environmental Science</i> , <b>2011</b> , 4, 3442	35.4	56
61	Highly soluble alkoxide magnesium salts for rechargeable magnesium batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 581-584	13	55
60	Mesoporous carbon/Cr <sub>2</sub> O <sub>3</sub> composite as an anode material for lithium ion batteries. <i>Journal of Power Sources</i> , <b>2012</b> , 205, 495-499	8.9	55
59	High performance Cr, N-codoped mesoporous TiO <sub>2</sub> microspheres for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 1818-1824	13	54
58	Fast, reversible lithium storage with a sulfur/long-chain-polysulfide redox couple. <i>Chemistry - A European Journal</i> , <b>2013</b> , 19, 8621-6	4.8	53
57	A POM-organic framework anode for Li-ion battery. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 22989-22995	15	48
56	Nitrogen-Enriched Carbons from Alkali Salts with High Coulombic Efficiency for Energy Storage Applications. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 708-712	21.8	48
55	Enhanced Surface Chemical and Structural Stability of Ni-Rich Cathode Materials by Synchronous Lithium-Ion Conductor Coating for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 13813-13823	9.5	47
54	Dendrite-Free Sodium Metal Anodes Enabled by a Sodium Benzenedithiolate-Rich Protection Layer. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 6596-6600	16.4	43
53	Low-Cost, Dendrite-Blocking Polymer-Sb <sub>2</sub> O <sub>3</sub> Separators for Lithium and Sodium Batteries. <i>Journal of the Electrochemical Society</i> , <b>2014</b> , 161, A1655-A1661	3.9	42
52	Electrospun Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /C composites for lithium-ion batteries with high rate performance. <i>Solid State Ionics</i> , <b>2011</b> , 204-205, 61-65	3.3	41
51	Improved Electrochemical Performances of LiCoO <sub>2</sub> at Elevated Voltage and Temperature with an In Situ Formed Spinel Coating Layer. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 31271-31279	9.5	40
50	Polypyrrole/NiO composite as high-performance lithium storage material. <i>Electrochimica Acta</i> , <b>2013</b> , 105, 162-169	6.7	38
49	Electrochemically fabricated polypyrrole-cobalt-oxygen coordination complex as high-performance lithium-storage materials. <i>Chemistry - A European Journal</i> , <b>2011</b> , 17, 14878-84	4.8	38

48	Synthesis and Characterization of Lithium Bis(fluoromalonato)borate for Lithium-Ion Battery Applications. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1301368	21.8	37
47	Core-Shell C@Sb Nanoparticles as a Nucleation Layer for High-Performance Sodium Metal Anodes. <i>Nano Letters</i> , <b>2020</b> , 20, 4464-4471	11.5	34
46	Bicyclic imidazolium ionic liquids as potential electrolytes for rechargeable lithium ion batteries. <i>Journal of Power Sources</i> , <b>2013</b> , 237, 5-12	8.9	34
45	Achieving Stable Cycling of LiCoO <sub>2</sub> at 4.6 V by Multilayer Surface Modification. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2001974	15.6	33
44	Hard carbon micro-nano tubes derived from kapok fiber as anode materials for sodium-ion batteries and the sodium-ion storage mechanism. <i>Chemical Communications</i> , <b>2020</b> , 56, 778-781	5.8	30
43	Sodium storage mechanism and electrochemical performance of layered GeP as anode for sodium ion batteries. <i>Journal of Power Sources</i> , <b>2019</b> , 433, 126682	8.9	29
42	Atmospheric plasma treatment of pre-electrospinning polymer solution: A feasible method to improve electrospinnability. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2011</b> , 49, 115-122	2.6	29
41	Recent advances in high energy-density cathode materials for sodium-ion batteries. <i>Sustainable Materials and Technologies</i> , <b>2019</b> , 21, e00098	5.3	26
40	Bis(fluoromalonato)borate (BFMB) anion based ionic liquid as an additive for lithium-ion battery electrolytes. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 7606-7614	13	25
39	Synergistic effects of mixing sulfone and ionic liquid as safe electrolytes for lithium sulfur batteries. <i>ChemSusChem</i> , <b>2015</b> , 8, 353-60	8.3	24
38	Electrochemical and in-situ X-ray diffraction studies of Na <sub>1.2</sub> Ni <sub>0.2</sub> Mn <sub>0.2</sub> Ru <sub>0.4</sub> O <sub>2</sub> as a cathode material for sodium-ion batteries. <i>Electrochemistry Communications</i> , <b>2018</b> , 87, 71-75	5.1	21
37	Al <sub>2</sub> O <sub>3</sub> coated Li <sub>1.2</sub> Ni <sub>0.2</sub> Mn <sub>0.2</sub> Ru <sub>0.4</sub> O <sub>2</sub> as cathode material for Li-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2018</b> , 741, 398-403	5.7	19
36	Real-Time TEM Study of Nanopore Evolution in Battery Materials and Their Suppression for Enhanced Cycling Performance. <i>Nano Letters</i> , <b>2019</b> , 19, 3074-3082	11.5	18
35	A stable fluorinated and alkylated lithium malonatoborate salt for lithium ion battery application. <i>Chemical Communications</i> , <b>2015</b> , 51, 9817-20	5.8	18
34	Narrowing Working Voltage Window to Improve Layered GeP Anode Cycling Performance for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 17466-17473	9.5	18
33	Fluorination of Brick and mortar-templated graphitic ordered mesoporous carbons for high power lithium-ion battery. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 9414	13	18
32	Ambient Lithium-SO <sub>2</sub> Batteries with Ionic Liquids as Electrolytes. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 2131-2135	13.5	18
31	In situ TEM and half cell investigation of sodium storage in hexagonal FeSe nanoparticles. <i>Chemical Communications</i> , <b>2019</b> , 55, 5611-5614	5.8	17

30	Forming a Stable CEI Layer on LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> Cathode by the Synergy Effect of FEC and HDI. <i>Journal of the Electrochemical Society</i> , <b>2018</b> , 165, A2032-A2036	3.9	16
29	Stable lithium metal anodes enabled by inorganic/organic double-layered alloy and polymer coating. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 25369-25376	13	16
28	Systematic investigation of the Binder's role in the electrochemical performance of tin sulfide electrodes in SIBs. <i>Journal of Power Sources</i> , <b>2018</b> , 401, 195-203	8.9	16
27	Porous scaffold of TiO <sub>2</sub> for dendrite-free lithium metal anode. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 791, 364-370	5.7	15
26	Study on the effect of Ni and Mn doping on the structural evolution of LiCoO <sub>2</sub> under 4.6V high-voltage cycling. <i>Journal of Alloys and Compounds</i> , <b>2020</b> , 842, 155827	5.7	14
25	Observing Framework Expansion of Ordered Mesoporous Hard Carbon Anodes with Ionic Liquid Electrolytes via in Situ Small-Angle Neutron Scattering. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1698-1704	20.1	14
24	Compatibility of Co <sub>3</sub> O <sub>4</sub> with Commercial Electrolyte. <i>Electrochemical and Solid-State Letters</i> , <b>2007</b> , 10, A118		14
23	Silica-polydopamine core-shell self-confined templates for ultra-stable hollow Pt anchored N-doped carbon electrocatalysts. <i>Dalton Transactions</i> , <b>2017</b> , 46, 16419-16425	4.3	13
22	High Conductive Composite Polymer Electrolyte via in Situ UV-Curing for All-Solid-State Lithium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 9875-9880	8.3	13
21	Enhanced cycling stability of high voltage LiCoO <sub>2</sub> by surface phosphorylation. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 803, 348-353	5.7	10
20	One-Step Integrated Comodification to Improve the Electrochemical Performances of High-Voltage LiCoO <sub>2</sub> for Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 9346-9355	8.3	9
19	Isophorone Diisocyanate: An Effective Additive to Form Cathode-Protective-Interlayer and Its Influence on LiNiCoMnO at High Potential. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 11305-11310	8.5	9
18	Iridium Doping Boosting the Electrochemical Performance of Lithium-Rich Cathodes for Li-Ion Batteries. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 2489-2495	6.1	7
17	Cracks Formation in Lithium-Rich Cathode Materials for Lithium-Ion Batteries during the Electrochemical Process. <i>Energies</i> , <b>2018</b> , 11, 2712	3.1	7
16	Simplifying the Electrolyte Systems with the Functional Cosolvent. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 27854-27861	9.5	6
15	Copper sulfide nanostructures and their sodium storage properties. <i>CrystEngComm</i> , <b>2020</b> , 22, 7082-7089	3.3	6
14	Mechanical Robustness Two-Dimensional Silicon Phosphide Flake Anodes for Lithium Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 17597-17605	8.3	5
13	Influence of HDI as a cathode film-forming additive on the performance of LiFe <sub>0.2</sub> Mn <sub>0.8</sub> PO <sub>4</sub> /C cathode. <i>RSC Advances</i> , <b>2017</b> , 7, 41970-41972	3.7	4

12	Amide-Based Interface Layer with High Toughness In Situ Building on the Li Metal Anode. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 25826-25831	9.5	3
11	Addressing Unfavorable Influence of Particle Cracking with a Strengthened Shell Layer in Ni-Rich Cathodes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 18954-18960	9.5	3
10	Dense PVDF-type polymer-in-ceramic electrolytes for solid state lithium batteries.. <i>RSC Advances</i> , <b>2020</b> , 10, 22417-22421	3.7	2
9	Improving the Durability of Lithium-Metal Anode via In situ Constructed Multilayer SEI. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 49445-49452	9.5	2
8	Understanding the Structural Evolution and Storage Mechanism of NASICON-Structure Mg <sub>0.5</sub> Ti <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> for Li-Ion and Na-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	2
7	A Hybrid Ionic and Electronic Conductive Coating Layer for Enhanced Electrochemical Performance of 4.6 V LiCoO. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 42917-42926	9.5	2
6	The synergistic effect of carbon coating and CNTs compositing on the hard carbon anode for sodium ion batteries.. <i>RSC Advances</i> , <b>2019</b> , 9, 21667-21670	3.7	1
5	Enhanced Electrochemical Performance of Ni-Rich Cathodes by Neutralizing Residual Lithium with Acid Compounds. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 55072-55079	9.5	1
4	Fabricating a thin gradient surface layer to enhance the cycle stability of Ni-rich cathode materials. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 893, 162162	5.7	1
3	A vacancy-free sodium manganese hexacyanoferrate as cathode for sodium-ion battery by high-salt-concentration preparation. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 887, 161388	5.7	1
2	In-situ constructing a rigid and stable dual-layer CEI film improving high-voltage 4.6V LiCoO <sub>2</sub> performances. <i>Nano Energy</i> , <b>2022</b> , 96, 107082	17.1	1
1	A polycarboxylic/ether composite polymer electrolyte via UV-curing for all-solid-state lithium battery. <i>Royal Society Open Science</i> , <b>2020</b> , 7, 200598	3.3	