

Du-Hyeong Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8523538/du-hyeong-lee-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

452

citations

9

h-index

18

g-index

75

ext. papers

647

ext. citations

2.7

avg, IF

4.55

L-index

#	Paper	IF	Citations
68	Fit of interim crowns fabricated using photopolymer-jetting 3D printing. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 208-215	4	64
67	A microcomputed tomography evaluation of the marginal fit of cobalt-chromium alloy copings fabricated by new manufacturing techniques and alloy systems. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 393-399	4	42
66	Evaluation of internal fit of interim crown fabricated with CAD/CAM milling and 3D printing system. <i>Journal of Advanced Prosthodontics</i> , 2017 , 9, 265-270	2.2	36
65	Shear bond strength of porcelain to a new millable alloy and a conventional castable alloy. <i>Journal of Prosthetic Dentistry</i> , 2015 , 113, 329-35	4	28
64	Accuracy of a direct drill-guiding system with minimal tolerance of surgical instruments used for implant surgery: a prospective clinical study. <i>Journal of Advanced Prosthodontics</i> , 2016 , 8, 207-13	2.2	24
63	Anti-inflammatory drug releasing absorbable surgical sutures using poly(lactic-co-glycolic acid) particle carriers. <i>Polymer Bulletin</i> , 2014 , 71, 1933-1946	2.4	20
62	Marginal fit of metal-ceramic crowns fabricated by using a casting and two selective laser melting processes before and after ceramic firing. <i>Journal of Prosthetic Dentistry</i> , 2019 , 122, 475-481	4	14
61	Digital approach to assessing the 3-dimensional misfit of fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 836-839	4	14
60	Effects of image and education on the precision of the measurement method for evaluating prosthesis misfit. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 600-605	4	12
59	Effects of different finishing/polishing protocols and systems for monolithic zirconia on surface topography, phase transformation, and biofilm formation. <i>Journal of Advanced Prosthodontics</i> , 2019 , 11, 81-87	2.2	9
58	A Digital Technique to Replicate Edentulous Arches with Functional Borders and Accurate Maxillomandibular Relationship for Digital Complete Denture. <i>Journal of Prosthodontics</i> , 2020 , 29, 356-359	3.8	9
57	A New Antibacterial Agent-Releasing Polydimethylsiloxane Coating for Polymethyl Methacrylate Dental Restorations. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
56	Reliability of Metal 3D Printing with Respect to the Marginal Fit of Fixed Dental Prostheses: A Systematic Review and Meta-Analysis. <i>Materials</i> , 2020 , 13,	3.5	8
55	Comparative Study of the Fit Accuracy of Full-Arch Bar Frameworks Fabricated with Different Presintered Cobalt-Chromium Alloys. <i>BioMed Research International</i> , 2018 , 2018, 1962514	3	8
54	Effects of different surface finishing protocols for zirconia on surface roughness and bacterial biofilm formation. <i>Journal of Advanced Prosthodontics</i> , 2019 , 11, 41-47	2.2	7
53	Optimizing accuracy in computer-guided implant surgery with a superimposition-anchor microscrew system: A clinical report. <i>Journal of Prosthetic Dentistry</i> , 2018 , 120, 789.e1-789.e5	4	7
52	CAD/CAM-fabricated template for locating implant abutment screws in cement-retained anatomic zirconia restorations. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 343-5	4	7

51	Antibacterial Drug-Release Polydimethylsiloxane Coating for 3D-Printing Dental Polymer: Surface Alterations and Antimicrobial Effects. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	7
50	Comparative clinical study of the marginal discrepancy of fixed dental prosthesis fabricated by the milling-sintering method using a presintered alloy. <i>Journal of Advanced Prosthodontics</i> , 2019 , 11, 280-285 ²⁻²		7
49	Effects of scan body exposure and operator on the accuracy of image matching of implant impressions with scan bodies. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 379.e1-379.e6	4	6
48	Using a guide template with a handpiece sleeve to locate the abutment screw position of a cement-retained implant restoration. <i>Journal of Prosthetic Dentistry</i> , 2015 , 114, 339-42	4	6
47	In vitro evaluation methods on adaptation of fixed dental prosthesis. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2017 , 33, 63-70	0.2	6
46	Impact of Matching Point Selections on Image Registration Accuracy between Optical Scan and Computed Tomography. <i>BioMed Research International</i> , 2020 , 2020, 3285431	3	6
45	Bisphosphonate-related osteonecrosis of the jaw: Current clinical significance and treatment strategy review. <i>American Journal of Dentistry</i> , 2020 , 33, 115-128	1.3	6
44	Verification of a computer-aided replica technique for evaluating prosthesis adaptation using statistical agreement analysis. <i>Journal of Advanced Prosthodontics</i> , 2017 , 9, 358-363	2.2	5
43	The effect of 4,4-bis(N,N-diethylamino) benzophenone on the degree of conversion in liquid photopolymer for dental 3D printing. <i>Journal of Advanced Prosthodontics</i> , 2015 , 7, 386-91	2.2	5
42	The effect of the improperly scanned scan body images on the accuracy of virtual implant positioning in computer-aided design software. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 107-113	2.2	5
41	Accuracy of Portable Face-Scanning Devices for Obtaining Three-Dimensional Face Models: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	5
40	Impacts of Thresholds of Gray Value for Cone-Beam Computed Tomography 3D Reconstruction on the Accuracy of Image Matching with Optical Scan. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
39	Strategic Use of Microscrews for Enhancing the Accuracy of Computer-Guided Implant Surgery in Fully Edentulous Arches: A Case History Report. <i>International Journal of Prosthodontics</i> , 2018 , 31, 262-263 ^{1,9}		5
38	Comparison of the Accuracy of Image Registration Methods for Merging Optical Scan and Radiographic Data in Edentulous Jaws. <i>Journal of Prosthodontics</i> , 2020 , 29, 707-711	3.9	4
37	The Effects of Distribution of Image Matched Fiducial Markers on Accuracy of Computer-Guided Implant Surgery. <i>Journal of Prosthodontics</i> , 2020 , 29, 409-414	3.9	4
36	Precision of the milled full-arch framework fabricated using pre-sintered soft alloy: A pilot study. <i>Journal of Advanced Prosthodontics</i> , 2018 , 10, 128-131	2.2	4
35	Radiographic study of dermal fillers in the facial area: A series of 3 cases. <i>Imaging Science in Dentistry</i> , 2018 , 48, 227-231	2.2	4
34	Non-Radiological Method for Fabrication of a Screw-Channel Drilling Guide in Cement-Retained Implant Restorations Using Intraoral Digital Scanning and Imaging Superimposition: A Clinical Report. <i>Journal of Prosthodontics</i> , 2017 , 26, 88-92	3.9	3

33	Accuracy of a CAD/CAM-guided template for locating abutment screws for cement-retained implant-supported restorations. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 67-73	4	3
32	Radiopacity for Contemporary Luting Cements Using Digital Radiography under Various Exposure Conditions. <i>Journal of Prosthodontics</i> , 2015 , 24, 642-6	3.9	3
31	Accuracy of Mobile Device-Compatible 3D Scanners for Facial Digitization: Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22228	7.6	3
30	Influence of the Postcuring Process on Dimensional Accuracy and Seating of 3D-Printed Polymeric Fixed Prostheses. <i>BioMed Research International</i> , 2020 , 2020, 2150182	3	3
29	Effects of supporting conditions and anchor microscrew on the stabilization of the implant guide template during the drilling process: An in vitro study. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 727.e1-727.e8 ²	4	2
28	Impact of the Application of Computer-Based 3D Simulation on Acquisition of Knowledge of Guidance of Mandibular Movement. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 60	2.6	2
27	The Effect of Perioral Scan and Artificial Skin Markers on the Accuracy of Virtual Dentofacial Integration: Stereophotogrammetry Versus Smartphone Three-Dimensional Face-Scanning. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	2
26	Reliability of digital measurement methods on the marginal fit of fixed prostheses: A systematic review and meta-analysis of in vitro studies. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 350.e1-350.e11	4	2
25	Comparison of microstructures and mechanical properties of 3 cobalt-chromium alloys fabricated with soft metal milling technology. <i>Journal of Prosthetic Dentistry</i> , 2020 ,	4	2
24	Computer-Based 3D Simulation Method in Dental Occlusion Education: Student Response and Learning Effect. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6073	2.6	2
23	Influence of abutment height and convergence angle on the retrievability of cement-retained implant prostheses with a lingual slot. <i>Journal of Advanced Prosthodontics</i> , 2018 , 10, 381-387	2.2	2
22	Full-Mouth Rehabilitation with Bone-Level Implant Guide and Monolithic Zirconia Prosthesis for Fibular Free Flap Reconstruction: A Case History Report. <i>International Journal of Prosthodontics</i> , 2018 , 31, 573-576	1.9	2
21	Long-term outcomes of adjacent and antagonistic teeth after implant restoration: a focus on patient-related factors. <i>Journal of Periodontal and Implant Science</i> , 2021 , 51, 135-143	2	2
20	The overuse of the implant motor: effect on the output torque in overloading condition. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 435-41	3.9	1
19	Strategic Use of CAD-CAM Interim Restoration for the Recovery of the Vertical Dimension of Occlusion in the Posterior Partially Edentulous Jaw. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7735	2.6	1
18	The Effect of a CAD/CAM-Guided Template on Formation of the Screw-Access Channel for Fixed Prostheses Supported by Lingually Placed Implants. <i>International Journal of Prosthodontics</i> , 2017 , 30, 113-115	1.9	1
17	Radiopaque Tissue Surface-Based Digital Registration Technique for Completely Edentulous Ridge. <i>Journal of Oral Implantology</i> , 2021 , 47, 73-77	1.2	1
16	ACCURACY OF REMOVABLE PARTIAL DENTURE METAL FRAMEWORKS FABRICATED BY COMPUTER-AIDED DESIGN/ COMPUTER-AIDED MANUFACTURING METHOD: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Journal of Evidence-based Dental Practice</i> , 2021 , 101681	1.9	1

15	Comparative finite element analysis of mandibular posterior single zirconia and titanium implants: a 3-dimensional finite element analysis.. <i>Journal of Advanced Prosthodontics</i> , 2021 , 13, 396-407	2.2	1
14	Validation of the Accuracy of Postoperative Analysis Methods for Locating the Actual Position of Implants: An In Vitro Study. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7266	2.6	1
13	Influence of Extraoral Polishing of the Crown-Abutment Interface on the Marginal Fit of Screw- and Cement-Retained Prosthesis: A Clinical Pilot Study. <i>International Journal of Prosthodontics</i> , 2020 , 33, 629-633	1.9	1
12	Impact of scanning strategy on the accuracy of complete-arch intraoral scans: a preliminary study on segmental scans and merge methods. <i>Journal of Advanced Prosthodontics</i> , 2022 , 14, 88	2.2	1
11	Analysis of implant strain value exerted using different screw tightening protocols in screw-retained 3-unit prostheses. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 321	0.2	0
10	Burnishing effect on marginal misfit of implant-supported screw-and-cement retained prostheses: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 239	0.2	0
9	New Autonomous Water-Enabled Self-Healing Coating Material with Antibacterial-Agent-Releasing Properties. <i>Pharmaceutics</i> , 2022 , 14, 1005	6.4	0
8	Digital approach for fabrication of zirconia restoration with optimal gingival adaptation after tooth extraction: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2020 , 58, 217	0.2	
7	Accuracy of the healing abutment and impression coping combined system on implant impression. <i>The Journal of Korean Academy of Prosthodontics</i> , 2015 , 53, 105	0.2	
6	Implant placement using a newly developed CT-based guide program and subtractive manufacturing: case reports. <i>Journal of Dental Rehabilitation and Applied Science</i> , 2015 , 31, 67-74	0.2	
5	Effects of Exposure Parameters and Voxel Size for Cone-Beam Computed Tomography on the Image Matching Accuracy with an Optical Dental Scan Image: An In Vitro Study. <i>BioMed Research International</i> , 2021 , 2021, 6971828	3	
4	Time efficiency and operator convenience of using a micro-screw in image registration for guided implant surgery. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 219	0.2	
3	Digital approach integrating 3D facial scan and a virtual mockup for esthetic restorative treatment: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2019 , 57, 425	0.2	
2	Effect of image matching experience on the accuracy and working time for 3D image registration between radiographic and optical scan images. <i>The Journal of Korean Academy of Prosthodontics</i> , 2021 , 59, 299	0.2	
1	Fabrication of functionally customized fixed prosthesis in a hemimandibulectomy patient with fibular graft using double scan technique: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , 2022 , 60, 195	0.2	