

# Pål Klepstad

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8524054/publications.pdf>

Version: 2024-02-01

147  
papers

6,564  
citations

57631

44  
h-index

71532

76  
g-index

153  
all docs

153  
docs citations

153  
times ranked

6732  
citing authors

#	ARTICLE	IF	CITATIONS
1	The inflammatory response is related to circulatory failure after out-of-hospital cardiac arrest: A prospective cohort study. <i>Resuscitation</i> , 2022, 170, 115-125.	1.3	19
2	Characteristics of circulatory failure after out-of-hospital cardiac arrest: a prospective cohort study. <i>Open Heart</i> , 2022, 9, e001890.	0.9	5
3	Antibiotic Therapy in Integrated Oncology and Palliative Cancer Care: An Observational Study. <i>Cancers</i> , 2022, 14, 1602.	1.7	0
4	Short-term effects of endotracheal suctioning in post-cardiac arrest patients: A prospective observational cohort study. <i>Resuscitation Plus</i> , 2022, 10, 100221.	0.6	0
5	A Web-Based Communication Tool for Postoperative Follow-up and Pain Assessment at Home After Primary Knee Arthroplasty: Feasibility and Usability Study. <i>JMIR Formative Research</i> , 2022, 6, e34543.	0.7	4
6	Acute kidney injury in patients with COVID-19 in the intensive care unit: evaluation of risk factors and mortality in a national cohort. <i>BMJ Open</i> , 2022, 12, e059046.	0.8	7
7	The short-term impact of methylprednisolone on patient-reported sleep in patients with advanced cancer in a randomized, placebo-controlled, double-blind trial. <i>Supportive Care in Cancer</i> , 2021, 29, 2047-2055.	1.0	0
8	Frailty is associated with long-term outcome in patients with sepsis who are over 80 years old: results from an observational study in 241 European ICUs. <i>Age and Ageing</i> , 2021, 50, 1719-1727.	0.7	20
9	Interventions and symptom relief in hospital palliative cancer care: results from a prospective longitudinal study. <i>Supportive Care in Cancer</i> , 2021, 29, 6595-6603.	1.0	6
10	Frailty and survival in elderly intensive care patients in Norway. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1065-1072.	0.7	6
11	Desflurane consumption with automated vapour control systems in two different anaesthesia machines. A randomized controlled study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 895-901.	0.7	1
12	Circulatory trajectories after out-of-hospital cardiac arrest: a prospective cohort study. <i>BMC Anesthesiology</i> , 2021, 21, 219.	0.7	7
13	Clinical Predictors for Analgesic Response to Radiotherapy in Patients with Painful Bone Metastases. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 681-690.	0.6	5
14	Tapentadol vs oxycodone for postoperative pain treatment the first 7 days after total knee arthroplasty: a randomized clinical trial. <i>Pain</i> , 2021, 162, 396-404.	2.0	7
15	Improper monitoring and deviations from physiologic treatment goals in patients with brain injury in the early phases of emergency care. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 147-153.	0.7	2
16	An in-hospital clinical care pathway with integrated decision support for cancer pain management reduced pain intensity and needs for hospital stay. <i>Supportive Care in Cancer</i> , 2020, 28, 671-682.	1.0	8
17	Sleep quality in hospitalized patients with advanced cancer: an observational study using self-reports of sleep and actigraphy. <i>Supportive Care in Cancer</i> , 2020, 28, 2015-2023.	1.0	22
18	The Use of Low-Dose Methadone as Add-On to Regular Opioid Therapy in Cancer-Related Pain at End of Life: A National Swedish Survey in Specialized Palliative Care. <i>Journal of Palliative Medicine</i> , 2020, 23, 226-232.	0.6	22

#	ARTICLE	IF	CITATIONS
19	Pain management index (PMI)â€”does it reflect cancer patientsâ€™ wish for focus on pain?. <i>Supportive Care in Cancer</i> , 2020, 28, 1675-1684.	1.0	10
20	Continuous subcutaneous infusion for pain control in dying patients: experiences from a tertiary palliative care center. <i>BMC Palliative Care</i> , 2020, 19, 172.	0.8	9
21	Breakthrough cancer pain in 2020. <i>Current Opinion in Supportive and Palliative Care</i> , 2020, 14, 94-99.	0.5	10
22	Respiratory Mechanics and Outcomes in Immunocompromised Patients With ARDS. <i>Chest</i> , 2020, 158, 1947-1957.	0.4	12
23	Identification of genetic polymorphisms modulating nausea and vomiting in two series of opioid-treated cancer patients. <i>Scientific Reports</i> , 2020, 10, 542.	1.6	4
24	Breakthrough pain is not a fixed fraction of constant cancer pain. <i>European Journal of Pain</i> , 2020, 24, 999-1000.	1.4	2
25	Sleep quality with WHO Step III opioid use for cancer pain. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, 307-315.	0.8	15
26	Quality measurement in physician-staffed emergency medical services: a systematic literature review. <i>International Journal for Quality in Health Care</i> , 2019, 31, 2-10.	0.9	10
27	Feasibility of Preâ€”Hospital Resuscitative Endovascular Balloon Occlusion of the Aorta in Nonâ€”Traumatic Outâ€”ofâ€”Hospital Cardiac Arrest. <i>Journal of the American Heart Association</i> , 2019, 8, e014394.	1.6	53
28	Diagnosis and outcome of acuteâ€”respiratory failure in immunocompromised patients afterâ€”bronchoscopy. <i>European Respiratory Journal</i> , 2019, 54, 1802442.	3.1	36
29	Resuscitative endovascular balloon occlusion of the aorta (REBOA) in non-traumatic out-of-hospital cardiac arrest: evaluation of an educational programme. <i>BMJ Open</i> , 2019, 9, e027980.	0.8	32
30	&lt;p&gt;Use of National Early Warning Score for observation for increased risk for clinical deterioration during post-ICU care at a surgical ward&lt;/p&gt;. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 315-322.	0.9	13
31	Interventional Techniques for the Management of Cancer-Related Pain: Clinical and Critical Aspects. <i>Cancers</i> , 2019, 11, 443.	1.7	28
32	Clinically Significant Drug-Drug Interactions Involving Medications Used for Symptom Control in Patients With Advanced Malignant Disease: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2019, 57, 989-998.e1.	0.6	9
33	Improved Pain Control in Terminally Ill Cancer Patients by Introducing Low-Dose Oral Methadone in Addition to Ongoing Opioid Treatment. <i>Journal of Palliative Medicine</i> , 2018, 21, 177-181.	0.6	19
34	Pain Intensity Factors Changing Breakthrough Pain Prevalence in Patients with Advanced Cancer: A Secondary Analysis of a Cross-Sectional Observational International Study. <i>Pain and Therapy</i> , 2018, 7, 193-203.	1.5	7
35	The Palliative Radiotherapy and Inflammation Study (PRAIS) - protocol for a longitudinal observational multicenter study on patients with cancer induced bone pain. <i>BMC Palliative Care</i> , 2018, 17, 110.	0.8	10
36	Long-term health-related quality of life and survival after cardiac surgery: A prospective study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 2183-2190.e2.	0.4	22

#	ARTICLE	IF	CITATIONS
37	Single-Nucleotide Polymorphisms in TAOK3 Are Associated With High Opioid Requirement for Pain Management in Patients With Advanced Cancer Admitted to a Tertiary Palliative Care Unit. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 560-566.	0.6	9
38	Prediction of opioid dose in cancer pain patients using genetic profiling: not yet an option with support vector machine learning. <i>BMC Research Notes</i> , 2018, 11, 78.	0.6	15
39	Transitions Between Circulatory States After Out-of-Hospital Cardiac Arrest: Protocol for an Observational, Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2018, 7, e17.	0.5	6
40	The breath of life. Patients's™ experiences of breathing during and after mechanical ventilation. <i>Intensive and Critical Care Nursing</i> , 2017, 40, 85-93.	1.4	12
41	Long-Term Outcomes After ICU Admission Triage in Octogenarians. <i>Critical Care Medicine</i> , 2017, 45, e363-e371.	0.4	45
42	COMBAT study – Computer based assessment and treatment – A clinical trial evaluating impact of a computerized clinical decision support tool on pain in cancer patients. <i>Scandinavian Journal of Pain</i> , 2017, 17, 99-106.	0.5	16
43	Developing quality indicators for physician-staffed emergency medical services: a consensus process. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 14.	1.1	38
44	A multicenter study of attitudinal barriers to cancer pain management. <i>Supportive Care in Cancer</i> , 2017, 25, 3595-3602.	1.0	39
45	Open Abdomen Treated with Negative Pressure Wound Therapy: Indications, Management and Survival. <i>World Journal of Surgery</i> , 2017, 41, 152-161.	0.8	28
46	The relationship between pro-inflammatory cytokines and pain, appetite and fatigue in patients with advanced cancer. <i>PLoS ONE</i> , 2017, 12, e0177620.	1.1	74
47	Genetic findings related to pain and analgesics – why are they so inconsistent?. <i>Pain</i> , 2016, 157, 284-285.	2.0	3
48	Genetic variability of pain – A patient focused end-point. <i>Scandinavian Journal of Pain</i> , 2016, 10, 13-14.	0.5	0
49	Authors' Reply to Davies et al.. <i>Journal of Pain and Symptom Management</i> , 2016, 52, e1-e2.	0.6	2
50	Quality of Life in Patients With Advanced Cancer: Differential Association With Performance Status and Systemic Inflammatory Response. <i>Journal of Clinical Oncology</i> , 2016, 34, 2769-2775.	0.8	125
51	Genetic variation and cognitive dysfunction in opioid-treated patients with cancer. <i>Brain and Behavior</i> , 2016, 6, e00471.	1.0	13
52	Reply: Assessment of Intensive Care Unit Patients's™ Experience of Breathlessness. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 1439-1441.	2.5	0
53	Psychometric properties of the Arabic version of EORTC QLQ-C15-PAL among cancer patients in Jordan. <i>Supportive Care in Cancer</i> , 2016, 24, 2455-2462.	1.0	16
54	Minimally invasive procedures for the management of vertebral bone pain due to cancer: The EAPC recommendations. <i>Acta Oncologica</i> , 2016, 55, 129-133.	0.8	10

#	ARTICLE	IF	CITATIONS
55	Human Genetic Variability Contributes to Postoperative Morphine Consumption. <i>Journal of Pain</i> , 2016, 17, 628-636.	0.7	57
56	From "Breakthrough" to "Episodic" Cancer Pain? A European Association for Palliative Care Research Network Expert Delphi Survey Toward a Common Terminology and Classification of Transient Cancer Pain Exacerbations. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 1013-1019.	0.6	65
57	Clinical Factors Associated With a Short Survival Time After Percutaneous Nephrostomy for Ureteric Obstruction in Cancer Patients: An Updated Model. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 255-261.	0.6	22
58	Intracranial Pressure During Pressure Control and Pressure-Regulated Volume Control Ventilation in Patients with Traumatic Brain Injury: A Randomized Crossover trial. <i>Neurocritical Care</i> , 2016, 24, 332-341.	1.2	17
59	Serum and urine concentrations of morphine and morphine metabolites in patients with advanced cancer receiving continuous intravenous morphine: an observational study. <i>BMC Palliative Care</i> , 2015, 14, 53.	0.8	10
60	Reply to A. Molino et al. <i>Journal of Clinical Oncology</i> , 2015, 33, 1513-1513.	0.8	0
61	Interrater reliability of Nursing Activities Score among Intensive Care Unit health professionals. <i>Revista Da Escola De Enfermagem Da U S P</i> , 2015, 49, 117-122.	0.3	7
62	Clinically significant drug&ndash;drug interactions involving opioid analgesics used for pain treatment in patients with cancer: a systematic review. <i>Drug Design, Development and Therapy</i> , 2015, 9, 5255.	2.0	28
63	Innate Immune Signalling Genetics of Pain, Cognitive Dysfunction and Sickness Symptoms in Cancer Pain Patients Treated with Transdermal Fentanyl. <i>PLoS ONE</i> , 2015, 10, e0137179.	1.1	20
64	Tromboelastography: variability and relation to conventional coagulation test in non-bleeding intensive care unit patients. <i>BMC Anesthesiology</i> , 2015, 15, 28.	0.7	15
65	Sympathetic blocks for visceral cancer pain management: A systematic review and EAPC recommendations. <i>Critical Reviews in Oncology/Hematology</i> , 2015, 96, 577-583.	2.0	53
66	Underestimation of Patient Breathlessness by Nurses and Physicians during a Spontaneous Breathing Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 192, 1440-1448.	2.5	68
67	Genetic and Non-genetic Factors Associated With Constipation in Cancer Patients Receiving Opioids. <i>Clinical and Translational Gastroenterology</i> , 2015, 6, e90.	1.3	24
68	Can variability in the effect of opioids on refractory breathlessness be explained by genetic factors?. <i>BMJ Open</i> , 2015, 5, e006818-e006818.	0.8	32
69	Evidence of peripheral nerve blocks for cancer-related pain: a systematic review. <i>Minerva Anestesiologica</i> , 2015, 81, 789-93.	0.6	15
70	Clinical and Genetic Factors Related to Cancer-Induced Bone Pain and Bone Pain Relief. <i>Oncologist</i> , 2014, 19, 1276-1283.	1.9	9
71	Norwegian trauma care: a national cross-sectional survey of all hospitals involved in the management of major trauma patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2014, 22, 64.	1.1	8
72	Confirming neuropathic pain in cancer patients: Applying the NeuPSIG grading system in clinical practice and clinical research. <i>Pain</i> , 2014, 155, 859-863.	2.0	39

#	ARTICLE	IF	CITATIONS
73	Genetic, pathological and physiological determinants of transdermal fentanyl pharmacokinetics in 620 cancer patients of the EPOS study. <i>Pharmacogenetics and Genomics</i> , 2014, 24, 185-194.	0.7	42
74	Efficacy of Methylprednisolone on Pain, Fatigue, and Appetite Loss in Patients With Advanced Cancer Using Opioids: A Randomized, Placebo-Controlled, Double-Blind Trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 3221-3228.	0.8	167
75	A cross-sectional study on prevalence of pain and breakthrough pain among an unselected group of outpatients in a tertiary cancer clinic. <i>Supportive Care in Cancer</i> , 2014, 22, 1965-1971.	1.0	28
76	Biological pathways, candidate genes, and molecular markers associated with quality-of-life domains: an update. <i>Quality of Life Research</i> , 2014, 23, 1997-2013.	1.5	59
77	Risk Factors and Early Pharmacological Interventions to Prevent Chronic Postsurgical Pain Following Cardiac Surgery. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 335-342.	1.0	44
78	Polypharmacy in Patients With Advanced Cancer and Pain: A European Cross-Sectional Study of 2282 Patients. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 1145-1159.	0.6	90
79	The characteristics of physical activity and gait in patients receiving radiotherapy in cancer induced bone pain. <i>Radiotherapy and Oncology</i> , 2014, 111, 18-24.	0.3	7
80	Polymorphism in the $\mu$ -opioid receptor gene OPRM1 A118G – An example of the enigma of genetic variability behind chronic pain syndromes. <i>Scandinavian Journal of Pain</i> , 2014, 5, 8-9.	0.5	2
81	Clopidogrel does not work following cardiopulmonary resuscitation. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1727-1727.	0.8	3
82	The Edmonton Classification System for Cancer Pain: Comparison of Pain Classification Features and Pain Intensity Across Diverse Palliative Care Settings in Eight Countries. <i>Journal of Palliative Medicine</i> , 2013, 16, 516-523.	0.6	41
83	Are all patients that count included in palliative care studies?. <i>BMJ Supportive and Palliative Care</i> , 2013, 3, 292-293.	0.8	3
84	Effects of Hypothermia on the Disposition of Morphine, Midazolam, Fentanyl, and Propofol in Intensive Care Unit Patients. <i>Drug Metabolism and Disposition</i> , 2013, 41, 214-223.	1.7	76
85	Undertreatment of pain in the prehospital setting. <i>European Journal of Emergency Medicine</i> , 2013, 20, 428-430.	0.5	22
86	The Systemic Inflammatory Response and Its Relationship to Pain and Other Symptoms in Advanced Cancer. <i>Oncologist</i> , 2013, 18, 1050-1055.	1.9	111
87	Prognostic Factors in Patients with Advanced Cancer: A Comparison of Clinicopathological Factors and the Development of an Inflammation-Based Prognostic System. <i>Clinical Cancer Research</i> , 2013, 19, 5456-5464.	3.2	165
88	Survival and quality of life in an elderly cardiac surgery population: 5-year follow-up. <i>European Journal of Cardio-thoracic Surgery</i> , 2013, 44, e182-e188.	0.6	23
89	Opioids in pain management of mesothelioma and lung cancer patients. <i>Acta Oncologica</i> , 2013, 52, 30-37.	0.8	18
90	Variability in UDP-glucuronosyltransferase genes and morphine metabolism. <i>Pharmacogenetics and Genomics</i> , 2013, 23, 117-126.	0.7	19

#	ARTICLE	IF	CITATIONS
91	Lack of association between genetic variability and multiple pain-related outcomes in a large cohort of patients with advanced cancer: the European Pharmacogenetic Opioid Study (EPOS). <i>BMJ Supportive and Palliative Care</i> , 2012, 2, 351-355.	0.8	10
92	Recovery patterns and health-related quality of life in older patients undergoing cardiac surgery: a prospective study. <i>European Journal of Cardiovascular Nursing</i> , 2012, 11, 322-330.	0.4	11
93	The importance and pitfalls of correlational science in palliative care research. <i>Current Opinion in Supportive and Palliative Care</i> , 2012, 6, 508-513.	0.5	5
94	Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. <i>Lancet Oncology</i> , The, 2012, 13, e58-e68.	5.1	1,017
95	Interviews with patients with advanced cancer—another step towards an international cancer pain classification system. <i>Supportive Care in Cancer</i> , 2012, 20, 2491-2500.	1.0	8
96	Is there a genetic cause of appetite loss?—an explorative study in 1,853 cancer patients. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2012, 3, 191-198.	2.9	15
97	Response to letter by Mercadante. <i>Pain</i> , 2012, 153, 1771-1772.	2.0	0
98	Propofol and remifentanyl versus midazolam and fentanyl for sedation during therapeutic hypothermia after cardiac arrest: a randomised trial. <i>Intensive Care Medicine</i> , 2012, 38, 959-967.	3.9	74
99	Is Oxycodone Efficacy Reflected in Serum Concentrations? A Multicenter, Cross-Sectional Study in 456 Adult Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 694-705.	0.6	19
100	Which domains should be included in a cancer pain classification system? Analyses of longitudinal data. <i>Pain</i> , 2012, 153, 696-703.	2.0	54
101	Do CYP2D6 genotypes reflect oxycodone requirements for cancer patients treated for cancer pain? A cross-sectional multicentre study. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 55-64.	0.8	96
102	Expert conference on cancer pain assessment and classification—the need for international consensus: working proposals on international standards. <i>BMJ Supportive and Palliative Care</i> , 2011, 1, 281-287.	0.8	56
103	Clinical and genetic factors associated with nausea and vomiting in cancer patients receiving opioids. <i>European Journal of Cancer</i> , 2011, 47, 1682-1691.	1.3	78
104	Reply to S. McMorn et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 4343-4344.	0.8	0
105	Inadequate symptom control in advanced cancer patients across Europe. <i>Supportive Care in Cancer</i> , 2011, 19, 2005-2014.	1.0	49
106	Influences on the pharmacokinetics of oxycodone: a multicentre cross-sectional study in 439 adult cancer patients. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 493-506.	0.8	54
107	Which variables are associated with pain intensity and treatment response in advanced cancer patients?—Implications for a future classification system for cancer pain. <i>European Journal of Pain</i> , 2011, 15, 320-327.	1.4	63
108	Multiple Loci Modulate Opioid Therapy Response for Cancer Pain. <i>Clinical Cancer Research</i> , 2011, 17, 4581-4587.	3.2	37

#	ARTICLE	IF	CITATIONS
109	Prevalence and Predictors of Cognitive Dysfunction in Opioid-Treated Patients With Cancer: A Multinational Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 1297-1303.	0.8	75
110	Starting Step III opioids for moderate to severe pain in cancer patients: Dose titration: A systematic review. <i>Palliative Medicine</i> , 2011, 25, 424-430.	1.3	41
111	Management of opioid-induced nausea and vomiting in cancer patients: systematic review and evidence-based recommendations. <i>Palliative Medicine</i> , 2011, 25, 442-453.	1.3	50
112	Biological pathways and genetic variables involved in pain. <i>Quality of Life Research</i> , 2010, 19, 1407-1417.	1.5	33
113	A GTP cyclohydrolase 1 genetic variant delays cancer pain. <i>Pain</i> , 2010, 148, 103-106.	2.0	67
114	Health care providers underestimate symptom intensities of cancer patients: A multicenter European study. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 104.	1.0	258
115	Antiplatelet effect of clopidogrel is reduced in patients treated with therapeutic hypothermia after cardiac arrest. <i>Resuscitation</i> , 2010, 81, 1627-1631.	1.3	61
116	Patterns of smoking behaviour in patients following cardiac surgery. A prospective study. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 295-300.	0.4	11
117	The Establishment of the GENEQOL Consortium to Investigate the Genetic Disposition of Patient-Reported Quality-of-Life Outcomes. <i>Twin Research and Human Genetics</i> , 2009, 12, 301-311.	0.3	48
118	A Double-Blind, Randomized, Crossover Comparison Between Single-Dose and Double-Dose Immediate-Release Oral Morphine at Bedtime in Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2009, 37, 68-76.	0.6	22
119	Cancer patients' barriers to pain management and psychometric properties of the Norwegian version of the Barriers Questionnaire II. <i>Scandinavian Journal of Caring Sciences</i> , 2009, 23, 518-528.	1.0	22
120	Intensity and treatment of symptoms in 3,030 palliative care patients: A cross-sectional survey of the EAPC Research Network. <i>Journal of Opioid Management</i> , 2009, 5, 11-21.	0.2	56
121	Early pharmacokinetics of nasal fentanyl: is there a significant arterio-venous difference?. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 497-502.	0.8	50
122	Genetic Variation in the Catechol-O-Methyltransferase (COMT) Gene and Morphine Requirements in Cancer Patients with Pain. <i>Molecular Pain</i> , 2008, 4, 1744-8069-4-64.	1.0	128
123	Direct transport versus interhospital transfer of patients with severe head injury in Norway. <i>European Journal of Emergency Medicine</i> , 2008, 15, 249-255.	0.5	13
124	The Brief Pain Inventory: Pain's Interference With Functions Is Different in Cancer Pain Compared With Noncancer Chronic Pain. <i>Clinical Journal of Pain</i> , 2008, 24, 219-225.	0.8	48
125	Exploring joint effects of genes and the clinical efficacy of morphine for cancer pain: OPRM1 and COMT gene. <i>Pain</i> , 2007, 130, 25-30.	2.0	269
126	Long term methadone for chronic pain: A pilot study of pharmacokinetic aspects. <i>European Journal of Pain</i> , 2007, 11, 599-604.	1.4	18

#	ARTICLE	IF	CITATIONS
127	Genetic variability and opioid efficacy. <i>Current Anaesthesia and Critical Care</i> , 2007, 18, 149-156.	0.3	4
128	Validation of the Brief Pain Inventory in Patients Six Months After Cardiac Surgery. <i>Journal of Pain and Symptom Management</i> , 2007, 34, 648-656.	0.6	78
129	Common sense won: engagement from experts repealed Norwegian restrictions for ICU research. <i>Intensive Care Medicine</i> , 2007, 33, 1827-1828.	3.9	1
130	Opioid switching from oral slow release morphine to oral methadone may improve pain control in chronic non-malignant pain: a nine-month follow-up study. <i>Palliative Medicine</i> , 2006, 20, 35-41.	1.3	36
131	Health-related quality of life three years after coronary surgery: A comparison with the general population. <i>Scandinavian Cardiovascular Journal</i> , 2006, 40, 29-36.	0.4	20
132	Further restrictions for ICU research. <i>Intensive Care Medicine</i> , 2006, 32, 175-175.	3.9	10
133	Opioid Switching from Morphine to Methadone Causes a Minor But Not Clinically Significant Increase in QTc Time: A Prospective 9-Month Follow-Up Study. <i>Journal of Pain and Symptom Management</i> , 2006, 32, 180-185.	0.6	37
134	Genetic variability and clinical efficacy of morphine. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 902-908.	0.7	94
135	Health-related quality of life in long term-survivors of thoracoabdominal aortic aneurysm repair. <i>Journal of Vascular Nursing</i> , 2005, 23, 88-94.	0.2	17
136	Which Mini-Mental State Exam Items Can Be Used to Screen for Delirium and Cognitive Impairment?. <i>Journal of Pain and Symptom Management</i> , 2005, 30, 41-50.	0.6	53
137	Pain and pain treatments in European palliative care units. A cross sectional survey from the European Association for Palliative Care Research Network. <i>Palliative Medicine</i> , 2005, 19, 477-484.	1.3	119
138	The European Union "not united in opioid use. <i>Palliative Medicine</i> , 2005, 19, 177-178.	1.3	6
139	The Val158Met polymorphism of the human catechol-O-methyltransferase (COMT) gene may influence morphine requirements in cancer pain patients. <i>Pain</i> , 2005, 116, 73-78.	2.0	298
140	Day-to-day variations during clinical drug monitoring of morphine, morphine-3-glucuronide and morphine-6-glucuronide serum concentrations in cancer patients. A prospective observational study. <i>BMC Clinical Pharmacology</i> , 2004, 4, 7.	2.5	11
141	Routine drug monitoring of serum concentrations of morphine, morphine-3-glucuronide and morphine-6-glucuronide do not predict clinical observations in cancer patients. <i>Palliative Medicine</i> , 2003, 17, 679-687.	1.3	52
142	Self-reports are not related to objective assessments of cognitive function and sedation in patients with cancer pain admitted to a palliative care unit. <i>Palliative Medicine</i> , 2002, 16, 513-519.	1.3	45
143	The Norwegian Brief Pain Inventory Questionnaire. <i>Journal of Pain and Symptom Management</i> , 2002, 24, 517-525.	0.6	272
144	Morphine glucuronide-to-morphine plasma ratios are unaffected by the UGT2B7 H268Y and UGT1A1*28 polymorphisms in cancer patients on chronic morphine therapy. <i>European Journal of Clinical Pharmacology</i> , 2002, 58, 353-356.	0.8	125

#	ARTICLE	IF	CITATIONS
145	Pharmacogenetic considerations in the treatment of cancer pain. , 2001, , 180-194.		0
146	Effects on Cancer Patients' Health-Related Quality of Life After the Start of Morphine Therapy. Journal of Pain and Symptom Management, 2000, 20, 19-26.	0.6	62
147	High levels of discordant antimicrobial therapy in hospital-acquired bloodstream infections is associated with increased mortality in an intensive care, low antimicrobial resistance setting. Infectious Diseases, 0, , 1-10.	1.4	1