

# Louis M Luttrell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8524443/publications.pdf>

Version: 2024-02-01

158  
papers

20,927  
citations

14614

66  
h-index

9311

143  
g-index

159  
all docs

159  
docs citations

159  
times ranked

12835  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aging-related modifications to G protein-coupled receptor signaling diversity. , 2021, 223, 107793.		12
2	Reply to Schierwagen et al.: $\beta$ -Arrestins in liver disease. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 27085-27086.	3.3	0
3	Longitudinal Plasma Kallikrein Levels and Their Association With the Risk of Cardiovascular Disease Outcomes in Type 1 Diabetes in DCCT/EDIC. Diabetes, 2020, 69, 2440-2445.	0.3	2
4	SnapShot: $\beta$ -Arrestin Functions. Cell, 2020, 182, 1362-1362.e1.	13.5	35
5	$\beta$ -Arrestin2 is a critical component of the GPCR-eNOS signalosome. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11483-11492.	3.3	20
6	Conformational Sensors and Domain Swapping Reveal Structural and Functional Differences between $\beta$ -Arrestin Isoforms. Cell Reports, 2019, 28, 3287-3299.e6.	2.9	54
7	Probing Arrestin Function Using Intramolecular FAsH-BRET Biosensors. Methods in Molecular Biology, 2019, 1957, 309-322.	0.4	5
8	Islet Harvest in Carbon Monoxide-Saturated Medium for Chronic Pancreatitis Patients Undergoing Islet Autotransplantation. Cell Transplantation, 2019, 28, 25S-36S.	1.2	11
9	Transcriptomic characterization of signaling pathways associated with osteoblastic differentiation of MC-3T3E1 cells. PLoS ONE, 2019, 14, e0204197.	1.1	21
10	Plasma Connective Tissue Growth Factor (CTGF/CCN2) Levels Predict Myocardial Infarction in the Veterans Affairs Diabetes Trial (VADT) Cohort. Diabetes Care, 2018, 41, 840-846.	4.3	18
11	GIT2-A keystone in ageing and age-related disease. Ageing Research Reviews, 2018, 43, 46-63.	5.0	29
12	Translating in vitro ligand bias into in vivo efficacy. Cellular Signalling, 2018, 41, 46-55.	1.7	43
13	Autologous Mesenchymal Stem Cell and Islet Cotransplantation: Safety and Efficacy. Stem Cells Translational Medicine, 2018, 7, 11-19.	1.6	51
14	$\beta$ -Arrestin Based Receptor Signaling Paradigms: Potential Therapeutic Targets for Complex Age-Related Disorders. Frontiers in Pharmacology, 2018, 9, 1369.	1.6	75
15	Analysis of longitudinal semicontinuous data using marginalized two-part model. Journal of Translational Medicine, 2018, 16, 301.	1.8	4
16	Manifold roles of $\beta$ -arrestins in GPCR signaling elucidated with siRNA and CRISPR/Cas9. Science Signaling, 2018, 11, .	1.6	169
17	The RXFP3-GIT2 signaling system represents a potential multidimensional therapeutic target in age-related disorders. FASEB Journal, 2018, 32, 533.111.	0.2	0
18	Sphingosine 1 Phosphate Regulates Store-Operated Calcium Entry through binding to STIM1. FASEB Journal, 2018, 32, 815.10.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Ligand-specific patterns of PTH 1 R and arrestin3 internalization and trafficking define a novel form of ligand-bias. FASEB Journal, 2018, 32, 685.3.	0.2	0
20	The Diverse Roles of Arrestin Scaffolds in G Protein-Coupled Receptor Signaling. Pharmacological Reviews, 2017, 69, 256-297.	7.1	332
21	S1P in HDL promotes interaction between SR-BI and S1PR1 and activates S1PR1-mediated biological functions: calcium flux and S1PR1 internalization. Journal of Lipid Research, 2017, 58, 325-338.	2.0	35
22	Arrestin-Dependent ERK Activation and Its Disruption. , 2017, , 199-217.		1
23	Is Signaling Specificity Encoded in Arrestin Conformation?. , 2017, , 235-253.		0
24	Angiotensin II receptors and peritoneal dialysis-induced peritoneal fibrosis. International Journal of Biochemistry and Cell Biology, 2016, 77, 240-250.	1.2	11
25	Hyperparathyroidism-jaw Tumor Syndrome: An Overlooked Cause of Severe Hypercalcemia. American Journal of the Medical Sciences, 2016, 352, 302-305.	0.4	10
26	GPCR Signaling Rides a Wave of Conformational Changes. Cell, 2016, 167, 602-603.	13.5	5
27	Plasma Prekallikrein Is Associated With Carotid Intima-Media Thickness in Type 1 Diabetes. Diabetes, 2016, 65, 498-502.	0.3	12
28	The conformational signature of $\beta$ 2-arrestin2 predicts its trafficking and signalling functions. Nature, 2016, 531, 665-668.	13.7	191
29	Multivariate generalized linear mixed models with random intercepts to analyze cardiovascular risk markers in type-1 diabetic patients. Journal of Applied Statistics, 2016, 43, 1447-1464.	0.6	9
30	Exploring G protein-coupled receptor signaling networks using SILAC-based phosphoproteomics. Methods, 2016, 92, 36-50.	1.9	23
31	Informatic deconvolution of biased GPCR signaling mechanisms from in vivo pharmacological experimentation. Methods, 2016, 92, 51-63.	1.9	33
32	Abstract 133: Mechanistic Insights Into Bradykinin and Thromboxane Receptors Heterodimerization in Vascular Smooth Muscle Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, .	1.1	1
33	Stimulation of Cyclooxygenase 2 Expression in Rat Peritoneal Mesothelial Cells. Nephron Experimental Nephrology, 2015, 128, 89-97.	2.4	2
34	Delineation of a Conserved Arrestin-Biased Signaling Repertoire In Vivo. Molecular Pharmacology, 2015, 87, 706-717.	1.0	40
35	Inhibition of Sphingosine Kinase 1 Ameliorates Angiotensin II-Induced Hypertension and Inhibits Transmembrane Calcium Entry via Store-Operated Calcium Channel. Molecular Endocrinology, 2015, 29, 896-908.	3.7	23
36	Fulfilling the Promise of "Biased" G Protein-Coupled Receptor Agonism. Molecular Pharmacology, 2015, 88, 579-588.	1.0	178

#	ARTICLE	IF	CITATIONS
37	Sphingosine Kinase 1 Mediates Transmembrane Calcium Entry via Store-Operated Calcium Channel. <i>FASEB Journal</i> , 2015, 29, 715-34.	0.2	0
38	Epidermal growth factor-induced proliferation of collecting duct cells from Oak Ridge polycystic kidney mice involves activation of Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 307, C554-C560.	2.1	11
39	Arrestin-Dependent Activation of ERK and Src Family Kinases. <i>Handbook of Experimental Pharmacology</i> , 2014, 219, 225-257.	0.9	31
40	Arrestin-dependent Angiotensin AT1 Receptor Signaling Regulates Akt and mTor-mediated Protein Synthesis. <i>Journal of Biological Chemistry</i> , 2014, 289, 26155-26166.	1.6	39
41	Minireview: More Than Just a Hammer: Ligand Bias and Pharmaceutical Discovery. <i>Molecular Endocrinology</i> , 2014, 28, 281-294.	3.7	108
42	Biasing the Parathyroid Hormone Receptor. <i>Methods in Enzymology</i> , 2013, 522, 229-262.	0.4	25
43	The Arrestin-selective Angiotensin AT1 Receptor Agonist [Sar1,Ile4,Ile8]-AngII Negatively Regulates Bradykinin B2 Receptor Signaling via AT1-B2 Receptor Heterodimers. <i>Journal of Biological Chemistry</i> , 2013, 288, 18872-18884.	1.6	46
44	Relationship between vitamin D status and incidence of vascular events in the Veterans Affairs Diabetes Trial. <i>Atherosclerosis</i> , 2013, 228, 502-507.	0.4	26
45	Emergent biological properties of arrestin pathway-selective biased agonism. <i>Journal of Receptor and Signal Transduction Research</i> , 2013, 33, 153-161.	1.3	11
46	Î <sup>2</sup> -Arrestin-Selective G Protein-Coupled Receptor Agonists Engender Unique Biological Efficacy in Vivo. <i>Molecular Endocrinology</i> , 2013, 27, 296-314.	3.7	62
47	Preface. <i>Progress in Molecular Biology and Translational Science</i> , 2013, 118, xv.	0.9	1
48	Angiotensin II activates NF-Î <sup>B</sup> through AT <sub>1A</sub> receptor recruitment of Î <sup>2</sup> -arrestin in cultured rat vascular smooth muscle cells. <i>American Journal of Physiology - Cell Physiology</i> , 2013, 304, C1176-C1186.	2.1	24
49	Arrestins as Regulators of Kinases and Phosphatases. <i>Progress in Molecular Biology and Translational Science</i> , 2013, 118, 115-147.	0.9	51
50	Arrestin Pathways as Drug Targets. <i>Progress in Molecular Biology and Translational Science</i> , 2013, 118, 469-497.	0.9	21
51	A High-Content, Live-Cell, and Real-Time Approach to the Quantitation of Ligand-Induced Î <sup>2</sup> -Arrestin2 and Class A/Class B GPCR Mobilization. <i>Microscopy and Microanalysis</i> , 2013, 19, 150-170.	0.2	11
52	Textrou!: Extracting Semantic Textual Meaning from Gene Sets. <i>PLoS ONE</i> , 2013, 8, e62665.	1.1	23
53	Endocrine Function in Aging. <i>International Journal of Endocrinology</i> , 2012, 2012, 1-3.	0.6	12
54	Functional Signaling Biases in G Protein-Coupled Receptors: Game Theory and Receptor Dynamics. <i>Mini-Reviews in Medicinal Chemistry</i> , 2012, 12, 831-840.	1.1	43

#	ARTICLE	IF	CITATIONS
55	Low-Density Lipoprotein Induced Expression of Connective Tissue Growth Factor via Transactivation of Sphingosine 1-Phosphate Receptors in Mesangial Cells. <i>Molecular Endocrinology</i> , 2012, 26, 833-845.	3.7	21
56	Refining Efficacy: Allosterism and Bias in G Protein-Coupled Receptor Signaling. <i>Methods in Molecular Biology</i> , 2011, 756, 3-35.	0.4	74
57	“Biasing”™ the parathyroid hormone receptor: A novel anabolic approach to increasing bone mass?. <i>British Journal of Pharmacology</i> , 2011, 164, 59-67.	2.7	47
58	Increased expression of beta-arrestin 1 and 2 in murine models of rheumatoid arthritis: Isoform specific regulation of inflammation. <i>Molecular Immunology</i> , 2011, 49, 64-74.	1.0	48
59	Refining Efficacy: Exploiting Functional Selectivity for Drug Discovery. <i>Advances in Pharmacology</i> , 2011, 62, 79-107.	1.2	25
60	Phospholipase C and Protein Kinase C- $\beta$ 2 Mediate Insulin-Like Growth Factor II-Dependent Sphingosine Kinase 1 Activation. <i>Molecular Endocrinology</i> , 2011, 25, 2144-2156.	3.7	18
61	The $\beta$ -Arrestin Pathway-selective Type 1A Angiotensin Receptor (AT1A) Agonist [Sar <sup>1</sup> ,Ile <sup>4</sup> ,Ile <sup>8</sup> ]Angiotensin II Regulates a Robust G Protein-independent Signaling Network. <i>Journal of Biological Chemistry</i> , 2011, 286, 19880-19891.	1.6	62
62	Plasma kallikrein promotes epidermal growth factor receptor transactivation and signaling in vascular smooth muscle through direct activation of protease-activated receptors.. <i>Journal of Biological Chemistry</i> , 2011, 286, 23620.	1.6	1
63	Beta-arrestin 2 negatively regulates sepsis-induced inflammation. <i>Immunology</i> , 2010, 130, 344-351.	2.0	65
64	HDL3, but not HDL2, stimulates plasminogen activator inhibitor-1 release from adipocytes: the role of sphingosine-1-phosphate. <i>Journal of Lipid Research</i> , 2010, 51, 2619-2628.	2.0	50
65	Plasma Kallikrein Promotes Epidermal Growth Factor Receptor Transactivation and Signaling in Vascular Smooth Muscle through Direct Activation of Protease-activated Receptors. <i>Journal of Biological Chemistry</i> , 2010, 285, 35206-35215.	1.6	46
66	Bradykinin Decreases Podocyte Permeability through ADAM17-Dependent Epidermal Growth Factor Receptor Activation and Zonula Occludens-1 Rearrangement. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 775-783.	1.3	29
67	Beyond Desensitization: Physiological Relevance of Arrestin-Dependent Signaling. <i>Pharmacological Reviews</i> , 2010, 62, 305-330.	7.1	355
68	Genetic variant in the promoter of connective tissue growth factor gene confers susceptibility to nephropathy in type 1 diabetes. <i>Journal of Medical Genetics</i> , 2010, 47, 391-397.	1.5	24
69	Novel Mechanisms in the Regulation of G Protein-coupled Receptor Trafficking to the Plasma Membrane*. <i>Journal of Biological Chemistry</i> , 2010, 285, 33816-33825.	1.6	12
70	Allosteric Modulators of G Protein-Coupled Receptors: Future Therapeutics for Complex Physiological Disorders. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 331, 340-348.	1.3	88
71	Angiotensin II-Induced Cyclooxygenase 2 Expression in Rat Aorta Vascular Smooth Muscle Cells Does Not Require Heterotrimeric G Protein Activation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009, 330, 118-124.	1.3	14
72	c-Src-mediated phosphorylation of AP-2 reveals a general mechanism for receptors internalizing through the clathrin pathway. <i>Cellular Signalling</i> , 2009, 21, 103-110.	1.7	53

#	ARTICLE	IF	CITATIONS
73	Diversity in arrestin function. Cellular and Molecular Life Sciences, 2009, 66, 2953-2973.	2.4	55
74	Essential Role of c-Cbl in Amphiregulin-Induced Recycling and Signaling of the Endogenous Epidermal Growth Factor Receptor. Biochemistry, 2009, 48, 1462-1473.	1.2	41
75	A $\beta$ -Arrestin-Dependent Biased Agonist of the Parathyroid Hormone Receptor (PTH1R) Promotes Bone Formation Independent of G Protein Activation. Science Translational Medicine, 2009, 1, 1ra1.	5.8	188
76	Chapter 24 Insulin-Like Growth Factor-2/Mannose-6 Phosphate Receptors. Vitamins and Hormones, 2009, 80, 667-697.	0.7	76
77	Biased agonism reveals new G protein-independent AT1a receptor signals. FASEB Journal, 2009, 23, 880.5.	0.2	0
78	Reviews in Molecular Biology and Biotechnology: Transmembrane Signaling by G Protein-Coupled Receptors. Molecular Biotechnology, 2008, 39, 239-264.	1.3	124
79	Heptahelical Terpsichory. Who Calls the Tune?. Journal of Receptor and Signal Transduction Research, 2008, 28, 39-58.	1.3	20
80	The Adiponectin Receptors AdipoR1 and AdipoR2 Activate ERK1/2 through a Src/Ras-Dependent Pathway and Stimulate Cell Growth. Biochemistry, 2008, 47, 11682-11692.	1.2	105
81	Role of $\beta$ -Arrestin-mediated Desensitization and Signaling in the Control of Angiotensin AT1a Receptor-stimulated Transcription. Journal of Biological Chemistry, 2008, 283, 2088-2097.	1.6	56
82	Connective Tissue Growth Factor and Susceptibility to Renal and Vascular Disease Risk in Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1893-1900.	1.8	57
83	5-HT induces threonine (T375) phosphorylation of ADAM17/TACE cytoplasmic tail. FASEB Journal, 2008, 22, 829.7.	0.2	0
84	Identification of a putative nuclear localization sequence within ANG II AT1A receptor associated with nuclear activation. American Journal of Physiology - Cell Physiology, 2007, 292, C1398-C1408.	2.1	43
85	G Protein-Coupled Receptor Signaling Complexity in Neuronal Tissue: Implications for Novel Therapeutics. Current Alzheimer Research, 2007, 4, 3-19.	0.7	53
86	Ubiquitination of $\beta$ -Arrestin Links Seven-transmembrane Receptor Endocytosis and ERK Activation. Journal of Biological Chemistry, 2007, 282, 29549-29562.	1.6	121
87	The Insulin-like Growth Factor Type 1 and Insulin-like Growth Factor Type 2/Mannose-6-phosphate Receptors Independently Regulate ERK1/2 Activity in HEK293 Cells. Journal of Biological Chemistry, 2007, 282, 26150-26157.	1.6	52
88	$\beta$ -Arrestins 1 and 2 differentially regulate LPS-induced signaling and pro-inflammatory gene expression. Molecular Immunology, 2007, 44, 3092-3099.	1.0	80
89	Signal Switching, Crosstalk, and Arrestin Scaffolds. Hypertension, 2006, 48, 173-179.	1.3	48
90	Transmembrane Signaling by G Protein-Coupled Receptors. , 2006, 332, 1-50.		98

#	ARTICLE	IF	CITATIONS
91	Constitutive ERK1/2 Activation by a Chimeric Neurokinin 1 Receptor- $\beta$ -Arrestin1 Fusion Protein. <i>Journal of Biological Chemistry</i> , 2006, 281, 19346-19357.	1.6	34
92	Arrestin-mediated ERK Activation by Gonadotropin-releasing Hormone Receptors. <i>Journal of Biological Chemistry</i> , 2006, 281, 2701-2710.	1.6	55
93	5-HT <sub>2A</sub> Receptor Induces ERK Phosphorylation and Proliferation through ADAM-17 Tumor Necrosis Factor- $\alpha$ -converting Enzyme (TACE) Activation and Heparin-bound Epidermal Growth Factor-like Growth Factor (HB-EGF) Shedding in Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 21004-21012.	1.6	99
94	Distinct $\beta$ -Arrestin- and G Protein-dependent Pathways for Parathyroid Hormone Receptor-stimulated ERK1/2 Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 10856-10864.	1.6	422
95	Insulin-like Growth Factors Mediate Heterotrimeric G Protein-dependent ERK1/2 Activation by Transactivating Sphingosine 1-Phosphate Receptors. <i>Journal of Biological Chemistry</i> , 2006, 281, 31399-31407.	1.6	82
96	Insulin-like Growth Factors Mediate Heterotrimeric G Protein-dependent ERK1/2 Activation by Transactivating Sphingosine 1-Phosphate Receptors. <i>Journal of Biological Chemistry</i> , 2006, 281, 31399-31407.	1.6	19
97	Composition and Function of G Protein-Coupled Receptor Signalingosomes Controlling Mitogen-Activated Protein Kinase Activity. <i>Journal of Molecular Neuroscience</i> , 2005, 26, 253-264.	1.1	106
98	The Origins of Diversity and Specificity in G Protein-Coupled Receptor Signaling. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005, 314, 485-494.	1.3	182
99	$\beta$ -Arrestin 2 Expression Determines the Transcriptional Response to Lysophosphatidic Acid Stimulation in Murine Embryo Fibroblasts. <i>Journal of Biological Chemistry</i> , 2005, 280, 32157-32167.	1.6	47
100	$\beta$ -Arrestin- and G Protein Receptor Kinase-Mediated Calcium-Sensing Receptor Desensitization. <i>Molecular Endocrinology</i> , 2005, 19, 1078-1087.	3.7	72
101	Regulators of GPCR Activity. <i>Contemporary Clinical Neuroscience</i> , 2005, , 159-198.	0.3	4
102	Ectodomain Shedding-Dependent Transactivation of Epidermal Growth Factor Receptors in Response to Insulin-Like Growth Factor Type I. <i>Molecular Endocrinology</i> , 2004, 18, 2727-2739.	3.7	41
103	Not so strange bedfellows: G-protein-coupled receptors and Src family kinases. <i>Oncogene</i> , 2004, 23, 7969-7978.	2.6	199
104	Signaling in Time and Space: G Protein-Coupled Receptors and Mitogen-Activated Protein Kinases. <i>Assay and Drug Development Technologies</i> , 2003, 1, 327-338.	0.6	61
105	Independent $\beta$ -arrestin 2 and G protein-mediated pathways for angiotensin II activation of extracellular signal-regulated kinases 1 and 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 10782-10787.	3.3	620
106	Dual Inhibition of $\beta$ -Adrenergic and Angiotensin II Receptors by a Single Antagonist. <i>Circulation</i> , 2003, 108, 1611-1618.	1.6	236
107	Protein Kinase A and G Protein-coupled Receptor Kinase Phosphorylation Mediates $\beta$ -1 Adrenergic Receptor Endocytosis through Different Pathways. <i>Journal of Biological Chemistry</i> , 2003, 278, 35403-35411.	1.6	140
108	The Stability of the G Protein-coupled Receptor- $\beta$ -Arrestin Interaction Determines the Mechanism and Functional Consequence of ERK Activation. <i>Journal of Biological Chemistry</i> , 2003, 278, 6258-6267.	1.6	316

#	ARTICLE	IF	CITATIONS
109	Transactivation of the Epidermal Growth Factor Receptor Mediates Parathyroid Hormone and Prostaglandin F2 $\beta$ -Stimulated Mitogen-Activated Protein Kinase Activation in Cultured Transgenic Murine Osteoblasts. <i>Molecular Endocrinology</i> , 2003, 17, 1607-1621.	3.7	46
110	Phosphorylation of G Proteins. , 2003, , 609-612.		0
111	Protein Kinase A-mediated Phosphorylation of the $\beta$ 2-Adrenergic Receptor Regulates Its Coupling to Gs and Gi. <i>Journal of Biological Chemistry</i> , 2002, 277, 31249-31256.	1.6	175
112	$\beta$ 2-Arrestin Scaffolding of the ERK Cascade Enhances Cytosolic ERK Activity but Inhibits ERK-mediated Transcription following Angiotensin AT1a Receptor Stimulation. <i>Journal of Biological Chemistry</i> , 2002, 277, 9429-9436.	1.6	345
113	Selective Inhibition of Heterotrimeric Gs Signaling. <i>Journal of Biological Chemistry</i> , 2002, 277, 28631-28640.	1.6	34
114	Src-dependent Tyrosine Phosphorylation Regulates Dynamin Self-assembly and Ligand-induced Endocytosis of the Epidermal Growth Factor Receptor. <i>Journal of Biological Chemistry</i> , 2002, 277, 26642-26651.	1.6	130
115	Dancing with Different Partners: Protein Kinase A Phosphorylation of Seven Membrane-Spanning Receptors Regulates Their G Protein-Coupling Specificity. <i>Molecular Pharmacology</i> , 2002, 62, 971-974.	1.0	162
116	Activation and targeting of mitogen-activated protein kinases by G-protein-coupled receptors. <i>Canadian Journal of Physiology and Pharmacology</i> , 2002, 80, 375-382.	0.7	102
117	Big G, Little G. <i>Molecular Cell</i> , 2002, 9, 1152-1154.	4.5	6
118	The role of $\beta$ 2-arrestins in the termination and transduction of G-protein-coupled receptor signals. <i>Journal of Cell Science</i> , 2002, 115, 455-465.	1.2	935
119	The role of beta-arrestins in the termination and transduction of G-protein-coupled receptor signals. <i>Journal of Cell Science</i> , 2002, 115, 455-65.	1.2	780
120	New mechanisms in heptahelical receptor signaling to mitogen activated protein kinase cascades. <i>Oncogene</i> , 2001, 20, 1532-1539.	2.6	384
121	Epidermal Growth Factor (EGF) Receptor-dependent ERK Activation by G Protein-coupled Receptors. <i>Journal of Biological Chemistry</i> , 2001, 276, 23155-23160.	1.6	199
122	$\beta$ 2-Arrestin-mediated Recruitment of the Src Family Kinase Yes Mediates Endothelin-1-stimulated Glucose Transport. <i>Journal of Biological Chemistry</i> , 2001, 276, 43663-43667.	1.6	115
123	G Protein-coupled Receptors Desensitize and Down-regulate Epidermal Growth Factor Receptors in Renal Mesangial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 27335-27344.	1.6	49
124	$\beta$ 2-Arrestin1 Interacts with the Catalytic Domain of the Tyrosine Kinase c-SRC. <i>Journal of Biological Chemistry</i> , 2000, 275, 11312-11319.	1.6	180
125	Direct Binding of Activated c-Src to the $\beta$ 3-Adrenergic Receptor Is Required for MAP Kinase Activation. <i>Journal of Biological Chemistry</i> , 2000, 275, 38131-38134.	1.6	183
126	Platelet-Derived Growth Factor Receptor Association with Na <sup>+</sup> /H <sup>+</sup> Exchanger Regulatory Factor Potentiates Receptor Activity. <i>Molecular and Cellular Biology</i> , 2000, 20, 8352-8363.	1.1	201

#	ARTICLE	IF	CITATIONS
127	Pasteurella multocida Toxin Stimulates Mitogen-activated Protein Kinase via Gq/11-dependent Transactivation of the Epidermal Growth Factor Receptor. Journal of Biological Chemistry, 2000, 275, 2239-2245.	1.6	79
128	Role of endocytosis in the activation of the extracellular signal-regulated kinase cascade by sequestering and nonsequestering G protein-coupled receptors. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 1489-1494.	3.3	212
129	The $\beta$ 2-Adrenergic Receptor Mediates Extracellular Signal-regulated Kinase Activation via Assembly of a Multi-receptor Complex with the Epidermal Growth Factor Receptor. Journal of Biological Chemistry, 2000, 275, 9572-9580.	1.6	386
130	Transactivation of the EGF Receptor Mediates IGF-1-stimulated Shc Phosphorylation and ERK1/2 Activation in COS-7 Cells. Journal of Biological Chemistry, 2000, 275, 22583-22589.	1.6	229
131	MITOGENIC SIGNALING IN ANDROGEN SENSITIVE AND INSENSITIVE PROSTATE CANCER CELL LINES. Journal of Urology, 2000, 163, 1027-1032.	0.2	66
132	MITOGENIC SIGNALING IN ANDROGEN SENSITIVE AND INSENSITIVE PROSTATE CANCER CELL LINES. Journal of Urology, 2000, , 1027.	0.2	1
133	Feedback Regulation of $\beta$ 2-Arrestin1 Function by Extracellular Signal-regulated Kinases. Journal of Biological Chemistry, 1999, 274, 15971-15974.	1.6	123
134	Src-mediated Tyrosine Phosphorylation of Dynamin Is Required for $\beta$ 2-Adrenergic Receptor Internalization and Mitogen-activated Protein Kinase Signaling. Journal of Biological Chemistry, 1999, 274, 1185-1188.	1.6	243
135	The $\beta$ 3-Adrenergic Receptor Activates Mitogen-activated Protein Kinase in Adipocytes through a Gi-dependent Mechanism. Journal of Biological Chemistry, 1999, 274, 12017-12022.	1.6	169
136	Serotonin 5-HT1A Receptor-mediated Erk Activation Requires Calcium/Calmodulin-dependent Receptor Endocytosis. Journal of Biological Chemistry, 1999, 274, 4749-4753.	1.6	138
137	Pleiotropic Coupling of G Protein-coupled Receptors to the Mitogen-activated Protein Kinase Cascade. Journal of Biological Chemistry, 1999, 274, 13978-13984.	1.6	240
138	Regulation of tyrosine kinase cascades by G-protein-coupled receptors. Current Opinion in Cell Biology, 1999, 11, 177-183.	2.6	661
139	$\beta$ 2-Arrestin-Dependent Formation of $\beta$ 2Adrenergic Receptor-Src Protein Kinase Complexes. Science, 1999, 283, 655-661.	6.0	1,375
140	ACTIVATION OF EXTRACELLULAR SIGNAL-REGULATED KINASE IN HUMAN PROSTATE CANCER. Journal of Urology, 1999, 162, 1537-1542.	0.2	113
141	ACTIVATION OF EXTRACELLULAR SIGNAL-REGULATED KINASE IN HUMAN PROSTATE CANCER. Journal of Urology, 1999, , 1537-1542.	0.2	3
142	Targeting the Receptor-Gq Interface to Inhibit in Vivo Pressure Overload Myocardial Hypertrophy. Science, 1998, 280, 574-577.	6.0	442
143	Essential Role for G Protein-coupled Receptor Endocytosis in the Activation of Mitogen-activated Protein Kinase. Journal of Biological Chemistry, 1998, 273, 685-688.	1.6	491
144	G Protein-coupled Receptors Mediate Two Functionally Distinct Pathways of Tyrosine Phosphorylation in Rat 1a Fibroblasts. Journal of Biological Chemistry, 1997, 272, 31648-31656.	1.6	193

#	ARTICLE	IF	CITATIONS
145	Regulation of Mitogen-Activated Protein Kinase Pathways by Catecholamine Receptors. <i>Advances in Pharmacology</i> , 1997, 42, 466-470.	1.2	6
146	Ras-dependent Mitogen-activated Protein Kinase Activation by G Protein-coupled Receptors. <i>Journal of Biological Chemistry</i> , 1997, 272, 19125-19132.	1.6	418
147	G $\alpha$ 13 Subunits Mediate Src-dependent Phosphorylation of the Epidermal Growth Factor Receptor. <i>Journal of Biological Chemistry</i> , 1997, 272, 4637-4644.	1.6	420
148	Switching of the coupling of the $\beta$ 2-adrenergic receptor to different G proteins by protein kinase A. <i>Nature</i> , 1997, 390, 88-91.	13.7	1,176
149	21 G-protein-coupled receptors and their regulation. <i>Advances in Second Messenger and Phosphoprotein Research</i> , 1997, , 263-277.	4.5	79
150	Role of c-Src Tyrosine Kinase in G Protein-coupled Receptor and G $\alpha$ 13 Subunit-mediated Activation of Mitogen-activated Protein Kinases. <i>Journal of Biological Chemistry</i> , 1996, 271, 19443-19450.	1.6	483
151	G $\alpha$ 13 Subunits Activate Mitogen-activated Protein Kinase via a Novel Protein Kinase C-dependent Mechanism. <i>Journal of Biological Chemistry</i> , 1996, 271, 1266-1269.	1.6	197
152	Phosphatidylinositol 3-Kinase Is an Early Intermediate in the G $\alpha$ 13-mediated Mitogen-activated Protein Kinase Signaling Pathway. <i>Journal of Biological Chemistry</i> , 1996, 271, 12133-12136.	1.6	346
153	Mitogenic Signaling via G Protein-Coupled Receptors. <i>Endocrine Reviews</i> , 1996, 17, 698-714.	8.9	393
154	Receptor-tyrosine-kinase- and G $\alpha$ 13-mediated MAP kinase activation by a common signalling pathway. <i>Nature</i> , 1995, 376, 781-784.	13.7	554
155	Distinct Pathways of Gi- and Gq-mediated Mitogen-activated Protein Kinase Activation. <i>Journal of Biological Chemistry</i> , 1995, 270, 17148-17153.	1.6	397
156	G $\alpha$ 13 Subunits Mediate Mitogen-activated Protein Kinase Activation by the Tyrosine Kinase Insulin-like Growth Factor 1 Receptor. <i>Journal of Biological Chemistry</i> , 1995, 270, 16495-16498.	1.6	192
157	Effect of Cellular Expression of Pleckstrin Homology Domains on Gi-coupled Receptor Signaling. <i>Journal of Biological Chemistry</i> , 1995, 270, 12984-12989.	1.6	83
158	Partial Insulin Resistance in the Mouse BC <sub>3</sub> H-1 Cell Line: Absent Hexose-Independent Actions of Insulin*. <i>Endocrinology</i> , 1986, 119, 331-342.	1.4	8