

Feng J He

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8525237/feng-j-he-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

7,400
citations

40
h-index

84
g-index

178
ext. papers

9,002
ext. citations

7.8
avg, IF

6.49
L-index

#	Paper	IF	Citations
156	Effect of longer term modest salt reduction on blood pressure: Cochrane systematic review and meta-analysis of randomised trials. <i>BMJ, The</i> , 2013 , 346, f1325	5.9	753
155	Fruit and vegetable consumption and stroke: meta-analysis of cohort studies. <i>Lancet, The</i> , 2006 , 367, 320-6	4.0	752
154	Reducing population salt intake worldwide: from evidence to implementation. <i>Progress in Cardiovascular Diseases</i> , 2010 , 52, 363-82	8.5	384
153	Importance of salt in determining blood pressure in children: meta-analysis of controlled trials. <i>Hypertension</i> , 2006 , 48, 861-9	8.5	307
152	How far should salt intake be reduced?. <i>Hypertension</i> , 2003 , 42, 1093-9	8.5	279
151	Salt reduction in England from 2003 to 2011: its relationship to blood pressure, stroke and ischaemic heart disease mortality. <i>BMJ Open</i> , 2014 , 4, e004549	3	264
150	Salt reduction lowers cardiovascular risk: meta-analysis of outcome trials. <i>Lancet, The</i> , 2011 , 378, 380-2	4.0	263
149	Salt intake is related to soft drink consumption in children and adolescents: a link to obesity?. <i>Hypertension</i> , 2008 , 51, 629-34	8.5	229
148	Effect of modest salt reduction on blood pressure, urinary albumin, and pulse wave velocity in white, black, and Asian mild hypertensives. <i>Hypertension</i> , 2009 , 54, 482-8	8.5	187
147	Beneficial effects of potassium on human health. <i>Physiologia Plantarum</i> , 2008 , 133, 725-35	4.6	164
146	Systematic review of combined angiotensin-converting enzyme inhibition and angiotensin receptor blockade in hypertension. <i>Hypertension</i> , 2005 , 45, 880-6	8.5	153
145	High salt intake: independent risk factor for obesity?. <i>Hypertension</i> , 2015 , 66, 843-9	8.5	151
144	Effect of longer-term modest salt reduction on blood pressure. <i>The Cochrane Library</i> , 2013 , CD004937	5.2	141
143	Plasma sodium: ignored and underestimated. <i>Hypertension</i> , 2005 , 45, 98-102	8.5	137
142	Plasma sodium and hypertension. <i>Kidney International</i> , 2004 , 66, 2454-66	9.9	133
141	Fortnightly review: Beneficial effects of potassium. <i>BMJ: British Medical Journal</i> , 2001 , 323, 497-501		131
140	Modest salt reduction reduces blood pressure and urine protein excretion in black hypertensives: a randomized control trial. <i>Hypertension</i> , 2005 , 46, 308-12	8.5	127

139	Importance of the renin system in determining blood pressure fall with salt restriction in black and white hypertensives. <i>Hypertension</i> , 1998 , 32, 820-4	8.5	126
138	Effects of potassium chloride and potassium bicarbonate on endothelial function, cardiovascular risk factors, and bone turnover in mild hypertensives. <i>Hypertension</i> , 2010 , 55, 681-8	8.5	112
137	School based education programme to reduce salt intake in children and their families (School-EduSalt): cluster randomised controlled trial. <i>BMJ, The</i> , 2015 , 350, h770	5.9	104
136	Salt Reduction to Prevent Hypertension and Cardiovascular Disease: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 632-647	15.1	98
135	Regional left ventricular deformation and geometry analysis provides insights in myocardial remodelling in mild to moderate hypertension. <i>European Journal of Echocardiography</i> , 2008 , 9, 501-8		97
134	Nutrition in cardiovascular disease: salt in hypertension and heart failure. <i>European Heart Journal</i> , 2011 , 32, 3073-80	9.5	94
133	Importance of the renin system for determining blood pressure fall with acute salt restriction in hypertensive and normotensive whites. <i>Hypertension</i> , 2001 , 38, 321-5	8.5	92
132	Effect of salt intake on renal excretion of water in humans. <i>Hypertension</i> , 2001 , 38, 317-20	8.5	90
131	Dietary salt influences postprandial plasma sodium concentration and systolic blood pressure. <i>Kidney International</i> , 2012 , 81, 407-11	9.9	87
130	Salt, blood pressure and cardiovascular disease. <i>Current Opinion in Cardiology</i> , 2007 , 22, 298-305	2.1	86
129	Effect of dose and duration of reduction in dietary sodium on blood pressure levels: systematic review and meta-analysis of randomised trials. <i>BMJ, The</i> , 2020 , 368, m315	5.9	83
128	Modest salt reduction lowers blood pressure in isolated systolic hypertension and combined hypertension. <i>Hypertension</i> , 2005 , 46, 66-70	8.5	67
127	WASH-world action on salt and health. <i>Kidney International</i> , 2010 , 78, 745-53	9.9	66
126	The International Consortium for Quality Research on Dietary Sodium/Salt (TRUE) position statement on the use of 24-hour, spot, and short duration (. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 700-709	2.3	62
125	Role of salt intake in prevention of cardiovascular disease: controversies and challenges. <i>Nature Reviews Cardiology</i> , 2018 , 15, 371-377	14.8	62
124	Reducing salt intake to prevent hypertension and cardiovascular disease. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2012 , 32, 293-300	4.1	62
123	Surveys of the salt content in UK bread: progress made and further reductions possible. <i>BMJ Open</i> , 2013 , 3,	3	57
122	Effect of short-term supplementation of potassium chloride and potassium citrate on blood pressure in hypertensives. <i>Hypertension</i> , 2005 , 45, 571-4	8.5	57

121	Errors in estimating usual sodium intake by the Kawasaki formula alter its relationship with mortality: implications for public health. <i>International Journal of Epidemiology</i> , 2018 , 47, 1784-1795	7.8	56
120	Salt intake of children and adolescents in South London: consumption levels and dietary sources. <i>Hypertension</i> , 2014 , 63, 1026-32	8.5	53
119	Gradual reduction of sugar in soft drinks without substitution as a strategy to reduce overweight, obesity, and type 2 diabetes: a modelling study. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 105-14	18.1	52
118	Twenty-Four-Hour Urinary Sodium and Potassium Excretion in China: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2019 , 8, e012923	6	48
117	Effect of modest salt reduction on skin capillary rarefaction in white, black, and Asian individuals with mild hypertension. <i>Hypertension</i> , 2010 , 56, 253-9	8.5	44
116	Formulas to Estimate Dietary Sodium Intake From Spot Urine Alter Sodium-Mortality Relationship. <i>Hypertension</i> , 2019 , 74, 572-580	8.5	39
115	Modest Salt Reduction Lowers Blood Pressure and Albumin Excretion in Impaired Glucose Tolerance and Type 2 Diabetes Mellitus: A Randomized Double-Blind Trial. <i>Hypertension</i> , 2016 , 67, 1189-95	8.5	39
114	Percentage of ingested sodium excreted in 24-hour urine collections: A systematic review and meta-analysis. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1220-1229	2.3	38
113	Salt intake, plasma sodium, and worldwide salt reduction. <i>Annals of Medicine</i> , 2012 , 44 Suppl 1, S127-37	1.5	35
112	Dietary intake and sources of sodium and potassium among Australian schoolchildren: results from the cross-sectional Salt and Other Nutrients in Children (SONIC) study. <i>BMJ Open</i> , 2017 , 7, e016639	3	30
111	Salt and sugar: their effects on blood pressure. <i>Pflugers Archiv European Journal of Physiology</i> , 2015 , 467, 577-86	4.6	30
110	24-h urinary sodium excretion is associated with obesity in a cross-sectional sample of Australian schoolchildren. <i>British Journal of Nutrition</i> , 2016 , 115, 1071-9	3.6	30
109	Mean Dietary Salt Intake in Urban and Rural Areas in India: A Population Survey of 1395 Persons. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	26
108	Salt and sugars content of breakfast cereals in the UK from 1992 to 2015. <i>Public Health Nutrition</i> , 2017 , 20, 1500-1512	3.3	25
107	Sodium and health-concordance and controversy. <i>BMJ, The</i> , 2020 , 369, m2440	5.9	25
106	Does reducing salt intake increase cardiovascular mortality?. <i>Kidney International</i> , 2011 , 80, 696-8	9.9	25
105	Modest Sodium Reduction Increases Circulating Short-Chain Fatty Acids in Untreated Hypertensives: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Hypertension</i> , 2020 , 76, 73-79	8.5	23
104	Food and the responsibility deal: how the salt reduction strategy was derailed. <i>BMJ, The</i> , 2015 , 350, h1936	3.6	22

103	A school-based education programme to reduce salt intake in children and their families (School-EduSalt): protocol of a cluster randomised controlled trial. <i>BMJ Open</i> , 2013 , 3,	3	20
102	The Association of Knowledge and Behaviours Related to Salt with 24-h Urinary Salt Excretion in a Population from North and South India. <i>Nutrients</i> , 2017 , 9,	6.7	19
101	Efficacy of candesartan cilexetil alone or in combination with amlodipine and hydrochlorothiazide in moderate-to-severe hypertension. UK and Israel Candesartan Investigators. <i>Hypertension</i> , 2000 , 36, 454-60	8.5	19
100	Reducing population salt intake-An update on latest evidence and global action. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1596-1601	2.3	18
99	Altering plasma sodium concentration rapidly changes blood pressure during haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 2181-6	4.3	18
98	Cross-Sectional Study of 24-Hour Urinary Electrolyte Excretion and Associated Health Outcomes in a Convenience Sample of Australian Primary Schoolchildren: The Salt and Other Nutrients in Children (SONIC) Study Protocol. <i>JMIR Research Protocols</i> , 2015 , 4, e7	2	17
97	Effects of product reformulation on sugar intake and health-a systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2019 , 77, 181-196	6.4	16
96	A pilot study to validate a standardized one-week salt estimation method evaluating salt intake and its sources for family members in China. <i>Nutrients</i> , 2015 , 7, 751-63	6.7	15
95	Cost and cost-effectiveness of a school-based education program to reduce salt intake in children and their families in China. <i>PLoS ONE</i> , 2017 , 12, e0183033	3.7	15
94	24-Hour Urinary Sodium and Potassium Excretion and Cardiovascular Risk. <i>New England Journal of Medicine</i> , 2021 ,	59.2	15
93	Action on Salt China. <i>Lancet, The</i> , 2018 , 392, 7-9	40	15
92	Sodium Reduction, Metabolomic Profiling, and Cardiovascular Disease Risk in Untreated Black Hypertensives. <i>Hypertension</i> , 2019 , 74, 194-200	8.5	14
91	Dietary sodium intake and overweight and obesity in children and adults: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2016 , 5, 7	3	14
90	Protocol for developing the evidence base for a national salt reduction programme for India. <i>BMJ Open</i> , 2014 , 4, e006629	3	14
89	Estimating population salt intake in India using spot urine samples. <i>Journal of Hypertension</i> , 2017 , 35, 2207-2213	1.9	13
88	Impact of color-coded and warning nutrition labelling schemes: A systematic review and network meta-analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003765	11.6	13
87	Association between Parent and Child Dietary Sodium and Potassium Intakes as Assessed by 24-h Urinary Excretion. <i>Nutrients</i> , 2016 , 8, 191	6.7	13
86	An Application-based programme to reinforce and maintain lower salt intake (AppSalt) in schoolchildren and their families in China. <i>BMJ Open</i> , 2019 , 9, e027793	3	13

85	Salt and cardiovascular disease in PURE: A large sample size cannot make up for erroneous estimations. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2018 , 19, 1470320318810015 ³	3	13
84	Cross-sectional survey of salt content in cheese: a major contributor to salt intake in the UK. <i>BMJ Open</i> , 2014 , 4, e005051	3	12
83	Cross-sectional surveys of the amount of sugar, energy and caffeine in sugar-sweetened drinks marketed and consumed as energy drinks in the UK between 2015 and 2017: monitoring reformulation progress. <i>BMJ Open</i> , 2017 , 7, e018136	3	12
82	Hypertension: Salt: flawed research should not divert actions to reduce intake. <i>Nature Reviews Nephrology</i> , 2016 , 12, 514-5	14.9	11
81	Estimation of sodium excretion should be made as simple as possible, but not simpler: misleading papers and editorial on spot urines. <i>Journal of Hypertension</i> , 2015 , 33, 884-6	1.9	10
80	Plasma sodium and blood pressure in individuals on haemodialysis. <i>Journal of Human Hypertension</i> , 2013 , 27, 85-9	2.6	10
79	Cardiovascular disease: salt and cardiovascular risk. <i>Nature Reviews Nephrology</i> , 2012 , 8, 134-6	14.9	10
78	Effect of salt reduction on iodine status assessed by 24 hour urinary iodine excretion in children and their families in northern China: a substudy of a cluster randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011168	3	10
77	Cross-sectional survey of the amount of free sugars and calories in carbonated sugar-sweetened beverages on sale in the UK. <i>BMJ Open</i> , 2016 , 6, e010874	3	10
76	Salt: the dying echoes of the food industry. <i>American Journal of Hypertension</i> , 2014 , 27, 279-81	2.3	9
75	Nutritional Quality of Plant-Based Meat Products Available in the UK: A Cross-Sectional Survey.. <i>Nutrients</i> , 2021 , 13,	6.7	9
74	The effect of dietary salt on blood pressure in individuals receiving chronic dialysis: a systematic review and meta-analysis of randomised controlled trials. <i>Journal of Human Hypertension</i> , 2019 , 33, 319-326	2.6	9
73	The association between serum sodium concentration, hypertension and primary cardiovascular events: a retrospective cohort study. <i>Journal of Human Hypertension</i> , 2019 , 33, 69-77	2.6	9
72	Salt substitution to lower population blood pressure. <i>Nature Medicine</i> , 2020 , 26, 313-314	50.5	8
71	Labelling changes in response to a tax on sugar-sweetened beverages, United Kingdom of Great Britain and Northern Ireland. <i>Bulletin of the World Health Organization</i> , 2019 , 97, 818-827	8.2	8
70	Twenty-Four-Hour Urinary Sodium and Potassium Excretion and Their Associations With Blood Pressure Among Adults in China: Baseline Survey of Action on Salt China. <i>Hypertension</i> , 2020 , 76, 1580-1588	8.5	8
69	Salt in food. <i>Lancet, The</i> , 2005 , 365, 844-5	40	7
68	Potassium Intake and Blood Pressure. <i>American Journal of Hypertension</i> , 1999 , 12, 849-851	2.3	7

67	Sodium content in sauces-a major contributor of sodium intake in Malaysia: a cross-sectional survey. <i>BMJ Open</i> , 2019 , 9, e025068	3	6
66	Labelling completeness and sodium content of packaged foods in India. <i>Public Health Nutrition</i> , 2017 , 20, 2839-2846	3.3	6
65	Blood pressure--importance of salt intake. <i>American Journal of Hypertension</i> , 2005 , 18, 1258-9; author reply 1259-61	2.3	6
64	Reducing Salt Intake in China with "Action on Salt China" (ASC): Protocol for Campaigns and Randomized Controlled Trials. <i>JMIR Research Protocols</i> , 2020 , 9, e15933	2	6
63	Impact of the 2003 to 2018 Population Salt Intake Reduction Program in England: A Modeling Study. <i>Hypertension</i> , 2021 , 77, 1086-1094	8.5	6
62	Salt reduction to prevent hypertension: the reasons of the controversy. <i>European Heart Journal</i> , 2021 , 42, 2501-2505	9.5	6
61	Salt content of sauces in the UK and China: cross-sectional surveys. <i>BMJ Open</i> , 2019 , 9, e025623	3	6
60	Cross-sectional survey of the amount of sugar and energy in cakes and biscuits on sale in the UK for the evaluation of the sugar-reduction programme. <i>BMJ Open</i> , 2018 , 8, e019075	3	5
59	Cross-Sectional Survey of the Amount of Sugar and Energy in Chocolate Confectionery on Sold in the UK in 1992 and 2017. <i>Nutrients</i> , 2019 , 11,	6.7	5
58	Salt intake, sugar-sweetened soft drink consumption, and blood pressure. <i>American Journal of Cardiology</i> , 2014 , 114, 499-500	3	5
57	UK population salt reduction: an experiment in public health. <i>Lancet, The</i> , 2013 , 382, S43	40	5
56	Spot Urine Formulas to Estimate 24-Hour Urinary Sodium Excretion Alter the Dietary Sodium and Blood Pressure Relationship. <i>Hypertension</i> , 2021 , 77, 2127-2137	8.5	5
55	Systematic review of the literature on the effectiveness of product reformulation measures to reduce the sugar content of food and drink on the population@ sugar consumption and health: a study protocol. <i>BMJ Open</i> , 2016 , 6, e011052	3	5
54	Salt sales survey: a simplified, cost-effective method to evaluate population salt reduction programs--a cluster-randomized trial. <i>Hypertension Research</i> , 2016 , 39, 254-9	4.7	5
53	Serum sodium concentration and the progression of established chronic kidney disease. <i>Journal of Nephrology</i> , 2019 , 32, 259-264	4.8	5
52	Urinary sodium is positively associated with urinary free cortisol and total cortisol metabolites in a cross-sectional sample of Australian schoolchildren aged 5-12 years and their mothers. <i>British Journal of Nutrition</i> , 2019 , 121, 164-171	3.6	5
51	Reformulation and Priorities for Reducing Energy Density; Results from a Cross-Sectional Survey on Fat Content in Pre-Packed Cakes and Biscuits Sold in British Supermarkets. <i>Nutrients</i> , 2019 , 11,	6.7	4
50	Sugar and energy content of carbonated sugar-sweetened beverages in Haidian District, Beijing: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e022048	3	4

49	Impact of fractional excretion of sodium on a single morning void urine collection as an estimate of 24-hour urine sodium. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1763-1770	2.3	4
48	Packages of sodium (Salt) sold for consumption and salt dispensers should be required to have a front of package health warning label: A position statement of the World Hypertension League, national and international health and scientific organizations. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1623-1625	2.3	4
47	Salt intake and mortality. <i>American Journal of Hypertension</i> , 2014 , 27, 1424	2.3	4
46	Can a low-sodium, high-potassium salt substitute reduce blood pressure in rural Chinese people?. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008 , 5, 186-7		4
45	Dietary Sodium Controversy Issues and Potential Solutions. <i>Current Nutrition Reports</i> , 2021 , 10, 188-196		4
44	Sodium and Health: Old Myths and a Controversy Based on Denial.. <i>Current Nutrition Reports</i> , 2022 , 1	6	4
43	Salt content of instant noodles in Malaysia: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e024702	3	3
42	Reducing population salt intake-time for global action. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 10-3	2.3	3
41	Social support, social network and salt-reduction behaviours in children: a substudy of the School-EduSalt trial. <i>BMJ Open</i> , 2019 , 9, e028126	3	3
40	Salt and health 2019 , 3-43		2
39	Nutrition Profile of Products with Cartoon Animations on the Packaging: A UK Cross-Sectional Survey of Foods and Drinks. <i>Nutrients</i> , 2020 , 12,	6.7	2
38	Effectiveness and Feasibility of Taxing Salt and Foods High in Sodium: A Systematic Review of the Evidence. <i>Advances in Nutrition</i> , 2020 , 11, 1616-1630	10	2
37	App based education programme to reduce salt intake (AppSalt) in schoolchildren and their families in China: parallel, cluster randomised controlled trial.. <i>BMJ, The</i> , 2022 , 376, e066982	5.9	2
36	Restaurant interventions for salt reduction in China: protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e038744	3	2
35	Urinary Sodium Excretion and Blood Pressure Relationship across Methods of Evaluating the Completeness of 24-h Urine Collections. <i>Nutrients</i> , 2020 , 12,	6.7	2
34	The prevalence of hypertension among Malaysian adults and its associated risk factors: data from Malaysian Community Salt Study (MyCoSS). <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 8	2.5	2
33	A town level comprehensive intervention study to reduce salt intake in China: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e032976	3	2
32	App-Based Salt Reduction Intervention in School Children and Their Families (AppSalt) in China: Protocol for a Mixed Methods Process Evaluation. <i>JMIR Research Protocols</i> , 2021 , 10, e19430	2	2

31	Sodium Reduction, miRNA Profiling and CVD Risk in Untreated Hypertensives: a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Scientific Reports</i> , 2018 , 8, 12729	4.9	2
30	Cluster randomised controlled trial of home cook intervention to reduce salt intake in China: a protocol study. <i>BMJ Open</i> , 2020 , 10, e033842	3	1
29	Ethnicity, socioeconomic status and the nutritional status of Chinese children and adolescents: Findings from three consecutive national surveys between 2005 and 2014. <i>Pediatric Obesity</i> , 2020 , 15, e12664	4.6	1
28	Cross-sectional comparisons of sodium content in processed meat and fish products among five countries: potential for feasible targets and reformulation. <i>BMJ Open</i> , 2021 , 11, e046412	3	1
27	App-Based Salt Reduction Intervention in School Children and Their Families (AppSalt) in China: Protocol for a Mixed Methods Process Evaluation (Preprint)		1
26	The impact of baseline potassium intake on the dose-response relation between sodium reduction and blood pressure change: systematic review and meta-analysis of randomized trials. <i>Journal of Human Hypertension</i> , 2021 , 35, 946-957	2.6	1
25	High sodium food consumption pattern among Malaysian population. <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 4	2.5	1
24	Knowledge, attitude and behaviour on salt intake and its association with hypertension in the Malaysian population: findings from MyCoSS (Malaysian Community Salt Survey). <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 6	2.5	1
23	Knowledge, perception, and practice related to sodium intake among Malaysian adults: findings from the Malaysian Community Salt Study (MyCoSS). <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 5	2.5	1
22	Potential impact of gradual reduction of fat content in manufactured and out-of-home food on obesity in the United Kingdom: a modeling study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1312-1321	2.3	1
21	Salt intake was higher among males and those with high BMI and waist circumference: introduction to the Malaysian Community Salt Survey (MyCoSS), a population-based salt intake survey in Malaysia. <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 23	2.5	1
20	Dietary sodium and cardiovascular disease in China: concerns about the methods, conclusions, and evidence review. <i>Journal of Hypertension</i> , 2021 , 39, 1466-1467	1.9	1
19	Reply to Salt intake, cardiovascular disease, and physiology. <i>Nature Reviews Cardiology</i> , 2018 , 15, 497-498	1.8	1
18	Sodium and Potassium Excretion of Schoolchildren and Relationship with Their Family Excretion in China. <i>Nutrients</i> , 2021 , 13,	6.7	1
17	Sodium content of restaurant dishes in China: a cross-sectional survey.. <i>Nutrition Journal</i> , 2022 , 21, 10	4.3	1
16	Delayed Finalization of Sodium Targets in the United States May Cost Over 250 000 Lives by 2031.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118475	8.5	1
15	Action on salt in China - Authors Reply. <i>Lancet, The</i> , 2019 , 393, 1202	4.0	0
14	The United Kingdom's global health funding cuts will exacerbate inequities. <i>Nature Microbiology</i> , 2021 , 6, 535	26.6	0

13	Developing a policy to reduce the salt content of food consumed outside the home in Malaysia: protocol of a qualitative study. <i>BMJ Open</i> , 2021 , 11, e044628	3	0
12	Process Evaluation of an Application-Based Salt Reduction Intervention in School Children and Their Families (AppSalt) in China: A Mixed-Methods Study.. <i>Frontiers in Public Health</i> , 2022 , 10, 744881	6	0
11	Response to: Errors in application of the Kawasaki formula to estimate sodium intake, and false interpretation of data, misclassify the relationship of sodium intake with mortality. <i>International Journal of Epidemiology</i> , 2019 , 48, 1019-1020	7.8	
10	Urinary sodium excretion measures and health outcomes. <i>Lancet, The</i> , 2019 , 393, 1293	40	
9	SP312CHANGES IN SERUM SODIUM WITH PROGRESSIVE CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii482-iii483	4.3	
8	Salt intake and hypertension in men. <i>Trends in Urology & Men's Health</i> , 2014 , 5, 9-12	0.3	
7	Dietary salt and cardiovascular disease - Authors Reply. <i>Lancet, The</i> , 2011 , 378, 1994	40	
6	Current Experience and Future Perspectives for Worldwide Reduction of Dietary Salt Intake 2011 , 353-364		
5	Controversies in cardiology. <i>Lancet, The</i> , 2006 , 367, 1313-4; author reply 1315-6	40	
4	Risk factors related with high sodium intake among Malaysian adults: findings from the Malaysian Community Salt Survey (MyCoSS) 2017-2018. <i>Journal of Health, Population and Nutrition</i> , 2021 , 40, 14	2.5	
3	Levels of dietary sodium intake: diverging associations with arterial stiffness and Atheromatosis. Concerns about the evidence review and methods. <i>Hellenic Journal of Cardiology</i> , 2021 ,	2.1	
2	Can children play a role in reducing families salt intake?. <i>BMJ, The</i> , 2022 , 376, o381	5.9	
1	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study.. <i>BMJ Open</i> , 2022 , 12, e053122	3	