Tun Seng Herng

List of Publications by Citations

Source: https://exaly.com/author-pdf/8525378/tun-seng-herng-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

2,237
citations

29
h-index
g-index

82
ext. papers

2,755
ext. papers

29
h-index
g-index

4.99
L-index

#	Paper	IF	Citations
80	Chemically Exfoliated VSe Monolayers with Room-Temperature Ferromagnetism. <i>Advanced Materials</i> , 2019 , 31, e1903779	24	131
79	Orientation Mediated Enhancement on Magnetic Hyperthermia of Fe3O4 Nanodisc. <i>Advanced Functional Materials</i> , 2015 , 25, 812-820	15.6	101
78	Toward Two-Dimensional EConjugated Covalent Organic Radical Frameworks. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 8007-8011	16.4	94
77	Higher Order Econjugated Polycyclic Hydrocarbons with Open-Shell Singlet Ground State: Nonazethrene versus Nonacene. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10323-30	16.4	89
76	Evidence of Spin Frustration in a Vanadium Diselenide Monolayer Magnet. <i>Advanced Materials</i> , 2019 , 31, e1901185	24	85
75	Mutual ferromagnetic-ferroelectric coupling in multiferroic copper-doped ZnO. <i>Advanced Materials</i> , 2011 , 23, 1635-40	24	85
74	Toward Tetraradicaloid: The Effect of Fusion Mode on Radical Character and Chemical Reactivity. Journal of the American Chemical Society, 2016 , 138, 1065-77	16.4	76
73	Tunable Electrical Conductivity and Magnetic Property of the Two Dimensional Metal Organic Framework [Cu(TPyP)Cu2(O2CCH3)4]. ACS Applied Materials & amp; Interfaces, 2016, 8, 16154-9	9.5	72
7 2	Fully Fused Quinoidal/Aromatic Carbazole Macrocycles with Poly-radical Characters. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7782-90	16.4	63
71	A Peri-tetracene Diradicaloid: Synthesis and Properties. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 9697-9701	16.4	60
70	3D global aromaticity in a fully conjugated diradicaloid cage at different oxidation states. <i>Nature Chemistry</i> , 2020 , 12, 242-248	17.6	59
69	Super-heptazethrene. Angewandte Chemie - International Edition, 2016, 55, 8615-9	16.4	59
68	Bovine Serum Albumin-Conjugated Ferrimagnetic Iron Oxide Nanoparticles to Enhance the Biocompatibility and Magnetic Hyperthermia Performance. <i>Nano-Micro Letters</i> , 2016 , 8, 80-93	19.5	51
67	Extended Bis(benzothia)quinodimethanes and Their Dications: From Singlet Diradicaloids to Isoelectronic Structures of Long Acenes. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 9316-20	16.4	48
66	Superoctazethrene: An Open-Shell Graphene-like Molecule Possessing Large Diradical Character but Still with Reasonable Stability. <i>Journal of the American Chemical Society</i> , 2018 , 140, 14054-14058	16.4	48
65	Ferrite-based soft and hard magnetic structures by extrusion free-forming. RSC Advances, 2017, 7, 2712	28 5.7 271:	38 46
64	Cyclopenta Ring Fused Bisanthene and Its Charged Species with Open-Shell Singlet Diradical Character and Global Aromaticity/ Anti-Aromaticity. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 11415-11419	16.4	44

Fluorenyl Based Macrocyclic Polyradicaloids. Journal of the American Chemical Society, 2017, 139, 13173-16.18344 63 Printable two-dimensional superconducting monolayers. Nature Materials, 2021, 20, 181-187 62 27 38 Diazuleno-s-indacene Diradicaloids: Syntheses, Properties, and Local (anti)Aromaticity Shift from 38 61 16.4 Neutral to Dicationic State. Angewandte Chemie - International Edition, 2018, 57, 16737-16741 GO-Functionalized Large Magnetic Iron Oxide Nanoparticles with Enhanced Colloidal Stability and 60 9.5 37 Hyperthermia Performance. ACS Applied Materials & Distribution (11, 22703-22713) A Three-Dimensionally Econjugated Diradical Molecular Cage. Angewandte Chemie - International 16.4 59 35 Edition, 2017, 56, 15383-15387 Global Aromaticity in Macrocyclic Cyclopenta-Fused Tetraphenanthrenylene Tetraradicaloid and Its 58 16.4 35 Charged Species. Angewandte Chemie - International Edition, 2018, 57, 13052-13056 Stable 3,6-Linked Fluorenyl Radical Oligomers with Intramolecular Antiferromagnetic Coupling and 16.4 57 35 Polyradical Characters. Journal of the American Chemical Society, 2016, 138, 13048-13058 Octazethrene and Its Isomer with Different Diradical Characters and Chemical Reactivity: The Role 56 34 of the Bridge Structure. Journal of Organic Chemistry, 2016, 81, 2911-9 Conformationally Flexible Bis(9-fluorenylidene)porphyrin Diradicaloids. Angewandte Chemie -16.4 55 33 International Edition, **2017**, 56, 13484-13488 Toward Stable Superbenzoquinone Diradicaloids. Angewandte Chemie - International Edition, 2017, 16.4 54 32 56, 5012-5016 Benzo-thia-fused []thienoacenequinodimethanes with small to moderate diradical characters: the 53 31 9.4 role of pro-aromaticity anti-aromaticity. Chemical Science, 2016, 7, 3036-3046 A 3D-printing method of fabrication for metals, ceramics, and multi-materials using a universal 14.4 self-curable technique for robocasting. Materials Horizons, 2020, 7, 1083-1090 A Peri-tetracene Diradicaloid: Synthesis and Properties. Angewandte Chemie, 2018, 130, 9845-9849 3.6 51 27 From Open-Shell Singlet Diradicaloid to Closed-Shell Global Antiaromatic Macrocycles. Angewandte 16.4 26 50 Chemie - International Edition, 2018, 57, 7166-7170 Supramolecular Isomerism and Polyrotaxane-Based Two-Dimensional Coordination Polymers. 49 3.5 23 Crystal Growth and Design, 2016, 16, 7278-7285 Kinetically Blocked Stable 5,6:12,13-Dibenzozethrene: A Laterally Extended Zethrene with 48 6.2 Enhanced Diradical Character. Organic Letters, 2016, 18, 2886-9 Stable Oxindolyl-Based Analogues of Chichibabin's and Mller's Hydrocarbons. Angewandte Chemie 16.4 47 22 - International Edition, **2017**, 56, 14154-14158 Cyclopenta Ring Fused Bisanthene and Its Charged Species with Open-Shell Singlet Diradical 46 3.6 20 Character and Global Aromaticity/ Anti-Aromaticity. Angewandte Chemie, 2017, 129, 11573-11577

45	Structural and magnetic studies of Cu-doped ZnO films synthesized via a hydrothermal route. Journal of Materials Chemistry, 2010 , 20, 5756		20
44	Toward Two-Dimensional EConjugated Covalent Organic Radical Frameworks. <i>Angewandte Chemie</i> , 2018 , 130, 8139-8143	3.6	20
43	Achieving a high magnetization in sub-nanostructured magnetite films by spin-flipping of tetrahedral Fe3+ cations. <i>Nano Research</i> , 2015 , 8, 2935-2945	10	19
42	Strong Modification of Excitons and Optical Conductivity for Different Dielectric Environments in ZnO Films. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-9	1.8	19
41	Stable Expanded Porphycene-Based Diradicaloid and Tetraradicaloid. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12534-12537	16.4	19
40	Stable bipolar surface potential behavior of copper-doped zinc oxide films studied by Kelvin probe force microscopy. <i>Applied Physics Letters</i> , 2010 , 97, 232103	3.4	19
39	Super-heptazethrene. <i>Angewandte Chemie</i> , 2016 , 128, 8757-8761	3.6	19
38	Diazuleno-s-indacene Diradicaloids: Syntheses, Properties, and Local (anti)Aromaticity Shift from Neutral to Dicationic State. <i>Angewandte Chemie</i> , 2018 , 130, 16979-16983	3.6	19
37	Toward Stable Superbenzoquinone Diradicaloids. <i>Angewandte Chemie</i> , 2017 , 129, 5094-5098	3.6	18
36	Radical and Diradical Formation in Naphthalene Diimides through Simple Chemical Oxidation. <i>ChemPhysChem</i> , 2017 , 18, 591-595	3.2	17
35	NiFe (sulfur)oxyhydroxide porous nanoclusters/Ni foam composite electrode drives a large-current-density oxygen evolution reaction with an ultra-low overpotential. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18816-18822	13	17
34	Curved Etonjugated corannulene dimer diradicaloids. Chemical Science, 2018, 9, 5100-5105	9.4	17
33	Toward Benzobis(thiadiazole)-based Diradicaloids. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2177-2182	4.5	16
32	Conformationally Flexible Bis(9-fluorenylidene)porphyrin Diradicaloids. <i>Angewandte Chemie</i> , 2017 , 129, 13669-13673	3.6	16
31	Extended Bis(benzothia)quinodimethanes and Their Dications: From Singlet Diradicaloids to Isoelectronic Structures of Long Acenes. <i>Angewandte Chemie</i> , 2016 , 128, 9462-9466	3.6	15
30	A Three-Dimensionally Econjugated Diradical Molecular Cage. <i>Angewandte Chemie</i> , 2017 , 129, 15585-1	55,889	13
29	From Open-Shell Singlet Diradicaloid to Closed-Shell Global Antiaromatic Macrocycles. <i>Angewandte Chemie</i> , 2018 , 130, 7284-7288	3.6	13
28	Global Aromaticity in Macrocyclic Cyclopenta-Fused Tetraphenanthrenylene Tetraradicaloid and Its Charged Species. <i>Angewandte Chemie</i> , 2018 , 130, 13236-13240	3.6	13

27	Fabrication of 3D-Printed Ceramic Structures for Portable Solar Desalination Devices. <i>ACS Applied Materials & ACS Applied & ACS Applied</i>	9.5	12
26	A Stable N-Annulated Perylene-Bridged Bisphenoxyl Diradicaloid and the Corresponding Boron Trifluoride Complex. <i>Chemistry - A European Journal</i> , 2017 , 23, 9419-9424	4.8	11
25	Imprinting Ferromagnetism and Superconductivity in Single Atomic Layers of Molecular Superlattices. <i>Advanced Materials</i> , 2020 , 32, e1907645	24	11
24	Stable Nitrogen-Centered Bis(imino)rylene Diradicaloids. <i>Chemistry - A European Journal</i> , 2018 , 24, 4944	1- <u>4</u> . 9 51	11
23	Ambient Stable Radical Cations, Diradicaloid EDimeric Dications, Closed-Shell Dications, and Diradical Dications of Methylthio-Capped Rylenes. <i>Chemistry - A European Journal</i> , 2017 , 23, 7595-7606	4.8	10
22	Thermoresponsive magnetic ionic liquids: synthesis and temperature switchable magnetic separation. <i>RSC Advances</i> , 2016 , 6, 15731-15734	3.7	10
21	A Stable [4,3]Peri-acene Diradicaloid: Synthesis, Structure, and Electronic Properties. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 4464-4469	16.4	10
20	Domain Engineering in ReS2 by Coupling Strain during Electrochemical Exfoliation. <i>Advanced Functional Materials</i> , 2020 , 30, 2003057	15.6	8
19	Stable Oxindolyl-Based Analogues of Chichibabins and Mllers Hydrocarbons. <i>Angewandte Chemie</i> , 2017 , 129, 14342-14346	3.6	8
18	Novel room-temperature spin-valve-like magnetoresistance in magnetically coupled nano-column Fe3O4/Ni heterostructure. <i>Nanoscale</i> , 2016 , 8, 15737-43	7.7	8
17	S-shaped para-Quinodimethane-Embedded Double [6]Helicene and Its Charged Species Showing Open-Shell Diradical Character. <i>Chemistry - A European Journal</i> , 2020 , 26, 15613-15622	4.8	6
16	Networked Spin Cages: Tunable Magnetism and Lithium Ion Storage via Modulation of Spin-Electron Interactions. <i>Inorganic Chemistry</i> , 2016 , 55, 9892-9897	5.1	6
15	2,6-/1,5-Naphthoquinodimethane bridged porphyrin dimer diradicaloids. <i>Journal of Porphyrins and Phthalocyanines</i> , 2020 , 24, 220-229	1.8	6
14	Magnetic Behavior of ZnO Nanorods Doped with Silver (Ag3+) Ions. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 5631-5636	1.3	5
13	Stable Quadruple Helical Tetraradicaloid with Thermally Induced Intramolecular Magnetic Switching. CCS Chemistry, 399-407	7.2	5
12	Perpendicular magnetic clusters with configurable domain structures via dipoledipole interactions. <i>Nano Research</i> , 2015 , 8, 3639-3650	10	4
11	Enhancement of Virtual Magnetic Moment Formation in ZnO NPs by Li+ Ion Doping. <i>Journal of Superconductivity and Novel Magnetism</i> , 2020 , 33, 2851-2859	1.5	4
10	High-Magnetization Tetragonal Ferrite-Based Films Induced by Carbon and Oxygen Vacancy Pairs. ACS Applied Materials & amp; Interfaces, 2019, 11, 1049-1056	9.5	4

9	Stable Expanded Porphycene-Based Diradicaloid and Tetraradicaloid. <i>Angewandte Chemie</i> , 2018 , 130, 12714-12717	3.6	3	
8	Synthesis, structures and magnetic properties of isoreticular polyrotaxane-type two-dimensional coordination polymers. <i>RSC Advances</i> , 2017 , 7, 45582-45586	3.7	3	
7	Room Temperature Ferromagnetism in $(\{hbox \{Zn\}\}_{1-\{rm x\}},\{hbox \{Mg\}\}_{rm x})\{hbox \{O\}\}\}$ Film. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 1338-1341	2	2	
6	High Temperature Co-firing of 3D-Printed Al-ZnO/Al2O3 Multi-Material Two-Phase Flow Sensor. <i>Journal of Materiomics</i> , 2021 ,	6.7	2	
5	A Stable [4,3]Peri-acene Diradicaloid: Synthesis, Structure, and Electronic Properties. <i>Angewandte Chemie</i> , 2021 , 133, 4514-4519	3.6	2	
4	Magnetic and optical studies of hydrogenated Cu-doped ZnO film. <i>Journal of the Korean Physical Society</i> , 2013 , 62, 1738-1743	0.6	1	
3	Formation of a four-bladed waterwheel-type chloro-bridged dicopper(ii) complex with dithiamacrocycle via double exo-coordination. <i>Dalton Transactions</i> , 2020 , 49, 1365-1369	4.3	1	
2	Two-Dimensional Conjugated Covalent Organic Framework Films via Oxidative Ca Coupling Reactions at a Liquid Interface. <i>Organic Materials</i> , 2021 , 03, 060-066	1.9	1	
1	A Stable Nitrogen-centered Bis(imino)perylene Dimer-based Diradicaloid. <i>Asian Journal of Organic Chemistry</i> , 2020 , 9, 1798-1801	3	O	