

Antonio J Garca-Fernndez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8525769/antonio-j-garcia-fernandez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

1,977
citations

26
h-index

40
g-index

104
ext. papers

2,315
ext. citations

5.1
avg, IF

4.86
L-index

#	Paper	IF	Citations
96	Developing a European network of analytical laboratories and government institutions to prevent poisoning of raptors.. <i>Environmental Monitoring and Assessment</i> , 2022 , 194, 113	3.1	1
95	Water Quality and Contaminants of Emerging Concern (CECs) 2021 , 1-21		0
94	Feather mercury levels in beached Magellanic penguin (<i>Spheniscus magellanicus</i>) in northern Argentina during the non-breeding season. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	0
93	Wildlife poisoning: a novel scoring system and review of analytical methods for anticoagulant rodenticide determination. <i>Ecotoxicology</i> , 2021 , 30, 767-782	2.9	3
92	High Levels of Heavy Metals detected in Feathers of an Avian Scavenger Warn of a High Pollution Risk in the Atacama Desert (Chile). <i>Archives of Environmental Contamination and Toxicology</i> , 2021 , 81, 227-235	3.2	2
91	A schematic sampling protocol for contaminant monitoring in raptors. <i>Ambio</i> , 2021 , 50, 95-100	6.5	10
90	A review of constraints and solutions for collecting raptor samples and contextual data for a European Raptor Biomonitoring Facility. <i>Science of the Total Environment</i> , 2021 , 793, 148599	10.2	3
89	Dust and bullets: Stable isotopes and GPS tracking disentangle lead sources for a large avian scavenger. <i>Environmental Pollution</i> , 2020 , 266, 115022	9.3	11
88	Blood concentrations of 50 elements in Eagle owl (<i>Bubo bubo</i>) at different contamination scenarios and related effects on plasma vitamin levels. <i>Environmental Pollution</i> , 2020 , 265, 115012	9.3	3
87	Mercury and Organochlorine Pesticides in Tissues of Loggerhead Sea Turtles (<i>Caretta caretta</i>) Stranded Along the Southwestern Mediterranean Coastline (Andalusia, Spain). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020 , 104, 559-567	2.7	5
86	Toxic elements in blood of red-necked nightjars (<i>Caprimulgus ruficollis</i>) inhabiting differently polluted environments. <i>Environmental Pollution</i> , 2020 , 262, 114334	9.3	4
85	Validation of Multi-Residue Method for Quantification of Antibiotics and NSAIDs in Avian Scavengers by Using Small Amounts of Plasma in HPLC-MS-TOF. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	13
84	Temporal changes in metal concentrations in Andean condor feathers: a potential influence of volcanic activity. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 25600-25611	5.1	2
83	Physiological effects of toxic elements on a wild nightjar species. <i>Environmental Pollution</i> , 2020 , 263, 114568	9.3	7
82	Organochlorine pesticides in feathers of three raptor species in southern Brazil. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 5971-5980	5.1	7
81	Arsenic-related oxidative stress in experimentally-dosed wild great tit nestlings. <i>Environmental Pollution</i> , 2020 , 259, 113813	9.3	14
80	Temporal Persistence of Bromadiolone in Decomposing Bodies of Common Kestrel (<i>Falco tinnunculus</i>). <i>Toxics</i> , 2020 , 8,	4.7	3

79	Protocol to classify the stages of carcass decomposition and estimate the time of death in small-size raptors. <i>European Journal of Wildlife Research</i> , 2020 , 66, 1	2	5
78	Mercury Exposure in Birds Linked to Marine Ecosystems in the Western Mediterranean. <i>Archives of Environmental Contamination and Toxicology</i> , 2020 , 79, 435-453	3.2	4
77	Conditioned food aversion in domestic dogs induced by thiram. <i>Pest Management Science</i> , 2020 , 76, 568-574	4.4	3
76	Ecotoxicological Risk Assessment in the Context of Different EU Regulations. <i>Methods in Pharmacology and Toxicology</i> , 2020 , 3-25	1.1	4
75	Wildlife Sentinels for Human and Environmental Health Hazards in Ecotoxicological Risk Assessment. <i>Methods in Pharmacology and Toxicology</i> , 2020 , 77-94	1.1	9
74	Hg and Se in Organs of Three Cetacean Species from the Murcia Coastline (Mediterranean Sea). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019 , 103, 521-527	2.7	8
73	Effects of calcium supplementation on oxidative status and oxidative damage in great tit nestlings inhabiting a metal-polluted area. <i>Environmental Research</i> , 2019 , 171, 484-492	7.9	10
72	Spatiotemporal variations of organochlorine pesticides in an apex predator: Influence of government regulations and farming practices. <i>Environmental Research</i> , 2019 , 176, 108543	7.9	7
71	Trace metals in striped dolphins (<i>Stenella coeruleoalba</i>) stranded along the Murcia coastline, Mediterranean Sea, during the period 2009-2015. <i>Chemosphere</i> , 2019 , 229, 580-588	8.4	14
70	Lead exposure in common shelduck (<i>Tadorna tadorna</i>): Tracking the success of the Pb shot ban for hunting in Spanish wetlands. <i>Regulatory Toxicology and Pharmacology</i> , 2019 , 106, 147-151	3.4	3
69	Conditioned food aversion mediated by odour cue and microencapsulated levamisole to avoid predation by canids. <i>European Journal of Wildlife Research</i> , 2019 , 65, 1	2	6
68	Selection of new chemicals to be used in conditioned aversion for non-lethal predation control. <i>Behavioural Processes</i> , 2019 , 166, 103905	1.6	6
67	Pathology in Practice. <i>Journal of the American Veterinary Medical Association</i> , 2019 , 255, 1349-1352	1	
66	Opinion paper about organic trace pollutants in wastewater: Toxicity assessment in a European perspective. <i>Science of the Total Environment</i> , 2019 , 651, 3202-3221	10.2	35
65	Development of a QuEChERS method for simultaneous analysis of antibiotics in carcasses for supplementary feeding of endangered vultures. <i>Science of the Total Environment</i> , 2018 , 626, 319-327	10.2	14
64	Mercury in the feathers of bird scavengers from two areas of Patagonia (Argentina) under the influence of different anthropogenic activities: a preliminary study. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 13906-13915	5.1	9
63	Estrogenic activity of zearalenone, zearalenol and zearalenol assessed using the E-screen assay in MCF-7 cells. <i>Toxicology Mechanisms and Methods</i> , 2018 , 28, 239-242	3.6	27
62	From sport hunting to breeding success: Patterns of lead ammunition ingestion and its effects on an endangered raptor. <i>Science of the Total Environment</i> , 2018 , 613-614, 483-491	10.2	27

61	Experimental manipulation of dietary arsenic levels in great tit nestlings: Accumulation pattern and effects on growth, survival and plasma biochemistry. <i>Environmental Pollution</i> , 2018 , 233, 764-773	9.3	17
60	Oxidative damage and disturbance of antioxidant capacity by zearalenone and its metabolites in human cells. <i>Toxicology in Vitro</i> , 2017 , 45, 334-339	3.6	43
59	Influence of a Former Mining Area in the Heavy Metals Concentrations in Blood of Free-Living Mediterranean Pond Turtles (<i>Mauremys leprosa</i>). <i>Bulletin of Environmental Contamination and Toxicology</i> , 2017 , 99, 167-172	2.7	6
58	Validation of a QuEChERS method for analysis of neonicotinoids in small volumes of blood and assessment of exposure in Eurasian eagle owl (<i>Bubo bubo</i>) nestlings. <i>Science of the Total Environment</i> , 2017 , 595, 93-100	10.2	44
57	Assessment of mercury exposure and maternal-foetal transfer in <i>Miniopterus schreibersii</i> (Chiroptera: Miniopteridae) from southeastern Iberian Peninsula. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 5497-5508	5.1	7
56	Trace element concentrations in feathers and blood of Northern goshawk (<i>Accipiter gentilis</i>) nestlings from Norway and Spain. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 144, 564-571	7	16
55	Per- and polyfluoroalkyl substances in plasma and feathers of nestling birds of prey from northern Norway. <i>Environmental Research</i> , 2017 , 158, 277-285	7.9	18
54	Combined in situ effects of metals and nutrients on marine biofilms: Shifts in the diatom assemblage structure and biological traits. <i>Science of the Total Environment</i> , 2017 , 574, 381-389	10.2	19
53	Haematocrit and blood biochemical parameters in free-living Eurasian eagle owls (<i>Bubo bubo</i>) from Southeastern Spain: study of age and sex differences. <i>European Journal of Wildlife Research</i> , 2016 , 62, 557-564	2	2
52	Interspecific differences in the antioxidant capacity of two Laridae species exposed to metals. <i>Environmental Research</i> , 2016 , 147, 115-24	7.9	16
51	Tracking pan-continental trends in environmental contamination using sentinel raptors-what types of samples should we use?. <i>Ecotoxicology</i> , 2016 , 25, 777-801	2.9	102
50	Delta-aminolevulinic acid dehydratase (ALAD) activity in four free-living bird species exposed to different levels of lead under natural conditions. <i>Environmental Research</i> , 2015 , 137, 185-98	7.9	30
49	A review on exposure and effects of arsenic in passerine birds. <i>Science of the Total Environment</i> , 2015 , 512-513, 506-525	10.2	70
48	Contaminants in the southern tip of South America: Analysis of organochlorine compounds in feathers of avian scavengers from Argentinean Patagonia. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 115, 83-92	7	20
47	Oxidative stress biomarkers in Eurasian eagle owls (<i>Bubo bubo</i>) in three different scenarios of heavy metal exposure. <i>Environmental Research</i> , 2014 , 131, 134-44	7.9	50
46	Effects of heavy metals on biomarkers for oxidative stress in Griffon vulture (<i>Gyps fulvus</i>). <i>Environmental Research</i> , 2014 , 129, 59-68	7.9	102
45	In vitro evaluation of cell death induced by cadmium, lead and their binary mixtures on erythrocytes of Common buzzard (<i>Buteo buteo</i>). <i>Toxicology in Vitro</i> , 2014 , 28, 300-6	3.6	16
44	Factors that influence mercury concentrations in nestling Eagle Owls (<i>Bubo bubo</i>). <i>Science of the Total Environment</i> , 2014 , 470-471, 1132-9	10.2	26

43	An overview of existing raptor contaminant monitoring activities in Europe. <i>Environment International</i> , 2014 , 67, 12-21	12.9	102
42	Screening of wild plants for use in the phytoremediation of mining-influenced soils containing arsenic in semiarid environments. <i>Journal of Soils and Sediments</i> , 2014 , 14, 794-809	3.4	23
41	Feathers as a biomonitoring tool of polyhalogenated compounds: a review. <i>Environmental Science & Technology</i> , 2013 , 47, 3028-43	10.3	69
40	Correction to Feathers as a Biomonitoring Tool of Polyhalogenated Compounds: A Review. <i>Environmental Science & Technology</i> , 2013 , 47, 9558-9558	10.3	13
39	Razorbill (Alca torda) feathers as an alternative tool for evaluating exposure to organochlorine pesticides. <i>Ecotoxicology</i> , 2012 , 21, 183-90	2.9	22
38	Razorbills (Alca torda) as bioindicators of mercury pollution in the southwestern Mediterranean. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2461-70	6.7	28
37	A comparison of BGM and LLC-PK1 cells for the evaluation of nephrotoxicity. <i>Drug and Chemical Toxicology</i> , 2012 , 35, 258-63	2.3	3
36	Organohalogen exposure in a Eurasian Eagle owl (Bubo bubo) population from Southeastern Spain: temporal-spatial trends and risk assessment. <i>Chemosphere</i> , 2012 , 88, 903-11	8.4	20
35	Blood lead levels and δ -ALAD inhibition in nestlings of Eurasian Eagle Owl (Bubo bubo) to assess lead exposure associated to an abandoned mining area. <i>Ecotoxicology</i> , 2011 , 20, 131-8	2.9	40
34	Blood delta-ALAD, lead and cadmium concentrations in spur-thighed tortoises (Testudo graeca) from Southeastern Spain and Northern Africa. <i>Ecotoxicology</i> , 2010 , 19, 670-7	2.9	10
33	Assessment of organochlorine pesticide exposure in a wintering population of razorbills (Alca torda) from the southwestern Mediterranean. <i>Chemosphere</i> , 2010 , 80, 1190-8	8.4	17
32	Changes in blood pesticide levels in booted eagle (Hieraaetus pennatus) associated with agricultural land practices. <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 45-50	7	17
31	Heavy metals in tissues from loggerhead turtles (Caretta caretta) from the southwestern Mediterranean (Spain). <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 557-63	7	53
30	Cadmium- and lead-induced apoptosis in mallard erythrocytes (Anas platyrhynchos). <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 37-44	7	14
29	Relationship of the toxicity of pesticide formulations and their commercial restrictions with the frequency of animal poisonings. <i>Ecotoxicology and Environmental Safety</i> , 2008 , 69, 396-402	7	54
28	Raptor ecotoxicology in Spain: a review on persistent environmental contaminants. <i>Ambio</i> , 2008 , 37, 432-9	6.5	45
27	Pulse-discharges of mining wastes into a coastal lagoon: Water chemistry and toxicity. <i>Chemistry and Ecology</i> , 2007 , 23, 217-231	2.3	27
26	Organochlorine residues in booted eagle (Hieraaetus pennatus) and goshawk (Accipiter gentilis) eggs from southeastern Spain. <i>Environmental Toxicology and Chemistry</i> , 2007 , 26, 2373-8	3.8	20

25	Detection of strychnine by gas chromatography-mass spectrometry in the carcase of a Bonelli's eagle (<i>Hieraetus fasciatus</i>). <i>Veterinary Record</i> , 2006 , 159, 182-3	0.9	9
24	Comparison of chromaffin cells from several animal sources for their use as an in vitro model to study the mechanism of organophosphorous toxicity. <i>Toxicology Letters</i> , 2006 , 165, 221-9	4.4	8
23	Effects of mining wastes on a seagrass ecosystem: metal accumulation and bioavailability, seagrass dynamics and associated community structure. <i>Marine Environmental Research</i> , 2005 , 60, 317-37	3.3	68
22	Environmental lead exposure in the European kestrel (<i>Falco tinnunculus</i>) from southeastern Spain: the influence of leaded gasoline regulations. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2005 , 74, 314-9	2.7	19
21	Cadmium in feathers of adults and blood of nestlings of three raptor species from a nonpolluted Mediterranean forest, southeastern Spain. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2005 , 74, 477-84	2.7	27
20	High levels of blood lead in griffon vultures (<i>Gyps fulvus</i>) from Cazorla Natural Park (southern Spain). <i>Environmental Toxicology</i> , 2005 , 20, 459-63	4.2	47
19	Cytotoxicity and mutagenicity of four insect pheromones in CHO-K1 cells. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2004 , 73, 963-70	2.7	2
18	Lead in feathers and delta-aminolevulinic acid dehydratase activity in three raptor species from an unpolluted Mediterranean forest (Southeastern Spain). <i>Archives of Environmental Contamination and Toxicology</i> , 2004 , 47, 270-5	3.2	42
17	Comparison of cytopathological changes induced by mercury chloride exposure in renal cell lines (VERO and BGM). <i>Environmental Toxicology and Pharmacology</i> , 2004 , 17, 129-41	5.8	3
16	Morphological characterization of renal cell lines (BGM and VERO) exposed to low doses of lead nitrate. <i>Histology and Histopathology</i> , 2004 , 19, 69-76	1.4	5
15	Influence of leaded-gasoline regulations on the blood lead concentrations in Murciano-Granadina goats from Murcia Region, Southeast Spain. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2003 , 70, 1178-83	2.7	4
14	Morphological characterisation of BGM (Buffalo Green Monkey) cell line exposed to low doses of cadmium chloride. <i>Toxicology in Vitro</i> , 2003 , 17, 293-9	3.6	19
13	Intentional poisoning of animals in southeastern Spain: a review of the veterinary toxicology service from Murcia, Spain. <i>Veterinary and Human Toxicology</i> , 2003 , 45, 47-50		11
12	Changes in glutathione-redox balance induced by hexachlorocyclohexane and lindane in CHO-K1 cells. <i>Xenobiotica</i> , 2002 , 32, 1007-16	2	12
11	Alterations of the glutathione-redox balance induced by metals in CHO-K1 cells. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2002 , 132, 365-73	3.2	16
10	Concentrations of cadmium, mercury and selenium in blood, liver and kidney of common eider ducks from the Canadian arctic. <i>Environmental Monitoring and Assessment</i> , 2001 , 71, 255-67	3.1	44
9	Cyclodiene organochlorine insecticide-induced alterations in the sulfur-redox cycle in CHO-K1 cells. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2001 , 130, 315-23	3.2	12
8	Sunflower meal as cause of chronic copper poisoning in lambs in southeastern Spain. <i>Canadian Veterinary Journal</i> , 1999 , 40, 799-801	0.5	5

7	Lead and cadmium in red deer and wild boar from Sierra Morena Mountains (Andalusia, Spain). <i>Bulletin of Environmental Contamination and Toxicology</i> , 1998 , 61, 730-7	2.7	40
6	Environmental exposure and distribution of lead in four species of raptors in Southeastern Spain. <i>Archives of Environmental Contamination and Toxicology</i> , 1997 , 33, 76-82	3.2	50
5	Structural determinants of putrescine uptake inhibition produced by cationic diamidines in the model of trypanosomatid <i>Crithidia fasciculata</i> . <i>Biological Chemistry Hoppe-Seyler</i> , 1996 , 377, 833-6		1
4	Distribution of Cadmium in Blood and Tissues of Wild Birds. <i>Archives of Environmental Contamination and Toxicology</i> , 1996 , 30, 252-258	3.2	
3	Lead and cadmium in wild birds in southeastern Spain. <i>Environmental Toxicology and Chemistry</i> , 1995 , 14, 2049-2058	3.8	59
2	Transmissible gastroenteritis in pigs in south east Spain: prevalence and factors associated with infection. <i>Veterinary Record</i> , 1993 , 132, 238-41	0.9	9
1	Low prevalence of <i>C botulinum</i> in Spanish wetlands with a tidal regime. <i>Veterinary Record</i> , 1991 , 128, 187-8	0.9	5