
## Andrzej Habior

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8525785/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The RANKL/OPG system and bone mineral density in patients with chronic liver disease. Journal of Hepatology, 2005, 43, 973-983.	1.8	100
2	ls serum bilirubin concentration the only valid prognostic marker in primary biliary cirrhosis?. Hepatology, 1999, 30, 865-869.	3.6	40
3	Association of primary sclerosing cholangitis, ulcerative colitis and coeliac disease in female siblings. European Journal of Gastroenterology and Hepatology, 2002, 14, 787-791.	0.8	28
4	1000 Liver Transplantations at the Department of General, Transplant and Liver Surgery, Medical University of Warsaw - Analysis of Indications and Results. Polski Przeglad Chirurgiczny, 2012, 84, 304-12.	0.2	28
5	Lack of evidence for association of primary sclerosing cholangitis and primary biliary cirrhosis with risk alleles for Crohn's disease in Polish patients. BMC Medical Genetics, 2008, 9, 81.	2.1	27
6	Insulin-like growth factor I gene microsatellite repeat, collagen type I??1 gene Sp1 polymorphism, and bone disease in primary biliary cirrhosis. European Journal of Gastroenterology and Hepatology, 2004, 16, 753-759.	0.8	25
7	Association of coeliac disease with primary biliary cirrhosis in Poland. European Journal of Gastroenterology and Hepatology, 2003, 15, 159-164.	0.8	22
8	Laboratoryâ€based scoring system for prediction of hepatic inflammatory activity in patients with autoimmune hepatitis. Liver International, 2013, 33, 1370-1377.	1.9	18
9	A heterozygous mutation in GOT1 is associated with familial macro-aspartate aminotransferase. Journal of Hepatology, 2017, 67, 1026-1030.	1.8	18
10	A novel approach to genome-wide association analysis identifies genetic associations with primary biliary cholangitis and primary sclerosing cholangitis in Polish patients. BMC Medical Genomics, 2017, 10, 2.	0.7	18
11	Serum leptin, soluble leptin receptor, free leptin index and bone mineral density in patients with primary biliary cirrhosis. European Journal of Gastroenterology and Hepatology, 2005, 17, 923-928.	0.8	17
12	Primary Biliary Cirrhosis in the Era of Liver Transplantation. Annals of Transplantation, 2014, 19, 488-493.	0.5	16
13	Measurement of gp210 autoantibodies in sera of patients with primary biliary cirrhosis. Journal of Clinical Laboratory Analysis, 2007, 21, 227-231.	0.9	14
14	DETECTION OF ANTI-SP100 ANTIBODIES IN PRIMARY BILIARY CIRRHOSIS. COMPARISON OF ELISA AND IMMUNOFLUORESCENCE. Journal of Immunoassay and Immunochemistry, 2013, 34, 346-355.	0.5	9
15	Detection of Autoantibodies Against Nucleoporin p62 in Sera of Patients With Primary Biliary Cholangitis. Annals of Laboratory Medicine, 2019, 39, 291-298.	1.2	9
16	Analysis of Autoantibodies against Promyelocytic Leukemia Nuclear Body Components and Biochemical Parameters in Sera of Patients with Primary Biliary Cholangitis. Diagnostics, 2021, 11, 587.	1.3	6
17	Clinical Applicability of Whole-Exome Sequencing Exemplified by a Study in Young Adults with the Advanced Cryptogenic Cholestatic Liver Diseases. Gastroenterology Research and Practice, 2017, 2017, 1-8.	0.7	5
18	Diagnostic and Clinical Value of Specific Autoantibodies against Kelch-like 12 Peptide and Nuclear Envelope Proteins in Patients with Primary Biliary Cholangitis. Biomedicines, 2022, 10, 801.	1.4	5

#	Article	IF	CITATIONS
19	Association of autoimmune liver diseases. European Journal of Gastroenterology and Hepatology, 2004, 16, 503.	0.8	0