

Christian Rupp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8525978/publications.pdf>

Version: 2024-02-01

99
papers

3,624
citations

201385

27
h-index

138251

58
g-index

102
all docs

102
docs citations

102
times ranked

5594
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient Age, Sex, and Inflammatory Bowel Disease Phenotype Associate With Course of Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2017, 152, 1975-1984.e8.	0.6	355
2	Malignant ascites-derived exosomes of ovarian carcinoma patients contain CD24 and EpCAM. <i>Gynecologic Oncology</i> , 2007, 107, 563-571.	0.6	335
3	CD24 is a marker of exosomes secreted into urine and amniotic fluid. <i>Kidney International</i> , 2007, 72, 1095-1102.	2.6	325
4	A screen for genes required for meiosis and spore formation based on whole-genome expression. <i>Current Biology</i> , 2001, 11, 1001-1009.	1.8	276
5	Loss of EpCAM expression in breast cancer derived serum exosomes: Role of proteolytic cleavage. <i>Gynecologic Oncology</i> , 2011, 122, 437-446.	0.6	248
6	Body Fluid Exosomes Promote Secretion of Inflammatory Cytokines in Monocytic Cells via Toll-like Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2013, 288, 36691-36702.	1.6	203
7	Genome-wide association analysis in Primary sclerosing cholangitis and ulcerative colitis identifies risk loci at <i>GPR35</i> and <i>TCF4</i> . <i>Hepatology</i> , 2013, 58, 1074-1083.	3.6	150
8	Biliary strictures and recurrence after liver transplantation for primary sclerosing cholangitis: A retrospective multicenter analysis. <i>Liver Transplantation</i> , 2016, 22, 42-52.	1.3	111
9	Mnd1 Is Required for Meiotic Interhomolog Repair. <i>Current Biology</i> , 2004, 14, 752-762.	1.8	92
10	Reduction in alkaline phosphatase is associated with longer survival in primary sclerosing cholangitis, independent of dominant stenosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 1292-1301.	1.9	88
11	FUT2 and FUT3 genotype determines CA19-9 cut-off values for detection of cholangiocarcinoma in patients with primary sclerosing cholangitis. <i>Journal of Hepatology</i> , 2013, 59, 1278-1284.	1.8	74
12	Refining prediction of survival after TIPS with the novel Freiburg index of post-TIPS survival. <i>Journal of Hepatology</i> , 2021, 74, 1362-1372.	1.8	74
13	Mismatch repair deficiency is a rare but putative therapeutically relevant finding in non-liver fluke associated cholangiocarcinoma. <i>British Journal of Cancer</i> , 2019, 120, 109-114.	2.9	71
14	Rapid Development of Cefiderocol Resistance in Carbapenem-resistant <i>Enterobacter cloacae</i> During Therapy Is Associated With Heterogeneous Mutations in the Catechol Siderophore Receptor <i>cirA</i> . <i>Clinical Infectious Diseases</i> , 2022, 74, 905-908.	2.9	67
15	Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. <i>Laboratory Investigation</i> , 2010, 90, 1102-1116.	1.7	62
16	Cytoplasmic localization of the cell polarity factor scribble supports liver tumor formation and tumor cell invasiveness. <i>Hepatology</i> , 2018, 67, 1842-1856.	3.6	48
17	Emotional Processing Theory Put to Test: A Meta-Analysis on the Association Between Process and Outcome Measures in Exposure Therapy. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 697-711.	1.4	46
18	Cardiac volume overload and pulmonary hypertension in long-term follow-up of patients with a transjugular intrahepatic portosystemic shunt. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 955-965.	1.9	44

#	ARTICLE	IF	CITATIONS
19	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. <i>Gut</i> , 2018, 67, 1517-1524.	6.1	42
20	Effect of scheduled endoscopic dilatation of dominant strictures on outcome in patients with primary sclerosing cholangitis. <i>Gut</i> , 2019, 68, 2170-2178.	6.1	40
21	Bacteriobilia and fungibilia are associated with outcome in patients with endoscopic treatment of biliary complications after liver transplantation. <i>Endoscopy</i> , 2013, 45, 890-896.	1.0	35
22	Microbiological Assessment of Bile and Corresponding Antibiotic Treatment. <i>Medicine (United States)</i> , 2016, 95, e2390.	0.4	35
23	Pruritus is associated with severely impaired quality of life in patients with primary sclerosing cholangitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2014, 26, 1374-1379.	0.8	32
24	Programmed cell death ligand 1 (PD-L1, CD274) in cholangiocarcinoma – correlation with clinicopathological data and comparison of antibodies. <i>BMC Cancer</i> , 2019, 19, 72.	1.1	32
25	Risk factors and outcome in patients with primary sclerosing cholangitis with persistent biliary candidiasis. <i>BMC Infectious Diseases</i> , 2014, 14, 562.	1.3	31
26	S100A9 is a Biliary Protein Marker of Disease Activity in Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2012, 7, e29821.	1.1	29
27	A Frequent PNPLA3 Variant Is a Sex Specific Disease Modifier in PSC Patients with Bile Duct Stenosis. <i>PLoS ONE</i> , 2013, 8, e58734.	1.1	28
28	Defining Primary Sclerosing Cholangitis: Results From an International Primary Sclerosing Cholangitis Study Group Consensus Process. <i>Gastroenterology</i> , 2021, 161, 1764-1775.e5.	0.6	28
29	<i>Fut2</i> genotype is a risk factor for dominant stenosis and biliary candida infections in primary sclerosing cholangitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 873-882.	1.9	25
30	Transcriptomic Cross-Species Analysis of Chronic Liver Disease Reveals Consistent Regulation Between Humans and Mice. <i>Hepatology Communications</i> , 2022, 6, 161-177.	2.0	24
31	Non-IBD immunological diseases are a risk factor for reduced survival in PSC. <i>Liver International</i> , 2013, 33, 86-93.	1.9	23
32	Long-term evaluation of urinary copper excretion and non- caeruloplasmin associated copper in Wilson disease patients under medical treatment. <i>Journal of Inherited Metabolic Disease</i> , 2019, 42, 371-380.	1.7	23
33	Effects of Increased Von Willebrand Factor Levels on Primary Hemostasis in Thrombocytopenic Patients with Liver Cirrhosis. <i>PLoS ONE</i> , 2014, 9, e112583.	1.1	22
34	CD24 Ala57Val polymorphism predicts pathologic complete response to sequential anthracycline- and taxane-based neoadjuvant chemotherapy for primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 819-831.	1.1	21
35	Inflammation But Not Biliary Obstruction Is Associated With Carbohydrate Antigen 19-9 Levels in Patients With Primary Sclerosing Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2372-2379.	2.4	21
36	Pathological features of primary sclerosing cholangitis identified by bile proteomic analysis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1380-1389.	1.8	21

#	ARTICLE	IF	CITATIONS
37	Low frequency of mismatch repair deficiency in gallbladder cancer. <i>Diagnostic Pathology</i> , 2019, 14, 36.	0.9	19
38	Nuclear Translocation of RELB Is Increased in Diseased Human Liver and Promotes Ductular Reaction and Biliary Fibrosis in Mice. <i>Gastroenterology</i> , 2019, 156, 1190-1205.e14.	0.6	19
39	CD14 is associated with biliary stricture formation. <i>Hepatology</i> , 2016, 64, 843-852.	3.6	18
40	miRNA profiling of biliary intraepithelial neoplasia reveals stepwise tumorigenesis in distal cholangiocarcinoma via the miR-451a/ATF2 axis. <i>Journal of Pathology</i> , 2020, 252, 239-251.	2.1	18
41	Effects of Tumor Necrosis Factor Antagonists in Patients With Primary Sclerosing Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2295-2304.e2.	2.4	18
42	A common genetic variant of <i>fucosyltransferase 2</i> correlates with serum carcinoembryonic antigen levels and affects cancer screening in patients with primary sclerosing cholangitis. <i>United European Gastroenterology Journal</i> , 2016, 4, 84-91.	1.6	17
43	Impact of age at diagnosis on disease progression in patients with primary sclerosing cholangitis. <i>United European Gastroenterology Journal</i> , 2018, 6, 255-262.	1.6	17
44	Novel perspectives on Wilson disease treatment. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2017, 142, 225-230.	1.0	16
45	Feasibility, effectiveness, and safety of endoscopic vacuum therapy for intrathoracic anastomotic leakage following transthoracic esophageal resection. <i>BMC Gastroenterology</i> , 2021, 21, 72.	0.8	16
46	Programmed Death Ligand-1 (PD-L1) Is an Independent Negative Prognosticator in Western-World Gallbladder Cancer. <i>Cancers</i> , 2021, 13, 1682.	1.7	16
47	HER2 gene (ERBB2) amplification is a rare event in non-liver-fluke associated cholangiocarcinogenesis. <i>BMC Cancer</i> , 2019, 19, 1191.	1.1	15
48	Impact on follow-up strategies in patients with primary sclerosing cholangitis. <i>Liver International</i> , 2023, 43, 127-138.	1.9	15
49	Von Willebrand factor and alkaline phosphatase predict retransplantation-free survival after the first liver transplantation. <i>United European Gastroenterology Journal</i> , 2017, 5, 86-93.	1.6	13
50	Location of a biliary leak after liver resection determines success of endoscopic treatment. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 1814-1820.	1.3	13
51	HER2 gene (ERBB2) amplification is a low-frequency driver with potential predictive value in gallbladder carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 871-880.	1.4	12
52	Evaluation of Biliary Calprotectin as a Biomarker in Primary Sclerosing Cholangitis. <i>Medicine (United States)</i> , 2021, 100, 1000000. <small>Open Access / Overlock 10 Tf</small>	0.4	11
53	Prevalence of human herpesviruses in biliary fluid and their association with biliary complications after liver transplantation. <i>BMC Gastroenterology</i> , 2019, 19, 110.	0.8	11
54	SARS-CoV-2 Seroprevalence and Clinical Features of COVID-19 in a German Liver Transplant Recipient Cohort: A Prospective Serosurvey Study. <i>Transplantation Proceedings</i> , 2021, 53, 1112-1117.	0.3	11

#	ARTICLE	IF	CITATIONS
55	Prognostic Impact of Carboxylesterase 2 in Cholangiocarcinoma. <i>Scientific Reports</i> , 2019, 9, 4338.	1.6	10
56	Effect of mycophenolic acid on inosine monophosphate dehydrogenase (IMPDH) activity in liver transplant patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 543-550.	0.7	10
57	The MBOAT7 rs641738 variant is associated with an improved outcome in primary sclerosing cholangitis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, 646-652.	0.7	10
58	Statin use is associated with the reduction in hepatocellular carcinoma recurrence after liver surgery. <i>BMC Cancer</i> , 2022, 22, 91.	1.1	10
59	Coffee consumption protects against progression in liver cirrhosis and increases long-term survival after liver transplantation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1470-1475.	1.4	9
60	Criteria Used in Clinical Practice to Guide Immunosuppressive Treatment in Patients with Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2015, 10, e0140525.	1.1	8
61	Longitudinal analysis of CA19-9 reveals individualised normal range and early changes before development of biliary tract cancer in patients with primary sclerosing cholangitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 769-778.	1.9	8
62	Multidrug-Resistant Bacteria and Disease Progression in Patients with End-Stage Liver Disease and after Liver Transplantation. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 28, 303-310.	0.5	8
63	Serum miRNA-122 is an Independent Biomarker of Survival in Patients with Primary Sclerosing Cholangitis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 27, 145-150.	0.5	8
64	Association of serum zinc levels with liver function and survival in patients awaiting liver transplantation. <i>Langenbeck's Archives of Surgery</i> , 2015, 400, 805-811.	0.8	7
65	Carcinoembryonic Antigen Level in Primary Sclerosing Cholangitis Is Not Influenced by Dominant Strictures or Bacterial Cholangitis. <i>Digestive Diseases and Sciences</i> , 2017, 62, 510-516.	1.1	7
66	Successful combination of direct antiviral agents in liver-transplanted patients with recurrent hepatitis C virus. <i>World Journal of Gastroenterology</i> , 2018, 24, 1353-1360.	1.4	7
67	Is MRCP necessary to diagnose pancreas divisum?. <i>BMC Medical Imaging</i> , 2019, 19, 33.	1.4	6
68	Treatment stage migration and treatment sequences in patients with hepatocellular carcinoma: drawbacks and opportunities. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 2471-2481.	1.2	6
69	Prognostic role of selection criteria for liver transplantation in patients with hepatocellular carcinoma: a network meta-analysis. <i>BJS Open</i> , 2022, 6, .	0.7	6
70	Association between serum IgG level and clinical course in primary sclerosing cholangitis. <i>BMC Gastroenterology</i> , 2019, 19, 153.	0.8	4
71	Intrahepatic biliary strictures after liver transplantation are morphologically similar to primary sclerosing cholangitis but immunologically distinct. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 276-284.	0.8	4
72	Pregnancy with inflammatory bowel disease: Outcomes for mothers and their children at a European tertiary care center. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 621-633.	0.6	4

#	ARTICLE	IF	CITATIONS
73	Balanced steady-state free precession MRCP is a robust alternative to respiration-navigated 3D turbo-spin-echo MRCP. BMC Medical Imaging, 2021, 21, 10.	1.4	3
74	Predictors of Jaundice Resolution and Survival After Endoscopic Treatment of Primary Sclerosing Cholangitis. Hepatology Communications, 2022, 6, 809-820.	2.0	3
75	Obesity surgery in patients with end-stage organ failure: Is it worth it?. Surgery for Obesity and Related Diseases, 2022, 18, 495-503.	1.0	3
76	OUP accepted manuscript. British Journal of Surgery, 2022, , .	0.1	3
77	1413 A FREQUENT PNPLA3 VARIANT PREDICTS DISEASE COURSE IN PRIMARY SCLEROSING CHOLANGITIS. Journal of Hepatology, 2012, 56, S556.	1.8	2
78	Editorial: further evidence for the role of serum alkaline phosphatase as a useful surrogate marker of prognosis in <sc>PSC</sc> â€“ authors' reply. Alimentary Pharmacology and Therapeutics, 2015, 41, 151-152.	1.9	2
79	Biliary calprotectin, lactoferrin and dimeric pyruvate kinase after liver transplantation are associated with biliary damage and graft survival in a case-control study. Clinics and Research in Hepatology and Gastroenterology, 2020, 44, 38-48.	0.7	2
80	Genotype-Phenotype Analysis across 130,422 Genetic Variants Identifies Rspo3 as the First Genome-Wide Significant Modifier Gene in Primary Sclerosing Cholangitis. Journal of Hepatology, 2016, 64, S642-S643.	1.8	1
81	Evaluation of two functional CD24 polymorphisms in primary sclerosing cholangitis. Scandinavian Journal of Gastroenterology, 2020, 55, 581-587.	0.6	1
82	HBV-infection rate and long-term outcome after liver-transplantation of anti-HBc-positive liver-grafts to HBV-naïve recipients: A retrospective study. Clinics and Research in Hepatology and Gastroenterology, 2021, 45, 101496.	0.7	1
83	Possible Role of the HMGB1 and RAGE Inflammatory Pathway in Primary Sclerosing Cholangitis. Clinics and Research in Hepatology and Gastroenterology, 2021, 46, 101791.	0.7	1
84	1292 PSC ACTIVITY ASSESSMENT BY BILE PROTEOME ANALYSES AND CYTOLOGY. Journal of Hepatology, 2011, 54, S509.	1.8	0
85	974 IMMUNOLOGICAL DISEASES AS A RISK FACTOR FOR SURVIVAL IN PRIMARY SCLEROSING CHOLANGITIS: INSIGHT INTO PATHOGENESIS?. Journal of Hepatology, 2012, 56, S381.	1.8	0
86	953 FUT2 POLYMORPHISM IS ASSOCIATED WITH DOMINANT STENOSIS AND CANDIDA INFECTION IN PRIMARY SCLEROSING CHOLANGITIS. Journal of Hepatology, 2013, 58, S393.	1.8	0
87	Aggressive systemic mastocytosis of the liver with cholangitis. Hepatic Oncology, 2015, 2, 343-347.	4.2	0
88	O076 : Cardiac volume overload and pulmonary hypertension after long-term follow-up in TIPS patients. Journal of Hepatology, 2015, 62, S228.	1.8	0
89	High SVR12 Rates with Combination of NS5A- and NS5B- Inhibitors for 24 Weeks in Liver Transplanted Patients. Journal of Hepatology, 2016, 64, S752.	1.8	0
90	Only the tip of the Iceberg? Role of <sc>ATP</sc> 7Bâ€œexon skipping in Wilson disease. Liver International, 2018, 38, 1375-1376.	1.9	0

#	ARTICLE	IF	CITATIONS
91	Evaluation of the impact of Tacrolimus-based immunosuppression on Heidelberg liver transplant cohort (HDTACRO). <i>Medicine (United States)</i> , 2020, 99, e22180.	0.4	0
92	In PSC with dominant bile duct stenosis, multi-resistant bacteriobilia is associated with reduced survival. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, .	0.2	0
93	The rs626283 Variant in the MBOAT7 Gene is Associated with reduced survival in primary biliary cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.2	0
94	Biliary calprotectin, lactoferrin and dimeric pyruvate kinase after liver transplantation are markers for biliary damage and predict graft survival. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.2	0
95	Evaluation of serological markers of extracellular matrix remodeling in primary sclerosing cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.2	0
96	Obeticholic acid for the treatment of primary biliary cholangitis – first data from a real world cohort. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, .	0.2	0
97	Alteration of the gut microbiota in patients with primary sclerosing cholangitis and concomitant dominant strictures. , 2020, 58, .		0
98	Evaluation of two functional CD24 polymorphisms in primary sclerosing cholangitis. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, .	0.2	0
99	HER2 amplification is a rare event in non-liver-fluke associated cholangiocarcinogenesis. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, .	0.2	0