## Satilmis Bilgin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8527004/publications.pdf

Version: 2024-02-01

933447 940533 22 577 10 16 citations h-index g-index papers 22 22 22 279 all docs docs citations times ranked citing authors

| #  | Article   | IF              | CITATIONS     |
|----|---|-----------------|---------------|
| 1  | Uric acid to HDL cholesterol ratio is a strong predictor of diabetic control in men with type 2 diabetes mellitus. Aging Male, 2020, 23, 1098-1102.   | 1.9             | 107           |
| 2  | Irritable bowel syndrome is associated with novel inflammatory markers derived from hemogram parameters. Family Medicine and Primary Care Review, 2020, 22, 107-110.  | 0.2             | 80            |
| 3  | Association between novel inflammatory markers derived from hemogram indices and metabolic parameters in type 2 diabetic men. Aging Male, 2020, 23, 923-927.  | 1.9             | 79            |
| 4  | Poorly controlled hypertension is associated with elevated serum uric acid to HDL-cholesterol ratio: a cross-sectional cohort study. Postgraduate Medicine, 2022, 134, 297-302.                                   | 2.0             | 59            |
| 5  | Monocyte lymphocyte ratio As a predictor of Diabetic Kidney Injury in type 2 Diabetes mellitus; The MADKID Study. Journal of Diabetes and Metabolic Disorders, 2020, 19, 997-1002.                                | 1.9             | 58            |
| 6  | Does C-reactive protein to serum Albumin Ratio correlate with diabEtic nephropathy in patients with Type 2 dlabetes MEllitus? The CARE TIME study. Primary Care Diabetes, 2021, 15, 1071-1074.                    | 1.8             | 58            |
| 7  | The association between serum uric acid to high density lipoprotein-cholesterol ratio and non-alcoholic fatty liver disease: the abund study. Revista Da Associação Médica Brasileira, 2021, 67, 549-554.         | 0.7             | 53            |
| 8  | Hashimoto's thyroiditis is associated with elevated serum uric acid to high density lipoprotein-cholesterol ratio. Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne, 2021, 59, 403-408. | 0.6             | 28            |
| 9  | C-reactive protein to lymphocyte count ratio is a promising novel marker in hepatitis C infection: the clear hep-c study. Revista Da Associação Médica Brasileira, 2022, 68, 838-841.                             | 0.7             | 16            |
| 10 | Edmonton frail score is associated with diabetic control in elderly type 2 diabetic subjects. Journal of Diabetes and Metabolic Disorders, 2020, 19, 511-514.   | 1.9             | 14            |
| 11 | Triglyceride to high density lipoprotein cholesterol ratio is elevated in patients with complicated type 2 diabetes mellitus. Acta Facultatis Medicae Naissensis, 2022, 39, 66-73.                                | 0.4             | 9             |
| 12 | General characteristics of anemia in postmenopausal women and elderly men. Aging Male, 2020, 23, 780-784.   | 1.9             | 8             |
| 13 | Type 2 diabetes mellitus is more commonly well controlled in younger men compared to older men.<br>Aging Male, 2020, 23, 906-910.   | 1.9             | 4             |
| 14 | ĐšĐ¾Đ¼Đ¿Đ»Đ°Ñ"Đ½Ñ•ĐƊ¾ Đ»Ñ−ĐºÑƒĐ²Đ°Đ½Đ½Ñ•Đ»ĐμĐ²Đ¾Ñ,Đ¸Ñ€Đ¾ĐºÑĐ¸Đ½Đ¾Đ¼ ÑĐ²Đ¾Ñ  | <b>€Ð</b> ¸Ã Ð⅓ | ∕₂Ð0° Ð3їп1   |
| 15 | Inappropriate Medication Use In Older Adults According To Beers Criteria In A Tertiary Referral<br>Hospital, In Bolu, Turkey. Russian Open Medical Journal, 2021, 10, .   | 0.3             | 1             |
| 16 | A Relapsing Immune Thrombocytopenia Case in a Patient Following COVID-19 Vaccination. Journal of Health and Allied Sciences NU, 0, , .  | 0.4             | 1             |
| 17 | An unusual immune thrombocytopenia case associated with dietary supplements containing 3G (Green) Tj ETQq   | 1 0.7843<br>0.3 | 314 rgBT /0ve |
| 18 | Investigation of patients with coronary slow flow in terms of periodontal health status. Revista Da Associação Médica Brasileira, 2021, 67, 561-565.  | 0.7             | 0             |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A Case of Medullary Sponge Kidney Diagnosed at an Older Age. Turkish Nephrology, Dialysis and Transplantation Journal, 2015, 24, 131-133.  | 0.0 | O         |
| 20 | Effects of the Clinical and Biochemical Features of Patients with Treatment-Resistant Primary Nephrotic Syndrome on Renal Survival. Turkish Nephrology, Dialysis and Transplantation Journal, 2017, 26, 79-85. | 0.0 | 0         |
| 21 | Handgrip Strength and Serum Uric Acid Levels are Associated with Dialysis-Malnutrition Scores in Chronic Hemodialysis Patients. Turkish Nephrology, Dialysis and Transplantation Journal, 2017, 26, 323-332.   | 0.0 | O         |
| 22 | Characteristics of the type 2 diabetic patients with hypoglycemia in a tertiary referral hospital. Mìų¼narodnij EndokrinologìÄnij ʽurnal, 2021, 17, 472-476.   | 0.4 | 0         |