

Anna Bogni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8527381/publications.pdf>

Version: 2024-02-01

28
papers

1,212
citations

471061

17
h-index

500791

28
g-index

28
all docs

28
docs citations

28
times ranked

1280
citing authors

#	ARTICLE	IF	CITATIONS
1	[18F]FDG and [18F]FLT PET for the evaluation of response to neo-adjuvant chemotherapy in a model of triple negative breast cancer. PLoS ONE, 2018, 13, e0197754.	1.1	15
2	18F-FLT PET/CT as an imaging tool for early prediction of pathological response in patients with locally advanced breast cancer treated with neoadjuvant chemotherapy: a pilot study. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 818-830.	3.3	34
3	Treatment with tandem [90Y]DOTA-TATE and [177Lu]DOTA-TATE of neuroendocrine tumours refractory to conventional therapy. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 223-230.	3.3	88
4	Simple preparation and purification of ethanol-free solutions of 3- ² -deoxy-3- ² -[18F]fluorothymidine by means of disposable solid-phase extraction cartridges. Nuclear Medicine and Biology, 2012, 39, 540-550.	0.3	29
5	Detection of additional impurities in the UV-chromatogram of L-[S-methyl-11C]methionine. Journal of Radioanalytical and Nuclear Chemistry, 2011, 288, 405-409.	0.7	10
6	[N-Methyl-11C]choline by on-column reaction: a study on [11C]CH3I incorporation and the residual amount of precursor in the product. Journal of Labelled Compounds and Radiopharmaceuticals, 2011, 54, 157-162.	0.5	2
7	Simple automated preparation of O-[11C]methyl-L-tyrosine for routine clinical use. Applied Radiation and Isotopes, 2005, 63, 55-61.	0.7	9
8	Evaluation of o-[11C]methyl-L-tyrosine and o-[18F]fluoromethyl-L-tyrosine as tumor imaging tracers by PET. Nuclear Medicine and Biology, 2004, 31, 191-198.	0.3	36
9	Stability of L-[S-methyl-11C]methionine solutions. Journal of Radioanalytical and Nuclear Chemistry, 2003, 256, 199-203.	0.7	17
10	Radiosynthesis of O-[11C]methyl-L-tyrosine and O-[18F]Fluoromethyl-L-tyrosine as potential PET tracers for imaging amino acid transport. Journal of Labelled Compounds and Radiopharmaceuticals, 2003, 46, 555-566.	0.5	38
11	A combined loop-SPE method for the automated preparation of [11C]doxepin. Journal of Labelled Compounds and Radiopharmaceuticals, 2002, 45, 271-280.	0.5	27
12	[18F]Fluoromethyl triflate, a novel and reactive [18F]fluoromethylating agent: preparation and application to the on-column preparation of [18F]fluorocholine. Applied Radiation and Isotopes, 2002, 57, 347-352.	0.7	82
13	A simple loop method for the automated preparation of [11C]raclopride from [11C]methyl triflate. Applied Radiation and Isotopes, 2001, 55, 17-22.	0.7	64
14	[11C]Methylation on a C18 Sep-Pak cartridge: a convenient way to produce [N-methyl-11C]choline. Journal of Labelled Compounds and Radiopharmaceuticals, 2000, 43, 195-203.	0.5	92
15	A new, convenient method for the preparation of 4-[18F]fluorobenzyl halides. Applied Radiation and Isotopes, 2000, 52, 87-92.	0.7	49
16	High efficiency preparation of L-[S-methyl-11C]methionine by on-column [11C]methylation on C18 Sep-Pak. Journal of Labelled Compounds and Radiopharmaceuticals, 1999, 42, 715-724.	0.5	60
17	[18F]FDG synthesis by Anatech RB-86 robotic system: Improvements and general considerations. Journal of Radioanalytical and Nuclear Chemistry, 1998, 230, 45-51.	0.7	3
18	Association between [18F]fluorodeoxyglucose uptake and postoperative histopathology, hormone receptor status, thymidine labelling index and p53 in primary breast cancer: a preliminary observation. European Journal of Nuclear Medicine and Molecular Imaging, 1998, 25, 1429-1434.	3.3	161

#	ARTICLE	IF	CITATIONS
19	Radiation dose to technicians per nuclear medicine procedure: comparison between technetium-99m, gallium-67, and iodine-131 radiotracers and fluorine-18 fluorodeoxyglucose. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 1380-1389.	3.3	109
20	Comparison of three different methods for radiolabelling human activated T lymphocytes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 497-504.	2.2	72
21	Structure, Function and Gene Expression of Epithelial Mucins. <i>Tumori</i> , 1997, 83, 625-632.	0.6	84
22	The Contribution of Positron Emission Tomography (Pet) with 18F-Fluorodeoxyglucose (Fdg) in the Preoperative Detection of Axillary Metastases of Breast Cancer: The Experience of the National Cancer Institute of Milan. <i>Tumori</i> , 1997, 83, 542-543.	0.6	17
23	Radiopharmaceuticals for Breast Cancer Imaging. <i>Tumori</i> , 1997, 83, 512-514.	0.6	3
24	The Influence of Blood Glucose Levels on [18F]Fluorodeoxyglucose (Fdg) Uptake in Cancer: A Pet Study in Liver Metastases from Colorectal Carcinomas. <i>Tumori</i> , 1997, 83, 748-752.	0.6	58
25	Comparison of three different methods for radiolabelling human activated T lymphocytes. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 497-504.	3.3	12
26	A System for the automatic monitoring and safe disposal of short-lived radioactive gaseous compounds from hot-cells in a PET facility. <i>Applied Radiation and Isotopes</i> , 1996, 47, 717-722.	0.7	8
27	Tumour marker evaluation in patients with lung cancer. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1995, 55, 67-71.	0.6	5
28	CA 15.3 determination in patients with breast cancer: Clinical utility for the detection of distant metastases. <i>European Journal of Cancer</i> , 1993, 29, 144-146.	1.3	28