

Stephanie Rodgers

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8527399/stephanie-rodgers-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

664

citations

16

h-index

24

g-index

38

ext. papers

808

ext. citations

5.2

avg, IF

3.64

L-index

#	Paper	IF	Citations
38	Mental Health Literacy, Attitudes to Help Seeking, and Perceived Need as Predictors of Mental Health Service Use: A Longitudinal Study. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 321-4	1.8	108
37	Association between childhood maltreatment and normal adult personality traits: exploration of an understudied field. <i>Journal of Personality Disorders</i> , 2015 , 29, 1-14	2.6	54
36	Symptom-based subtypes of depression and their psychosocial correlates: a person-centered approach focusing on the influence of sex. <i>Journal of Affective Disorders</i> , 2014 , 156, 92-103	6.6	42
35	Factors associated with comorbidity patterns in full and partial PTSD: findings from the PsyCoLaus study. <i>Comprehensive Psychiatry</i> , 2014 , 55, 837-48	7.3	32
34	Interpersonal functioning deficits in association with DSM-IV personality disorder dimensions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 317-25	4.5	32
33	Occupational functioning and work impairment in association with personality disorder trait-scores. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 327-35	4.5	29
32	Assessing sub-clinical psychosis phenotypes in the general population—a multidimensional approach. <i>Schizophrenia Research</i> , 2015 , 161, 194-201	3.6	25
31	The role of sex on stability and change of depression symptom subtypes over 20 years: a latent transition analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 577-88	5.1	24
30	The joint structure of normal and pathological personality: further evidence for a dimensional model. <i>Comprehensive Psychiatry</i> , 2014 , 55, 667-74	7.3	23
29	The Swiss Multiple Sclerosis Registry (SMSR): study protocol of a participatory, nationwide registry to promote epidemiological and patient-centered MS research. <i>BMC Neurology</i> , 2018 , 18, 111	3.1	21
28	Can protective factors moderate the detrimental effects of child maltreatment on personality functioning?. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1180-6	5.2	20
27	The ZInEP Epidemiology Survey: background, design and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 451-68	4.3	20
26	Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. <i>Schizophrenia Research</i> , 2016 , 172, 46-53	3.6	18
25	Childhood adversities as specific contributors to the co-occurrence of posttraumatic stress and alcohol use disorders. <i>Psychiatry Research</i> , 2015 , 228, 251-6	9.9	18
24	Urinary phytoestrogens and depression in perimenopausal US women: NHANES 2005-2008. <i>Journal of Affective Disorders</i> , 2014 , 156, 200-5	6.6	18
23	Fluid intelligence and empathy in association with personality disorder trait-scores: exploring the link. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 441-8	5.1	17
22	Posttraumatic stress avoidance symptoms as mediators in the development of alcohol use disorders after exposure to childhood sexual abuse in a Swiss community sample. <i>Child Abuse and Neglect</i> , 2015 , 46, 8-15	4.3	14

21	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , 2018 , 260, 262-271	9.9	14
20	An integrative examination of general personality dysfunction in a large community sample. <i>Personality and Mental Health</i> , 2014 , 8, 276-89	3.1	14
19	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , 2016 , 190, 807-818	6.6	12
18	Serum testosterone levels and symptom-based depression subtypes in men. <i>Frontiers in Psychiatry</i> , 2015 , 6, 61	5	11
17	Association between processing speed and subclinical psychotic symptoms in the general population: focusing on sex differences. <i>Schizophrenia Research</i> , 2015 , 166, 316-21	3.6	10
16	Cancer co-occurrence patterns in Parkinson's disease and multiple sclerosis-Do they mirror immune system imbalances?. <i>Cancer Epidemiology</i> , 2016 , 44, 167-173	2.8	10
15	Externalizing disorders and substance use: empirically derived subtypes in a population-based sample of adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 7-17	4.5	9
14	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016 , 6, 419-430	3	9
13	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018 , 13, e0198450	3.7	8
12	Sleep disturbances in young and middle-aged adults - Empirical patterns and related factors from an epidemiological survey. <i>Comprehensive Psychiatry</i> , 2017 , 78, 83-90	7.3	8
11	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 719-34	5.1	7
10	Predicting perceived need for mental health care in a community sample: an application of the self-regulatory model. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1593-600	4.5	7
9	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 567-77	5.1	7
8	A step beyond the hygiene hypothesis-immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , 2019 , 17, 75	11.4	6
7	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , 2019 , 278, 213-217	9.9	4
6	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , 2020 , 285, 112712	9.9	4
5	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , 2020 , 4, 67-73	1.1	3
4	Discrepancies between clinical needs and helpseeking behaviors in co-occurring posttraumatic stress and alcohol use disorders. <i>Comprehensive Psychiatry</i> , 2015 , 62, 209-17	7.3	2

3	Major depressive disorder subtypes and depression symptoms in multiple sclerosis: What is different compared to the general population?. <i>Journal of Psychosomatic Research</i> , 2021 , 144, 110402	4.1	2
2	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , 2016 , 7, 203	5	2
1	Backtracing persistent biomarker shifts to the age of onset: A novel procedure applied to men and women's white blood cell counts in post-traumatic stress disorder. <i>Biomarkers in Neuropsychiatry</i> , 2021 , 4, 100030	3.8	