Stephanie Rodgers

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8527399/stephanie-rodgers-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38 664 16 24 g-index

38 808 5.2 3.64 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
38	Major depressive disorder subtypes and depression symptoms in multiple sclerosis: What is different compared to the general population?. <i>Journal of Psychosomatic Research</i> , 2021 , 144, 110402	4.1	2
37	Backtracing persistent biomarker shifts to the age of onset: A novel procedure applied to men and women white blood cell counts in post-traumatic stress disorder. <i>Biomarkers in Neuropsychiatry</i> , 2021 , 4, 100030	3.8	
36	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , 2020 , 4, 67-73	1.1	3
35	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , 2020 , 285, 112712	9.9	4
34	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , 2019 , 278, 213-217	9.9	4
33	A step beyond the hygiene hypothesis-immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , 2019 , 17, 75	11.4	6
32	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , 2018 , 260, 262-271	9.9	14
31	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018 , 13, e0198450	3.7	8
30	The Swiss Multiple Sclerosis Registry (SMSR): study protocol of a participatory, nationwide registry to promote epidemiological and patient-centered MS research. <i>BMC Neurology</i> , 2018 , 18, 111	3.1	21
29	Sleep disturbances in young and middle-aged adults - Empirical patterns and related factors from an epidemiological survey. <i>Comprehensive Psychiatry</i> , 2017 , 78, 83-90	7.3	8
28	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , 2016 , 190, 807-818	6.6	12
27	Childhood trauma as a risk factor for the onset of subclinical psychotic experiences: Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. <i>Schizophrenia Research</i> , 2016 , 172, 46-53	3.6	18
26	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016 , 6, 419-430	3	9
25	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , 2016 , 7, 203	5	2
24	Mental Health Literacy, Attitudes to Help Seeking, and Perceived Need as Predictors of Mental Health Service Use: A Longitudinal Study. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 321-4	1.8	108
23	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 567-77	5.1	7
22	Cancer co-occurrence patterns in Parkinson's disease and multiple sclerosis-Do they mirror immune system imbalances?. <i>Cancer Epidemiology</i> , 2016 , 44, 167-173	2.8	10

(2014-2015)

21	Association between processing speed and subclinical psychotic symptoms in the general population: focusing on sex differences. <i>Schizophrenia Research</i> , 2015 , 166, 316-21	3.6	10	
20	Association between childhood maltreatment and normal adult personality traits: exploration of an understudied field. <i>Journal of Personality Disorders</i> , 2015 , 29, 1-14	2.6	54	
19	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 719-34	5.1	7	
18	Predicting perceived need for mental health care in a community sample: an application of the self-regulatory model. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1593-600	4.5	7	
17	Posttraumatic stress avoidance symptoms as mediators in the development of alcohol use disorders after exposure to childhood sexual abuse in a Swiss community sample. <i>Child Abuse and Neglect</i> , 2015 , 46, 8-15	4.3	14	
16	Assessing sub-clinical psychosis phenotypes in the general populationa multidimensional approach. <i>Schizophrenia Research</i> , 2015 , 161, 194-201	3.6	25	
15	Externalizing disorders and substance use: empirically derived subtypes in a population-based sample of adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 7-17	4.5	9	
14	Discrepancies between clinical needs and helpseeking behaviors in co-occurring posttraumatic stress and alcohol use disorders. <i>Comprehensive Psychiatry</i> , 2015 , 62, 209-17	7.3	2	
13	Serum testosterone levels and symptom-based depression subtypes in men. <i>Frontiers in Psychiatry</i> , 2015 , 6, 61	5	11	
12	Childhood adversities as specific contributors to the co-occurrence of posttraumatic stress and alcohol use disorders. <i>Psychiatry Research</i> , 2015 , 228, 251-6	9.9	18	
11	Symptom-based subtypes of depression and their psychosocial correlates: a person-centered approach focusing on the influence of sex. <i>Journal of Affective Disorders</i> , 2014 , 156, 92-103	6.6	42	
10	Fluid intelligence and empathy in association with personality disorder trait-scores: exploring the link. European Archives of Psychiatry and Clinical Neuroscience, 2014 , 264, 441-8	5.1	17	
9	The joint structure of normal and pathological personality: further evidence for a dimensional model. <i>Comprehensive Psychiatry</i> , 2014 , 55, 667-74	7.3	23	
8	Factors associated with comorbidity patterns in full and partial PTSD: findings from the PsyCoLaus study. <i>Comprehensive Psychiatry</i> , 2014 , 55, 837-48	7.3	32	
7	An integrative examination of general personality dysfunction in a large community sample. <i>Personality and Mental Health</i> , 2014 , 8, 276-89	3.1	14	
6	The ZInEP Epidemiology Survey: background, design and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23, 451-68	4.3	20	
5	Urinary phytoestrogens and depression in perimenopausal US women: NHANES 2005-2008. <i>Journal of Affective Disorders</i> , 2014 , 156, 200-5	6.6	18	
4	Occupational functioning and work impairment in association with personality disorder trait-scores. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 327-35	4.5	29	

3	Interpersonal functioning deficits in association with DSM-IV personality disorder dimensions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 317-25	4.5	32
2	The role of sex on stability and change of depression symptom subtypes over 20lyears: a latent transition analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 577-88	5.1	24
1	Can protective factors moderate the detrimental effects of child maltreatment on personality functioning?. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1180-6	5.2	20