

Ri-Bo Tang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8527598/ri-bo-tang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

700
citations

15
h-index

23
g-index

79
ext. papers

904
ext. citations

3.2
avg, IF

3.23
L-index

#	Paper	IF	Citations
72	Current Status and Time Trends of Oral Anticoagulation Use Among Chinese Patients With Nonvalvular Atrial Fibrillation: The Chinese Atrial Fibrillation Registry Study. <i>Stroke</i> , 2016 , 47, 1803-10	6.7	62
71	Prospective randomized comparison between a fixed 1:1 approach vs. stepwise approach for catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2015 , 17, 1798-806	3.9	52
70	Obstructive sleep apnoea risk profile and the risk of recurrence of atrial fibrillation after catheter ablation. <i>Europace</i> , 2009 , 11, 100-5	3.9	51
69	Metabolic syndrome and risk of recurrence of atrial fibrillation after catheter ablation. <i>Circulation Journal</i> , 2009 , 73, 438-43	2.9	50
68	Serum uric acid and risk of left atrial thrombus in patients with nonvalvular atrial fibrillation. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1415-21	3.8	39
67	Rationale and design of the Chinese Atrial Fibrillation Registry Study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 130	2.3	37
66	Plasma galectin-3 predicts clinical outcomes after catheter ablation in persistent atrial fibrillation patients without structural heart disease. <i>Europace</i> , 2015 , 17, 1541-7	3.9	33
65	Predictors of recurrence after a repeat ablation procedure for paroxysmal atrial fibrillation: role of left atrial enlargement. <i>Europace</i> , 2014 , 16, 1569-74	3.9	23
64	Body mass index and risk of left atrial thrombus in patients with atrial fibrillation. <i>American Journal of Cardiology</i> , 2009 , 104, 1699-703	3	21
63	Long-Term Persistence of Newly Initiated Warfarin Therapy in Chinese Patients With Nonvalvular Atrial Fibrillation. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 380-7	5.8	19
62	Plasma homocysteine levels predict early recurrence after catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2017 , 19, 66-71	3.9	18
61	Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA ₂ DS ₂ -VASc score. <i>Europace</i> , 2018 , 20, 1093-1098	3.9	16
60	Omega-3 fatty acids for postoperative atrial fibrillation: alone or in combination with antioxidant vitamins?. <i>Heart Lung and Circulation</i> , 2014 , 23, 743-50	1.8	16
59	The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. <i>Europace</i> , 2020 , 22, 90-99	3.9	16
58	High-normal thyroid function and risk of recurrence of atrial fibrillation after catheter ablation. <i>Circulation Journal</i> , 2010 , 74, 1316-21	2.9	15
57	Incidence and clinical characteristics of transient ST-T elevation during transseptal catheterization for atrial fibrillation ablation. <i>Europace</i> , 2015 , 17, 579-83	3.9	13
56	Atrial fibrillation is associated with an increased risk of myocardial infarction: Insights from a meta-analysis. <i>Atherosclerosis</i> , 2016 , 254, 1-7	3.1	12

55	Association Between Blood Lipid Profiles and Atrial Fibrillation: A Case-Control Study. <i>Medical Science Monitor</i> , 2018 , 24, 3903-3908	3.2	12
54	Efficacy of catheter ablation of atrial fibrillation beyond HATCH score. <i>Chinese Medical Journal</i> , 2012 , 125, 3425-9	2.9	12
53	Does adenosine deaminase play a key role in coronary artery disease. <i>Medical Hypotheses</i> , 2006 , 67, 371-384	4.8	11
52	Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 1815-1822	7	11
51	Transseptal puncture and catheter ablation of atrial fibrillation in patients with atrial septal occluder: initial experience of a single centre. <i>Europace</i> , 2018 , 20, 1468-1474	3.9	10
50	Electrocardiographic left ventricular hypertrophy predicts recurrence of atrial arrhythmias after catheter ablation of paroxysmal atrial fibrillation. <i>Clinical Cardiology</i> , 2018 , 41, 797-802	3.3	10
49	Ridge-related reentry despite apparent bidirectional mitral isthmus block. <i>Heart Rhythm</i> , 2016 , 13, 1845-1851	6.1	10
48	Maternal arrhythmia in structurally normal heart: Prevalence and feasibility of catheter ablation without fluoroscopy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1566-1572	1.6	9
47	Right atrial diameter and outcome of catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017 , 49, 157-164	2.4	8
46	U-shaped association between serum free triiodothyronine and recurrence of atrial fibrillation after catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018 , 51, 263-270	2.4	7
45	Long-term outcome of catheter ablation for atrial fibrillation in patients with apical hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 951-957	2.7	7
44	Prevalence of modifiable risk factors and relation to stroke and death in patients with atrial fibrillation: A report from the China atrial fibrillation registry study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2759-2766	2.7	7
43	Body mass index and all-cause mortality in patients with atrial fibrillation: insights from the China atrial fibrillation registry study. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1371-1380	6.1	6
42	Metabolic syndrome in patients with atrial fibrillation in the absence of structural heart disease from a tertiary hospital in China. <i>Chinese Medical Journal</i> , 2009 , 122, 2744-7	2.9	6
41	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. <i>Journal of Cardiology</i> , 2015 , 66, 320-5	3	5
40	Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019 , 55, 137-143	2.4	4
39	Risk Stratification for Acute Pulmonary Embolism in Patients with Atrial Fibrillation: Role of CHADS2 Score. <i>Seminars in Thrombosis and Hemostasis</i> , 2017 , 43, 864-870	5.3	4
38	Long-term results of single-procedure catheter ablation for atrial fibrillation in pre- and post-menopausal women. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 120-5	1.7	4

37	3-Dimensional Transseptal Puncture Based on Electrographic Characteristics of Fossa Ovalis: A Fluoroscopy-Free and Echocardiography-Free Method. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 1223-1232 ⁴		
36	Postcardiac injury syndrome complicating circumferential pulmonary vein radiofrequency ablation for atrial fibrillation. <i>Chinese Medical Journal</i> , 2007 , 120, 1940-2	2.9	4
35	Unconscious sedation/analgesia with propofol versus conscious sedation with fentanyl/midazolam for catheter ablation of atrial fibrillation: a prospective, randomized study. <i>Chinese Medical Journal</i> , 2007 , 120, 2036-8	2.9	4
34	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. <i>Heart Rhythm</i> , 2020 , 17, 1337-1345	6.7	3
33	Uptake of evidence-based statin therapy among atrial fibrillation patients in China: A report from the CAFR (Chinese Atrial Fibrillation Registry) Study. <i>International Journal of Cardiology</i> , 2016 , 220, 284-9 ^{3,2}		3
32	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014 , 172, 217-9	3.2	3
31	Impact of COVID-19 Pandemic on Hospital Admissions of Acute Coronary Syndrome: A Beijing Inpatient Database Study.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 19, 100335	5	3
30	New-Onset Atrial Fibrillation and Adverse In-Hospital Outcome in Patients with Acute Pulmonary Embolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2020 , 46, 887-894	5.3	3
29	Pericardial access via wire-guided puncture without contrast: The feasibility and safety of a modified approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 30-37	2.7	3
28	Ethanol infusion into the vein of Marshall for recurrent perimitral atrial tachycardia after catheter ablation for persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 773-781	1.6	3
27	Pouched mitral isthmus is associated with incomplete linear block in atrial fibrillation patients with mechanical mitral valve replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 501-8	2.7	2
26	Relationship Between Ablation Lesion Size Estimated by Ablation Index and Different Ablation Settings-an Ex Vivo Porcine Heart Study. <i>Journal of Cardiovascular Translational Research</i> , 2020 , 13, 965-969 ³		2
25	Effectiveness and safety of atrial fibrillation ablation in females. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 583-592	1.6	2
24	Withdrawal: Prospective randomized comparison between upgraded "2C3L" versus PVI approach for catheter ablation of persistent atrial fibrillation: PROMPT-AF trial design. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1651	1.6	2
23	Effectiveness of ethanol infusion into the vein of Marshall combined with a fixed anatomical ablation strategy (the "upgraded 2C3L" approach) for catheter ablation of persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1849-1856	2.7	2
22	Incidence and risk factors of post-operative cognitive decline after ablation for atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 341	2.3	2
21	Incidence and predictors of hospitalization in patients with atrial fibrillation: results from the Chinese atrial fibrillation registry study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 146	2.3	2
20	Comparison of prognosis and outcomes of catheter ablation versus drug therapy in patients with atrial fibrillation and stable coronary artery disease: A prospective propensity-score matched cohort study. <i>Clinical Cardiology</i> , 2021 , 44, 1422-1431	3.3	2

19	Catheter ablation of atrial fibrillation in situs inversus dextrocardia: Challenge, improved procedure, outcomes, and literature review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 293-305 ^{1.6}	2
18	Associations of anemia with death and major bleeding in patients with atrial fibrillation: A report from the Chinese Atrial Fibrillation Registry Study.. <i>Clinical Cardiology</i> , 2021 ,	3.3 2
17	Depolarization and repolarization parameters on ECG predict recurrence after atrial fibrillation ablation in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2405-2413	2.7 1
16	Whether Warfarin Therapy is Associated with Damage on Renal Function in Chinese Patients with Nonvalvular Atrial Fibrillation. <i>Chinese Medical Journal</i> , 2016 , 129, 1135-9	2.9 1
15	Evidence of 2 conduction exits of the moderator band: Findings from activation and pace mapping study. <i>Heart Rhythm</i> , 2020 , 17, 1856-1863	6.7 1
14	Improving Anticoagulant Treatment Strategies of Atrial Fibrillation Using Reinforcement Learning 2020 , 2020, 1431-1440	0.7 1
13	A simple and easily implemented risk model to predict 1-year ischemic stroke and systemic embolism in Chinese patients with atrial fibrillation. <i>Chinese Medical Journal</i> , 2021 , 134, 2293-2298	2.9 1
12	Right free-wall accessory pathway with branched atrial insertions: Clinical, electrocardiographic, and electrophysiological characteristics. <i>Heart Rhythm</i> , 2020 , 17, 243-249	6.7 1
11	Effect of family history of atrial fibrillation on recurrence after atrial fibrillation ablation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 678-685	2.7 1
10	Use of oral anticoagulants and its associated factors among nonvalvular atrial fibrillation patients with new-onset acute ischemic stroke: A report from the China Atrial Fibrillation Registry study.. <i>Clinical Cardiology</i> , 2021 ,	3.3 1
9	Physical activity and atrial tachyarrhythmia recurrence in atrial fibrillation patients after catheter ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 922-929	1.6 0
8	Integrated Care of Atrial Fibrillation Using the ABC (Atrial fibrillation Better Care) Pathway Improves Clinical Outcomes in Chinese Population: An Analysis From the Chinese Atrial Fibrillation Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 762245	5.4 0
7	Catheter ablation for atrial fibrillation is associated with reduced risk of mortality in the elderly: a prospective cohort study and propensity score analysis. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 740-749 ^{1.7}	
6	Antithrombotic strategy and its relationship with outcomes in patients with atrial fibrillation and chronic coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1
5	Safety and efficacy of catheter ablation for atrial fibrillation in abdominal solid organ (renal and hepatic) transplant recipients: A single-center pilot experience. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 3141-3149	2.7
4	Left-sided accessory pathways successfully ablated from the aortomitral continuity region: distinctive atrial activation patterns and anatomic concerns. <i>Europace</i> , 2020 , 22, 1712-1717	3.9
3	A strategy of idarucizumab for pericardial tamponade during perioperative period of atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 1824-1831	1.6
2	Impact of Low-density Lipoprotein Cholesterol Levels on Outcomes in Nonvalvular Atrial Fibrillation: Results from the China Atrial Fibrillation Registry Study.. <i>Medical Science Monitor</i> , 2022 , 28, e934747	3.2

- 1 The Antiarrhythmic Mechanisms of Flecainide in Catecholaminergic Polymorphic Ventricular Tachycardia.. *Frontiers in Physiology*, **2022**, 13, 850117

4.6