

Doo-Yeol Yoo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8528719/doo-yeol-yoo-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187
papers

5,302
citations

42
h-index

66
g-index

195
ext. papers

7,341
ext. citations

5.1
avg, IF

6.96
L-index

#	Paper	IF	Citations
187	Mechanical performance of ultra-high-performance strain-hardening cementitious composites according to binder composition and curing conditions. <i>Archives of Civil and Mechanical Engineering</i> , 2022 , 22, 1	3.4	
186	Electrical and mechanical properties of high-strength strain-hardening cementitious composites containing silvered polyethylene fibers. <i>Journal of Building Engineering</i> , 2022 , 46, 103719	5.2	
185	Development of strain-hardening geopolymer mortar based on liquid-crystal display (LCD) glass and blast furnace slag. <i>Construction and Building Materials</i> , 2022 , 331, 127334	6.7	1
184	Combined chelating and corrosion effects of steel fiber on the interfacial bond and tensile behaviors of ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2022 , 129, 104505	8.6	0
183	Experimental investigation on torsional behaviors of ultra-high-performance fiber-reinforced concrete hollow beams. <i>Cement and Concrete Composites</i> , 2022 , 129, 104504	8.6	1
182	Surface refinement of steel fiber using nanosilica and silver and its effect on static and dynamic pullout resistance of reactive powder concrete. <i>Journal of Building Engineering</i> , 2022 , 51, 104269	5.2	1
181	Utilization of liquid crystal display (LCD) glass waste in concrete: A review. <i>Cement and Concrete Composites</i> , 2022 , 104542	8.6	0
180	Reinforcing effect of surface-modified steel fibers in ultra-high-performance concrete under tension. <i>Case Studies in Construction Materials</i> , 2022 , 16, e01125	2.7	0
179	Effects of nano-SiO ₂ coating and induced corrosion of steel fiber on the interfacial bond and tensile properties of ultra-high-performance concrete (UHPC). <i>Journal of Building Engineering</i> , 2022 , 104637	5.2	2
178	Self-sensing capacity of ultra-high-performance fiber-reinforced concrete containing conductive powders in tension. <i>Cement and Concrete Composites</i> , 2021 , 104331	8.6	2
177	High performance strain-hardening cementitious composites with tensile strain capacity exceeding 4%: A review. <i>Cement and Concrete Composites</i> , 2021 , 104325	8.6	4
176	Tensile behavior of crack-repaired ultra-high-performance fiber-reinforced concrete under corrosive environment. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 6813-6813	5.5	1
175	Effects of fiber type and specimen thickness on flexural behavior of ultra-high-performance fiber-reinforced concrete subjected to uniaxial and biaxial stresses. <i>Case Studies in Construction Materials</i> , 2021 , 15, e00726	2.7	0
174	Effects of Supplementary Cementitious Materials and Curing Condition on Mechanical Properties of Ultra-High-Performance, Strain-Hardening Cementitious Composites. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2394	2.6	8
173	Highly ductile ultra-rapid-hardening mortar containing oxidized polyethylene fibers. <i>Construction and Building Materials</i> , 2021 , 277, 122317	6.7	7
172	Benefits of curvilinear straight steel fibers on the rate-dependent pullout resistance of ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2021 , 118, 103965	8.6	7
171	Effect of graphene oxide on single fiber pullout behavior. <i>Construction and Building Materials</i> , 2021 , 280, 122539	6.7	7

170	Performance of glass-blended cement produced by intergrinding and separate grinding methods. <i>Cement and Concrete Composites</i> , 2021 , 118, 103937	8.6	3
169	Bayesian Regularized Artificial Neural Network Model to Predict Strength Characteristics of Fly-Ash and Bottom-Ash Based Geopolymer Concrete. <i>Materials</i> , 2021 , 14,	3.5	6
168	Dynamic compressive and flexural behaviors of ultra-rapid-hardening mortar containing polyethylene fibers. <i>Archives of Civil and Mechanical Engineering</i> , 2021 , 21, 1	3.4	1
167	Benefits of TiO ₂ photocatalyst on mechanical properties and nitrogen oxide removal of ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2021 , 285, 122921	6.7	4
166	Enhanced tensile ductility and sustainability of high-strength strain-hardening cementitious composites using waste cement kiln dust and oxidized polyethylene fibers. <i>Cement and Concrete Composites</i> , 2021 , 120, 104030	8.6	15
165	Influence of curing conditions on the mechanical performance of ultra-high-performance strain-hardening cementitious composites. <i>Archives of Civil and Mechanical Engineering</i> , 2021 , 21, 1	3.4	3
164	Developing strain-hardening ultra-rapid-hardening mortar containing high-volume supplementary cementitious materials and polyethylene fibers. <i>Journal of Materials Research and Technology</i> , 2021 , 13, 1934-1945	5.5	3
163	Liquid crystal display glass powder as a filler for enhancing steel fiber pullout resistance in ultra-high-performance concrete. <i>Journal of Building Engineering</i> , 2021 , 33, 101846	5.2	8
162	Machine learning-based prediction for compressive and flexural strengths of steel fiber-reinforced concrete. <i>Construction and Building Materials</i> , 2021 , 266, 121117	6.7	43
161	Chelate effect on fiber surface morphology and its benefits on pullout and tensile behaviors of ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2021 , 115, 103864	8.6	17
160	Tensile properties of cracked reactive powder concrete in corrosive environment - effects of crack width and exposure duration. <i>Construction and Building Materials</i> , 2021 , 272, 121635	6.7	3
159	Effects of waste liquid crystal display glass powder and fiber geometry on the mechanical properties of ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2021 , 266, 120938	6.7	10
158	Benefits of chemically treated steel fibers on enhancing the interfacial bond strength from ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2021 , 294, 123519	6.7	4
157	Improvement of fiber corrosion resistance of ultra-high-performance concrete by means of crack width control and repair. <i>Cement and Concrete Composites</i> , 2021 , 121, 104073	8.6	6
156	Deposition of nanosilica particles on fiber surface for improving interfacial bond and tensile performances of ultra-high-performance fiber-reinforced concrete. <i>Composites Part B: Engineering</i> , 2021 , 221, 109030	10	14
155	Full-scale pumping tests of low-viscosity ultra-high-strength concrete. <i>Journal of Building Engineering</i> , 2021 , 43, 102616	5.2	
154	Corrosion of partially and fully debonded steel fibers from ultra-high-performance concrete and its influence on pullout resistance. <i>Cement and Concrete Composites</i> , 2021 , 124, 104269	8.6	2
153	Photocatalytic high-performance fiber-reinforced cement composites with white Portland cement, titanium dioxide, and surface treated polyethylene fibers. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 785-800	5.5	1

152	Development of impact resistant high-strength strain-hardening cementitious composites (HS-SHCC) superior to reactive powder concrete (RPC) under flexure. <i>Journal of Building Engineering</i> , 2021 , 44, 102652	5.2	8
151	Flexural and cracking behaviors of reinforced UHPC beams with various reinforcement ratios and fiber contents. <i>Engineering Structures</i> , 2021 , 248, 113266	4.7	6
150	Mechanical and Dynamic Behavior of an Elastic Rubber Layer with Recycled Styrene-Butadiene Rubber Granules. <i>Polymers</i> , 2020 , 12,	4.5	1
149	Steel fiber reinforced concrete panels subjected to impact projectiles with different caliber sizes and muzzle energies. <i>Case Studies in Construction Materials</i> , 2020 , 13, e00360	2.7	4
148	Shear Capacity Contribution of Steel Fiber Reinforced High-Strength Concrete Compared with and without Stirrup. <i>International Journal of Concrete Structures and Materials</i> , 2020 , 14,	2.8	8
147	Assessment of steel fiber corrosion in self-healed ultra-high-performance fiber-reinforced concrete and its effect on tensile performance. <i>Cement and Concrete Research</i> , 2020 , 133, 106091	10.3	20
146	Achieving slip-hardening behavior of sanded straight steel fibers in ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2020 , 113, 103669	8.6	29
145	Enhancing the tensile performance of ultra-high-performance concrete through novel curvilinear steel fibers. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 7570-7582	5.5	11
144	Corrosion effect on tensile behavior of ultra-high-performance concrete reinforced with straight steel fibers. <i>Cement and Concrete Composites</i> , 2020 , 109, 103566	8.6	27
143	Wireless cement-based sensor for self-monitoring of railway concrete infrastructures. <i>Automation in Construction</i> , 2020 , 119, 103323	9.6	14
142	Influence of embedment length on the pullout behavior of steel fibers from ultra-high-performance concrete. <i>Materials Letters</i> , 2020 , 276, 128233	3.3	12
141	Effects of rust layer and corrosion degree on the pullout behavior of steel fibers from ultra-high-performance concrete. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 3632-3648	5.5	23
140	Residual performance of HPFRCC exposed to fire Effects of matrix strength, synthetic fiber, and fire duration. <i>Construction and Building Materials</i> , 2020 , 241, 118038	6.7	5
139	Enhancing the tensile performance of ultra-high-performance concrete through strategic use of novel half-hooked steel fibers. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 2914-2925	5.5	11
138	Bond performance of abraded arch-type steel fibers in ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2020 , 109, 103538	8.6	12
137	Spacing and bundling effects on rate-dependent pullout behavior of various steel fibers embedded in ultra-high-performance concrete. <i>Archives of Civil and Mechanical Engineering</i> , 2020 , 20, 1	3.4	7
136	Analysis on enhanced pullout resistance of steel fibers in ultra-high performance concrete under cryogenic condition. <i>Construction and Building Materials</i> , 2020 , 251, 118953	6.7	3
135	High-Performance Photocatalytic Cementitious Materials Containing Synthetic Fibers and Shrinkage-Reducing Admixture. <i>Materials</i> , 2020 , 13,	3.5	6

134	Enhancement of Energy Absorption Capacity of Polyethylene Fiber-Reinforced Cementitious Composites According to Admixtures and Curing Conditions. <i>Korean Society of Hazard Mitigation</i> , 2020 , 20, 319-325	0.2	1
133	Tensile Performance Analysis of Ultra-Rapid-Hardening Fiber-Reinforced Concrete Based on Cement Kiln Dust Content. <i>Korean Society of Hazard Mitigation</i> , 2020 , 20, 217-223	0.2	
132	Cryogenic pullout behavior of steel fibers from ultra-high-performance concrete under impact loading. <i>Construction and Building Materials</i> , 2020 , 239, 117852	6.7	6
131	Cementitious material reinforced by carbon nanotube-Nylon 66 hybrid nanofibers: Mechanical strength and microstructure analysis. <i>Materials Today Communications</i> , 2020 , 23, 100845	2.5	4
130	Influence of chemically treated carbon fibers on the electromagnetic shielding of ultra-high-performance fiber-reinforced concrete. <i>Archives of Civil and Mechanical Engineering</i> , 2020 , 20, 1	3.4	4
129	Thermal storage properties of lightweight concrete incorporating phase change materials with different fusion points in hybrid form for high temperature applications. <i>Heliyon</i> , 2020 , 6, e04863	3.6	12
128	Enhancing fiber/matrix interfacial bond in ultra-high-performance concrete containing titanium dioxide. <i>Materials Letters</i> , 2020 , 280, 128547	3.3	3
127	Surface modification of steel fibers using chemical solutions and their pullout behaviors from ultra-high-performance concrete. <i>Journal of Building Engineering</i> , 2020 , 32, 101709	5.2	10
126	Electromagnetic interference shielding of multi-cracked high-performance fiber-reinforced cement composites [Effects of matrix strength and carbon fiber. <i>Construction and Building Materials</i> , 2020 , 261, 119949	6.7	9
125	Enhancing the rate dependent fiber/matrix interfacial resistance of ultra-high-performance cement composites through surface abrasion. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 9813-9823	5.5	7
124	Influence of steel fibers corroded through multiple microcracks on the tensile behavior of ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2020 , 259, 120428	6.7	8
123	Improvement of Mechanical and Durability Behaviors of Textile Concrete: Effect of Polymineral Composite Binders and Superabsorbent Polymers. <i>Journal of Materials in Civil Engineering</i> , 2020 , 32, 04020315 ³	2.0	3
122	Benefits of synthetic fibers on the residual mechanical performance of UHPFRC after exposure to ISO standard fire. <i>Cement and Concrete Composites</i> , 2019 , 104, 103401	8.6	25
121	Self-healing capability of ultra-high-performance fiber-reinforced concrete after exposure to cryogenic temperature. <i>Cement and Concrete Composites</i> , 2019 , 104, 103335	8.6	23
120	Implication of calcium sulfoaluminate-based expansive agent on tensile behavior of ultra-high-performance fiber-reinforced concrete. <i>Construction and Building Materials</i> , 2019 , 217, 679-693	6.7	6
119	Effect of calcium sulfoaluminate-based expansive agent on rate dependent pullout behavior of straight steel fiber embedded in UHPC. <i>Cement and Concrete Research</i> , 2019 , 122, 196-211	10.3	19
118	Effects of fiber shape and distance on the pullout behavior of steel fibers embedded in ultra-high-performance concrete. <i>Cement and Concrete Composites</i> , 2019 , 103, 213-223	8.6	58
117	Effects of blast furnace slag and steel fiber on the impact resistance of railway prestressed concrete sleepers. <i>Cement and Concrete Composites</i> , 2019 , 99, 151-164	8.6	4

116	Effects of Hooked-End Steel Fiber Geometry and Volume Fraction on the Flexural Behavior of Concrete Pedestrian Decks. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1241	2.6	15
115	High energy absorbent ultra-high-performance concrete with hybrid steel and polyethylene fibers. <i>Construction and Building Materials</i> , 2019 , 209, 354-363	6.7	42
114	Dynamic pullout behavior of half-hooked and twisted steel fibers in ultra-high-performance concrete containing expansive agents. <i>Composites Part B: Engineering</i> , 2019 , 167, 517-532	10	22
113	Polymer-Based Construction Materials for Civil Engineering. <i>International Journal of Polymer Science</i> , 2019 , 2019, 1-2	2.4	2
112	Effect of fiber spacing on dynamic pullout behavior of multiple straight steel fibers in ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2019 , 210, 461-472	6.7	9
111	Effects of geometry and hybrid ratio of steel and polyethylene fibers on the mechanical performance of ultra-high-performance fiber-reinforced cementitious composites. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 1835-1848	5.5	16
110	Self-healing capability of asphalt concrete with carbon-based materials. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 827-839	5.5	20
109	Impact resistance of fiber-reinforced concrete [A review]. <i>Cement and Concrete Composites</i> , 2019 , 104, 103389	8.6	80
108	Optimized mix design for 180 MPa ultra-high-strength concrete. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 4182-4197	5.5	12
107	Fiber-Reinforced Cement Composites: Mechanical Properties and Structural Implications 2019. <i>Advances in Materials Science and Engineering</i> , 2019 , 2019, 1-2	1.5	1
106	Bond-slip response of novel half-hooked steel fibers in ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2019 , 224, 743-761	6.7	15
105	Dynamic Pullout Behavior of Multiple Steel Fibers in UHPC: Effects of Fiber Geometry, Inclination Angle, and Loading Rate. <i>Materials</i> , 2019 , 12,	3.5	2
104	Durability of Concrete Containing Liquid Crystal Display Glass Powder for Pavement. <i>ACI Materials Journal</i> , 2019 , 116,	0.9	4
103	An experimental study on pullout and tensile behavior of ultra-high-performance concrete reinforced with various steel fibers. <i>Construction and Building Materials</i> , 2019 , 206, 46-61	6.7	56
102	Comparative pullout behavior of half-hooked and commercial steel fibers embedded in UHPC under static and impact loads. <i>Cement and Concrete Composites</i> , 2019 , 97, 89-106	8.6	52
101	Hybrid effect of macro and micro steel fibers on the pullout and tensile behaviors of ultra-high-performance concrete. <i>Composites Part B: Engineering</i> , 2019 , 162, 344-360	10	57
100	Effects of carbon nanomaterial type and amount on self-sensing capacity of cement paste. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019 , 134, 750-761	4.6	37
99	Flexural and shear behaviour of high-strength SFRC beams without stirrups. <i>Magazine of Concrete Research</i> , 2019 , 71, 503-518	2	6

98	Enhancing the resistance of prestressed concrete sleepers to multiple impacts using steel fibers. <i>Construction and Building Materials</i> , 2018 , 166, 356-372	6.7	2
97	Self-sensing capability of ultra-high-performance concrete containing steel fibers and carbon nanotubes under tension. <i>Sensors and Actuators A: Physical</i> , 2018 , 276, 125-136	3.9	47
96	Bond Behavior of Pretensioned Strand Embedded in Ultra-High-Performance Fiber-Reinforced Concrete. <i>International Journal of Concrete Structures and Materials</i> , 2018 , 12,	2.8	7
95	Effects of fiber geometry and cryogenic condition on mechanical properties of ultra-high-performance fiber-reinforced concrete. <i>Cement and Concrete Research</i> , 2018 , 107, 30-40	10.3	31
94	Effects of stirrup, steel fiber, and beam size on shear behavior of high-strength concrete beams. <i>Cement and Concrete Composites</i> , 2018 , 87, 137-148	8.6	29
93	Structural response of steel-fiber-reinforced concrete beams under various loading rates. <i>Engineering Structures</i> , 2018 , 156, 271-283	4.7	39
92	Comparative shrinkage behavior of ultra-high-performance fiber-reinforced concrete under ambient and heat curing conditions. <i>Construction and Building Materials</i> , 2018 , 162, 406-419	6.7	52
91	Effects of mix proportion and curing condition on shrinkage behavior of HPFRCCs with silica fume and blast furnace slag. <i>Construction and Building Materials</i> , 2018 , 166, 241-256	6.7	13
90	Development of 300 MPa ultra-high-strength mortar through a special curing regime. <i>Construction and Building Materials</i> , 2018 , 171, 312-320	6.7	5
89	Electrical and piezoresistive properties of cement composites with carbon nanomaterials. <i>Journal of Composite Materials</i> , 2018 , 52, 3325-3340	2.7	37
88	Geometrical and boundary condition effects on restrained shrinkage behavior of UHPFRC slabs. <i>KSCE Journal of Civil Engineering</i> , 2018 , 22, 185-195	1.9	13
87	Fiber-Reinforced Cement Composites: Mechanical Properties and Structural Implications. <i>Advances in Materials Science and Engineering</i> , 2018 , 2018, 1-2	1.5	2
86	Bond performance of steel rebar embedded in 80180 MPa ultra-high-strength concrete. <i>Cement and Concrete Composites</i> , 2018 , 93, 206-217	8.6	18
85	Hybrid effects of steel fiber and carbon nanotube on self-sensing capability of ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2018 , 185, 530-544	6.7	42
84	Effect of steel fibers on the flexural behavior of RC beams with very low reinforcement ratios. <i>Construction and Building Materials</i> , 2018 , 188, 237-254	6.7	32
83	Effect of cryogenic temperature on the flexural and cracking behaviors of ultra-high-performance fiber-reinforced concrete. <i>Cryogenics</i> , 2018 , 93, 75-85	1.8	14
82	Evaluation of Mechanical Property and Self-healing Capacity of Ultra-high-performance Fiber-reinforced Concrete Under the Cryogenic Condition. <i>Korean Society of Hazard Mitigation</i> , 2018 , 18, 231-238	0.2	1
81	Evaluating Material Properties of Grout for PSC Bridge According to Admixture Type. <i>Korean Society of Hazard Mitigation</i> , 2018 , 18, 299-305	0.2	

80	Effect of fiber geometric property on rate dependent flexural behavior of ultra-high-performance cementitious composite. <i>Cement and Concrete Composites</i> , 2018 , 86, 57-71	8.6	38
79	Electrical and piezoresistive sensing capacities of cement paste with multi-walled carbon nanotubes. <i>Archives of Civil and Mechanical Engineering</i> , 2018 , 18, 371-384	3.4	45
78	Three-dimensional hologram printing by single beam femtosecond laser direct writing. <i>Applied Surface Science</i> , 2018 , 427, 396-400	6.7	23
77	Hybrid Effect of Twisted Steel and Polyethylene Fibers on the Tensile Performance of Ultra-High-Performance Cementitious Composites. <i>Polymers</i> , 2018 , 10,	4.5	12
76	Enhancing mechanical properties of asphalt concrete using synthetic fibers. <i>Construction and Building Materials</i> , 2018 , 178, 233-243	6.7	37
75	Transfer length in full-scale pretensioned concrete beams with 1.4 m and 2.4 m section depths. <i>Engineering Structures</i> , 2018 , 171, 433-444	4.7	4
74	Nonlinear finite element analysis of ultra-high-performance fiber-reinforced concrete beams. <i>International Journal of Damage Mechanics</i> , 2017 , 26, 735-757	3	40
73	Performance of shotcrete containing amorphous fibers for tunnel applications. <i>Tunnelling and Underground Space Technology</i> , 2017 , 64, 85-94	5.7	17
72	Benefits of using amorphous metallic fibers in concrete pavement for long-term performance. <i>Archives of Civil and Mechanical Engineering</i> , 2017 , 17, 750-760	3.4	21
71	Fiber pullout behavior of HPRCC: Effects of matrix strength and fiber type. <i>Composite Structures</i> , 2017 , 174, 263-276	5.3	78
70	Effects of fiber shape, aspect ratio, and volume fraction on flexural behavior of ultra-high-performance fiber-reinforced cement composites. <i>Composite Structures</i> , 2017 , 174, 375-388	5.3	139
69	Development of cost effective ultra-high-performance fiber-reinforced concrete using single and hybrid steel fibers. <i>Construction and Building Materials</i> , 2017 , 150, 383-394	6.7	50
68	Mechanical and structural behaviors of ultra-high-performance fiber-reinforced concrete subjected to impact and blast. <i>Construction and Building Materials</i> , 2017 , 149, 416-431	6.7	106
67	Mitigating shrinkage cracking in posttensioning grout using shrinkage-reducing admixture. <i>Cement and Concrete Composites</i> , 2017 , 81, 97-108	8.6	13
66	Feasibility of replacing minimum shear reinforcement with steel fibers for sustainable high-strength concrete beams. <i>Engineering Structures</i> , 2017 , 147, 207-222	4.7	37
65	Size-dependent impact resistance of ultra-high-performance fiber-reinforced concrete beams. <i>Construction and Building Materials</i> , 2017 , 142, 363-375	6.7	19
64	Comparative flexural behavior of ultra-high-performance concrete reinforced with hybrid straight steel fibers. <i>Construction and Building Materials</i> , 2017 , 132, 219-229	6.7	70
63	Mechanical properties of ultra-high-performance fiber-reinforced concrete at cryogenic temperatures. <i>Construction and Building Materials</i> , 2017 , 157, 498-508	6.7	16

62	Deformation Characteristics of Ultrahigh-Strength Concrete under Unrestrained and Restrained States. <i>Advances in Materials Science and Engineering</i> , 2017 , 2017, 1-8	1.5	
61	Advanced Cementitious Materials: Mechanical Behavior, Durability, and Volume Stability. <i>Advances in Materials Science and Engineering</i> , 2017 , 2017, 1-2	1.5	1
60	Benefits Of Using Fiber on Impact Resistance of FRC Slabs. <i>MATEC Web of Conferences</i> , 2017 , 138, 03009-0.3	0.3	1
59	Electrical Properties of Cement-Based Composites with Carbon Nanotubes, Graphene, and Graphite Nanofibers. <i>Sensors</i> , 2017 , 17,	3.8	88
58	Fiber Orientation Effect on Flexural Response of UHPFRC. <i>MATEC Web of Conferences</i> , 2017 , 138, 03007-0.3	0.3	1
57	Mechanical Properties of Steam Cured High-Strength Steel Fiber-Reinforced Concrete with High-Volume Blast Furnace Slag. <i>International Journal of Concrete Structures and Materials</i> , 2017 , 11, 391-401	2.8	24
56	Experimental and numerical study on flexural behavior of ultra-high-performance fiber-reinforced concrete beams with low reinforcement ratios. <i>Canadian Journal of Civil Engineering</i> , 2017 , 44, 18-28	1.3	33
55	Experimental and numerical analysis of the flexural response of amorphous metallic fiber reinforced concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017 , 50, 1	3.4	9
54	Bond behavior of GFRP and steel bars in ultra-high-performance fiber-reinforced concrete. <i>Advanced Composite Materials</i> , 2017 , 26, 493-510	2.8	9
53	Electrical and Self-Sensing Properties of Ultra-High-Performance Fiber-Reinforced Concrete with Carbon Nanotubes. <i>Sensors</i> , 2017 , 17,	3.8	52
52	Experimental Investigation of the Piezoresistive Properties of Cement Composites with Hybrid Carbon Fibers and Nanotubes. <i>Sensors</i> , 2017 , 17,	3.8	60
51	Feasibility of Reducing the Fiber Content in Ultra-High-Performance Fiber-Reinforced Concrete under Flexure. <i>Materials</i> , 2017 , 10,	3.5	15
50	Effect of cover depth and rebar diameter on shrinkage behavior of ultra-high-performance fiber-reinforced concrete slabs. <i>Structural Engineering and Mechanics</i> , 2017 , 61, 711-719		5
49	Impact Resistance of Reinforced Ultra-High-Performance Concrete Beams with Different Steel Fibers. <i>ACI Structural Journal</i> , 2017 , 114,	1.7	37
48	Comparative Biaxial Flexural Behavior of Ultra-High-Performance Fiber-Reinforced Concrete Panels Using Two Different Test and Placement Methods. <i>Journal of Testing and Evaluation</i> , 2017 , 45, 20150275 ¹		6
47	Ultra-High-Performance Fiber-Reinforced Concrete: Shrinkage Strain Development at Early Ages and Potential for Cracking. <i>Journal of Testing and Evaluation</i> , 2017 , 45, 20160114	1	5
46	Formation of a plano-convex micro-lens array in fused silica glass by using a CO2 laser-assisted reshaping technique. <i>Journal of the Korean Physical Society</i> , 2016 , 69, 335-343	0.6	10
45	Effect of fiber orientation on the rate-dependent flexural behavior of ultra-high-performance fiber-reinforced concrete. <i>Composite Structures</i> , 2016 , 157, 62-70	5.3	84

44	Mechanical behaviour of concrete with amorphous metallic and steel fibres. <i>Magazine of Concrete Research</i> , 2016 , 68, 1253-1264	2	12
43	Size effect in normal- and high-strength amorphous metallic and steel fiber reinforced concrete beams. <i>Construction and Building Materials</i> , 2016 , 121, 676-685	6.7	55
42	Effects of amorphous metallic fibers on the properties of asphalt concrete. <i>Construction and Building Materials</i> , 2016 , 128, 176-184	6.7	25
41	Predicting service deflection of ultra-high-performance fiber-reinforced concrete beams reinforced with GFRP bars. <i>Composites Part B: Engineering</i> , 2016 , 99, 381-397	10	33
40	Comparative low-velocity impact response of textile-reinforced concrete and steel-fiber-reinforced concrete beams. <i>Journal of Composite Materials</i> , 2016 , 50, 2421-2431	2.7	12
39	Size effect in ultra-high-performance concrete beams. <i>Engineering Fracture Mechanics</i> , 2016 , 157, 86-106	4.2	66
38	Flexural behavior of ultra-high-performance fiber-reinforced concrete beams reinforced with GFRP and steel rebars. <i>Engineering Structures</i> , 2016 , 111, 246-262	4.7	97
37	Mechanical Properties of Corrosion-Free and Sustainable Amorphous Metallic Fiber Reinforced Concrete. <i>ACI Materials Journal</i> , 2016 , 113,	0.9	6
36	Mitigating early-age cracking in thin UHPFRC precast concrete products using shrinkage-reducing admixtures. <i>PCI Journal</i> , 2016 , 61, 39-50	2.1	7
35	Ultrasonic Monitoring of Setting and Strength Development of Ultra-High-Performance Concrete. <i>Materials</i> , 2016 , 9,	3.5	12
34	Enhancing the flexural performance of ultra-high-performance concrete using long steel fibers. <i>Composite Structures</i> , 2016 , 147, 220-230	5.3	65
33	A Review on Structural Behavior, Design, and Application of Ultra-High-Performance Fiber-Reinforced Concrete. <i>International Journal of Concrete Structures and Materials</i> , 2016 , 10, 125-142	2.8	126
32	Predicting the flexural behavior of ultra-high-performance fiber-reinforced concrete. <i>Cement and Concrete Composites</i> , 2016 , 74, 71-87	8.6	44
31	Mechanical properties of ultra-high-performance fiber-reinforced concrete: A review. <i>Cement and Concrete Composites</i> , 2016 , 73, 267-280	8.6	302
30	Predicting the post-cracking behavior of normal- and high-strength steel-fiber-reinforced concrete beams. <i>Construction and Building Materials</i> , 2015 , 93, 477-485	6.7	67
29	Cracking Behavior of Posttensioning Grout with Various Strand-to-Duct Area Ratios. <i>Journal of Materials in Civil Engineering</i> , 2015 , 27, 04014197	3	4
28	Enhancing cracking resistance of ultra-high-performance concrete slabs using steel fibres. <i>Magazine of Concrete Research</i> , 2015 , 67, 487-495	2	28
27	Ultraprecision Machining-based Micro-Hybrid lens design for micro scanning devices. <i>International Journal of Precision Engineering and Manufacturing</i> , 2015 , 16, 639-646	1.7	7

26	Response of ultra-high-performance fiber-reinforced concrete beams with continuous steel reinforcement subjected to low-velocity impact loading. <i>Composite Structures</i> , 2015 , 126, 233-245	5.3	112
25	Flexural response of steel-fiber-reinforced concrete beams: Effects of strength, fiber content, and strain-rate. <i>Cement and Concrete Composites</i> , 2015 , 64, 84-92	8.6	123
24	Biaxial flexural behavior of ultra-high-performance fiber-reinforced concrete with different fiber lengths and placement methods. <i>Cement and Concrete Composites</i> , 2015 , 63, 51-66	8.6	75
23	Structural performance of ultra-high-performance concrete beams with different steel fibers. <i>Engineering Structures</i> , 2015 , 102, 409-423	4.7	185
22	Effectiveness of shrinkage-reducing admixture in reducing autogenous shrinkage stress of ultra-high-performance fiber-reinforced concrete. <i>Cement and Concrete Composites</i> , 2015 , 64, 27-36	8.6	60
21	Local bond-slip response of GFRP rebar in ultra-high-performance fiber-reinforced concrete. <i>Composite Structures</i> , 2015 , 120, 53-64	5.3	69
20	Strengthening effects of sprayed fiber reinforced polymers on concrete. <i>Polymer Composites</i> , 2015 , 36, 722-730	3	5
19	Effect of shrinkage-reducing admixture on biaxial flexural behavior of ultra-high-performance fiber-reinforced concrete. <i>Construction and Building Materials</i> , 2015 , 89, 67-75	6.7	27
18	Numerical simulation on structural behavior of UHPFRC beams with steel and GFRP bars. <i>Computers and Concrete</i> , 2015 , 16, 759-774		11
17	Shrinkage and cracking of restrained ultra-high-performance fiber-reinforced concrete slabs at early age. <i>Construction and Building Materials</i> , 2014 , 73, 357-365	6.7	85
16	Influence of reinforcing bar type on autogenous shrinkage stress and bond behavior of ultra high performance fiber reinforced concrete. <i>Cement and Concrete Composites</i> , 2014 , 48, 150-161	8.6	61
15	Material and bond properties of ultra high performance fiber reinforced concrete with micro steel fibers. <i>Composites Part B: Engineering</i> , 2014 , 58, 122-133	10	177
14	Benefits of using expansive and shrinkage-reducing agents in UHPC for volume stability. <i>Magazine of Concrete Research</i> , 2014 , 66, 745-750	2	27
13	Combined effect of expansive and shrinkage-reducing admixtures on the properties of ultra high performance fiber-reinforced concrete. <i>Journal of Composite Materials</i> , 2014 , 48, 1981-1991	2.7	23
12	Effect of fiber length and placement method on flexural behavior, tension-softening curve, and fiber distribution characteristics of UHPFRC. <i>Construction and Building Materials</i> , 2014 , 64, 67-81	6.7	158
11	Influence of ring size on the restrained shrinkage behavior of ultra high performance fiber reinforced concrete. <i>Materials and Structures/Materiaux Et Constructions</i> , 2014 , 47, 1161-1174	3.4	44
10	Influence of steel fibers and fiber-reinforced polymers on the impact resistance of one-way concrete slabs. <i>Journal of Composite Materials</i> , 2014 , 48, 695-706	2.7	21
9	Autogenous shrinkage of ultra high performance concrete considering early age coefficient of thermal expansion. <i>Structural Engineering and Mechanics</i> , 2014 , 49, 763-773		2

8	Effect of fiber content on mechanical and fracture properties of ultra high performance fiber reinforced cementitious composites. <i>Composite Structures</i> , 2013 , 106, 742-753	5.3	200
7	Effect of shrinkage reducing admixture on tensile and flexural behaviors of UHPFRC considering fiber distribution characteristics. <i>Cement and Concrete Research</i> , 2013 , 54, 180-190	10.3	86
6	Early age setting, shrinkage and tensile characteristics of ultra high performance fiber reinforced concrete. <i>Construction and Building Materials</i> , 2013 , 41, 427-438	6.7	82
5	Drying shrinkage cracking characteristics of ultra-high-performance fibre reinforced concrete with expansive and shrinkage reducing agents. <i>Magazine of Concrete Research</i> , 2013 , 65, 248-256	2	44
4	Autogenous shrinkage of concrete with design strength 60 \pm 20 N/mm ² . <i>Magazine of Concrete Research</i> , 2011 , 63, 751-761	2	8
3	Characteristics of Early-Age Restrained Shrinkage and Tensile Creep of Ultra-High Performance Cementitious Composites (UHPCC). <i>Journal of the Korea Concrete Institute</i> , 2011 , 23, 581-590	0.8	9
2	Evaluation of Shrinkage Cracking Characteristics and Degree of Restraint for Ultra-High-Strength Concrete. <i>Journal of the Korea Concrete Institute</i> , 2010 , 22, 641-650	0.8	5
1	Combined effect of SCMs and curing temperature on mechanical properties of high-strength strain-hardening cementitious composites. <i>Journal of Reinforced Plastics and Composites</i> , 073168442110517	2.9	1