Maristela M Camargo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8528978/publications.pdf

Version: 2024-02-01

33 papers

645 citations

933447 10 h-index 24 g-index

40 all docs

40 docs citations

times ranked

40

954 citing authors

#	Article	IF	Citations
1	Evolutionary pressures rendered by animal husbandry practices for avian influenza viruses to adapt to humans. IScience, 2022, 25, 104005.	4.1	2
2	Fever as an evolutionary agent to select immune complexes interfaces. Immunogenetics, 2022, 74, 465-474.	2.4	8
3	Equine simplified acute physiology score: Personalised medicine for the equine emergency patient. Veterinary Record, 2021, 189, e136.	0.3	1
4	The impact of climate change on the biology of the cattle tick, Rhipicephalus microplus: current knowledge and gaps to be filled, 2021, , 193-208.		1
5	Cellular Adaptation Relies on Regulatory Proteins Having Episodic Memory. BioEssays, 2020, 42, e1900115.	2.5	5
6	Chemical chaperones reverse early suppression of regulatory circuits during unfolded protein response in B cells from common variable immunodeficiency patients. Clinical and Experimental Immunology, 2020, 200, 73-86.	2.6	4
7	Increased <i>grp78</i> transcription is correlated to reduced <i>tlr4</i> transcription in patients surviving sepsis. Clinical and Experimental Immunology, 2019, 198, 273-280.	2.6	2
8	Memory of Periodic Thermal Stimulation in an Immune Complex. ChemistrySelect, 2019, 4, 3325-3328.	1.5	1
9	Febrile temperatures increase in vitro antibody affinity for malarial and dengue antigens. PLoS Neglected Tropical Diseases, 2019, 13, e0007239.	3.0	13
10	A mathematical model relates intracellular TLR4 oscillations to sepsis progression. BMC Research Notes, $2018,11,462.$	1.4	5
11	Human GRP78 affinity towards its signaling partners $lrell_{\pm}$ and PERK is differently modulated by an unfolded protein client. Biochemical and Biophysical Research Communications, 2017, 487, 375-380.	2.1	3
12	HIV infection and antiretroviral therapy lead to unfolded protein response activation. Virology Journal, 2015, 12, 77.	3.4	36
13	Longitudinal assessment of Tâ€lymphocyte subpopulations during generalized demodicosis in dogs and their relationship with remission. Veterinary Dermatology, 2015, 26, 18.	1.2	5
14	Lipopolysaccharide-induced inhibition of transcription of tlr4 in vitro is reversed by dexamethasone and correlates with presence of conserved NFÎB binding sites. Biochemical and Biophysical Research Communications, 2013, 432, 256-261.	2.1	13
15	Expression of tlr4, md2 and cd14 in equine blood leukocytes during endotoxin infusion and in intestinal tissues from healthy horses. Veterinary Immunology and Immunopathology, 2012, 150, 141-148.	1.2	11
16	The Unfolded Protein Response: How Protein Folding Became a Restrictive Aspect for Innate Immunity and B Lymphocytes ¹ . Scandinavian Journal of Immunology, 2011, 73, 436-448.	2.7	14
17	Immunology with a Brazilian twist. Scandinavian Journal of Immunology, 2011, 73, 399-400.	2.7	O
18	Lower serum IgA levels in horses kept under intensive sanitary management and physical training. Animal, 2010, 4, 2080-2083.	3.3	6

#	Article	IF	CITATIONS
19	Changes in histone acetylation and methylation that are important for persistent but not transient expression of <i>CCR4</i> in human CD4 ⁺ T cells. European Journal of Immunology, 2010, 40, 3183-3197.	2.9	7
20	p38 \hat{l} ± MAP Kinase Controls IL-17 Synthesis in Vogt-Koyanagi-Harada Syndrome and Experimental Autoimmune Uveitis. , 2010, 51, 3567.		27
21	Normal distribution of immunoglobulin isotypes in adult horses. Veterinary Journal, 2009, 182, 359-361.	1.7	4
22	Characterization of hematological and immunological parameters during sub clinical phase of Ehrlichia canis infection in dogs. Veterinary Immunology and Immunopathology, 2009, 128, 341.	1.2	0
23	Antimicrobial Activity of Ethylenediaminedisuccinate Metal Complexes. Short Communication. Chemistry and Biodiversity, 2008, 5, 2156-2159.	2.1	8
24	<i>SJL</i> Dystrophic Mice Express a Significant Amount of Human Muscle Proteins Following Systemic Delivery of Human Adipose-Derived Stromal Cells Without Immunosuppression. Stem Cells, 2008, 26, 2391-2398.	3.2	68
25	Slower rescue of ER homeostasis by the unfolded protein response pathway associated with common variable immunodeficiency. Molecular Immunology, 2008, 45, 2990-2997.	2.2	7
26	Pathogen-driven CCR5/C5aR heterodimerization initiates a JNK2/JIP1-dependent signaling pathway that protects from Toxoplasma gondii infection. Molecular Immunology, 2008, 45, 4110.	2.2	1
27	Biological activity of metal-edds (ethylenediaminedisuccinate) complexes in K562 and PBMC cells. Journal of the Brazilian Chemical Society, 2008, 19, .	0.6	0
28	NK1.1 Cells Downregulate Murine Endotoxinâ€Induced Uveitis Following Intraocular Administration of Interleukinâ€12. Scandinavian Journal of Immunology, 2007, 66, 329-334.	2.7	6
29	Adapting to a changing world: RAGgenomics and evolution. Human Genomics, 2005, 2, 132-7.	2.9	6
30	Clinical and laboratory aspects of common variable immunodeficiency. Anais Da Academia Brasileira De Ciencias, 2004, 76, 707-726.	0.8	67
31	Highly purified glycosylphosphatidylinositols from Trypanosoma cruzi are potent proinflammatory agents. EMBO Journal, 2000, 19, 1476-1485.	7.8	233
32	Differential inhibitory mechanism of cyclic AMP on TNF- $\hat{l}\pm$ and IL-12 synthesis by macrophages exposed to microbial stimuli. British Journal of Pharmacology, 1999, 127, 1195-1205.	5.4	49
33	Induction of cell-mediated immunity during early stages of infection with intracellular protozoa. Brazilian Journal of Medical and Biological Research, 1998, 31, 89-104.	1.5	30