V I Grishkovets

List of Publications by Citations

Source: https://exaly.com/author-pdf/8529052/v-i-grishkovets-publications-by-citations.pdf
Version: 2022-10-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	165 citations	7 h-index	9 g-index
71 ext. papers	175 ext. citations	0.8 avg, IF	1.91 L-index

#	Paper	IF	Citations
68	Study of the adjuvant activity of new MDP derivatives and purified saponins and their influence on HIV-1 replication in vitro. *Vaccine*, **1997**, 15, 1479-86	3.9	18
67	Triterpene glycosides from Kalopanax septemlobum. VII. Minor glycosides from stems of Kalopanax septemlobum var. maximowiczii and Kalopanax septemlobum var. typicum. *Chemistry of Natural Compounds*, **2006**, 42, 61-66	0.7	14
66	Triterpene glycosides ofSophora japonica seeds. *Chemistry of Natural Compounds*, **1995**, 31, 596-599	0.7	11
65	Triterpene glycosides from Kalopanax septemlobum. VI. Glycosides from leaves of Kalopanax septemlobum var. typicum introduced to crimea. *Chemistry of Natural Compounds*, **2006**, 42, 49-54	0.7	10
64	Triterpene Glycosides from Cussonia paniculata. I. Isolation and Structure Determination of Glycosides A, B1, B2, C, D, G2, H1, and H2 from Leaves of Cussonia paniculata. *Chemistry of Natural Compounds*, **2005**, 41, 200-204	0.7	8
63	Triterpene glycosides from Cussonia paniculata. III. Structure of glycosides I1, I2, J1a, J1b, J2, K, L1, and L2 from C. paniculata leaves. *Chemistry of Natural Compounds*, **2006**, 42, 182-185	0.7	7
62	Triterpene Glycosides of the Medicinal Preparation Hedelix . *Chemistry of Natural Compounds*, **2003**, 39, 508-509	0.7	7
61	Triterpene glycosides ofHedera taurica I. Structure of tauroside E from the leaves ofHedera taurica. *Chemistry of Natural Compounds*, **1987**, 23, 299-302	0.7	6
60	Self-association and complexation of triterpene glycosides and cholesterol. *Chemistry of Natural Compounds*, **2010**, 46, 49-52	0.7	5
59	Triterpene Glycosides of Fatsia japonica. VI. Structures of Glycosides D3a and D3b. *Chemistry of Natural Compounds*, **2002**, 38, 264-267	0.7	5
58	Triterpene Glycosides from Kalopanax septemlobum. 1. Glycosides A, B, C, F, G1, G2, I2, H, and J from Leaves of Kalopanax septemlobum var. Maximowichii Introduced to Crimea. *Chemistry of Natural Compounds*, **2005**, 41, 194-199	0.7	4
57	Triterpene Glycosides from Kalopanax septemlobum. II. Glycosides E, K, and L from Leaves of Kalopanax septemlobum var. maximowiczii Introduced to Crimea. *Chemistry of Natural Compounds*, **2005**, 41, 322-325	0.7	4
56	Triterpene Glycosides Analyzed by Two-Dimensional Thin-Layer Chromatography. *Chemistry of Natural Compounds*, **2001**, 37, 57-60	0.7	4
55	Molecular complexes of the triterpene glycosides with L-tyrosine and their biological activity. *Biopolymers and Cell*, **2012**, 28, 62-67	0.2	4
54	Physicochemical characteristics of cesium recovery with a sorbent based on dibenzo-24-crown-8. *Radiochemistry*, **2015**, 57, 518-521	0.9	3
53	Molecular Complexes of ivy and Licorice Triterpene Glycosides with Doxorubicin. *Pharmaceutical Chemistry Journal*, **2014**, 48, 391-394	0.9	3
52	Electrospray ionization mass spectrometry of mixtures of triterpene glycosides with L-phenylalanine. *Journal of Applied Spectroscopy*, **2011**, 78, 501-505	0.7	3

51	Triterpene Glycosides from Kalopanax septemlobum. III. Glycosides D2, I1, and K1 from Leaves of Kalopanax septemlobum var. maximowiczii Introduced in Crimea. *Chemistry of Natural Compounds*, **2005**, 41, 326-331	0.7	3
50	Triterpene Glycosides from Cussonia paniculata. II. Acetylated Glycosides from Leaves. *Chemistry of Natural Compounds*, **2005**, 41, 436-441	0.7	3
49	TRITERPENE GLYCOSIDES FROM Tetrapanax papyriferum. III. MINOR MONODESMOSIDE GLYCOSIDES FROM STEM BARK. *Chemistry of Natural Compounds*, **2001**, 37, 462-465	0.7	3
48	Triterpene and steroid glycosides of theMelilotus genus and their genins I. Melilotosides A, B, and C from the roots ofMelilotus albus. *Chemistry of Natural Compounds*, **1994**, 30, 704-708	0.7	3
47	Isolation and characterization of the polysaccharide ofSophora japonica fruit. *Chemistry of Natural Compounds*, **1995**, 31, 626-627	0.7	2
46	Steroid glycosides of the seeds ofNicotiana tabacum. II. The structures of nicotianosides C and F. *Chemistry of Natural Compounds*, **1996**, 31, 332-335	0.7	2
45	Mass spectrometric study on plant glycosides molecular complexation with streptocid (sulfanylamide). *Russian Journal of Bioorganic Chemistry*, **2012**, 38, 749-752	1	2
44	Electrospray-ionization mass spectrometry of mixtures of triterpene glycosides with paracetamol. *Journal of Applied Spectroscopy*, **2010**, 77, 615-618	0.7	2
43	Triterpene Glycosides from Kalopanax septemlobum. V. Glycosides from Stems of K. septemlobum var. maximowiczii and K. septemlobum var. Typicum. *Chemistry of Natural Compounds*, **2005**, 41, 479-480	0.7	2
42	Triterpene Glycosides of Hedera canariensis. VII. Structures of Glycosides from Roots of Canary Ivy. *Chemistry of Natural Compounds*, **2001**, 37, 573-574	0.7	2
41	Triterpene glycosides of Hedera taurica VII. Structures of taurosides A and D from the leaves of Crimean ivy. *Chemistry of Natural Compounds*, **1991**, 27, 603-606	0.7	2
40	Triterpenoids and steroids from the fruit ofArbutus andrachne. *Chemistry of Natural Compounds*, **1979**, 15, 774-774	0.7	2
39	Molecular complexes of triterpene glycosides with L-histidine and their biological activity. *Biopolymers and Cell*, **2011**, 27, 300-305	0.2	2
38	Molecular complexes of ivy and licorice saponins with sildenafil citrate (Viagra) and their biological activity. *Russian Journal of Bioorganic Chemistry*, **2014**, 40, 737-741	1	1
37	Low-Molecular-Weight Compounds. *Russian Journal of Bioorganic Chemistry*, **2011**, 37, 858-861	1	1
36	Triterpene Glycosides of Tetrapanax papyriferum. IV. Acidic Glycosides from Stem Bark of T. Papyriferum. *Chemistry of Natural Compounds*, **2004**, 40, 35-39	0.7	1
35	The Effect of Triterpene Glycosides on Electrical Activity Changes of Identified Mollusk Neurons. *Chemistry of Natural Compounds*, **2001**, 37, 43-46	0.7	1
34	Triterpene Glycosides of Fatsia japonica. V. Structure of Glycosides from Flower Buds. *Chemistry of Natural Compounds*, **2001**, 37, 292-293	0.7	1

33	Triterpene glycosies of Hedera taurica VIII. Taurosides F1, F2, and F3 and a triterpenoid sulfate. *Chemistry of Natural Compounds*, **1991**, 27, 760-761	0.7	1
32	Triterpene glycosides of Hedera taurica. *Chemistry of Natural Compounds*, **1992**, 28, 455-460	0.7	1
31	Triterpene glycosides ofHedera taurica. XI. Structures of taurosides St-G1, St-H1, and St-H2 from the stems of Crimean ivy. *Chemistry of Natural Compounds*, **1993**, 29, 502-508	0.7	1
30	Triterpene glycosides ofHedera helix II. Determination of the structure of glycoside L-6d from common ivy leaves. *Chemistry of Natural Compounds*, **1994**, 30, 693-698	0.7	1
29	Triterpene and steroid glycosides of the genusMelilotus and their genins II. Melilotoside D from the roots ofMelilotus albus. *Chemistry of Natural Compounds*, **1994**, 30, 709-712	0.7	1
28	Production of sorbents for reversed-phase chromatography by the alkylation of the surface of silica gel with alcohols. *Chemistry of Natural Compounds*, **1990**, 26, 312-314	0.7	1
27	Triterpene glycosides of Hedera taurica. V. Structure of hederosides C and E1 from Crimean ivy berries. *Chemistry of Natural Compounds*, **1990**, 26, 186-189	0.7	1
26	Triterpene glycosides of Hedera taurica VI. Structures of hederosides G, H1, H2, and I from the berries of Crimean ivy. *Chemistry of Natural Compounds*, **1990**, 26, 663-666	0.7	1
25	Triterpene glycosides of Hedera taurica. III. Structures of hederosides A3, B, E2 and F from the berries of Crimean ivy. *Chemistry of Natural Compounds*, **1988**, 24, 614-618	0.7	1
24	Synthesis of methyl derivatives of uronic acids. I. Synthesis of methyl (methyl□D-galactopyranosid)uronate and its 2-, 3-, and 4-O-methyl ethers. *Chemistry of Natural Compounds*, **1982**, 18, 255-259	0.7	1
23	Use of Magnesium Oxide and Basic Magnesium Carbonate as Sorbents for Chromatography of Triterpene Glycosides. *Chemistry of Natural Compounds*, **2001**, 37, 198-199	0.7	0
22	Molecular Complexes of Ivy Triterpene Glycosides with Cholesterol. *Russian Journal of Bioorganic Chemistry*, **2019**, 45, 900-905	1	
21	Molecular complexation of □hederin with hederasaponin C. *Russian Journal of Bioorganic Chemistry* , **2013**, 39, 707-711	1	
20	Testing of Neurotropic Effects of Viagra. *Neurophysiology*, **2012**, 43, 400-404	0.6	
19	Use of heteropolyacids for TLC analysis of triterpene glycosides. *Chemistry of Natural Compounds*, **2006**, 42, 238-239	0.7	
18	Triterpene Glycosides of Scheffleropsis angkae. IV. Structure of Glycosides L-C2 and L-I2. *Chemistry of Natural Compounds*, **2001**, 37, 520-523	0.7	
17	Triterpene Glycosides of Tetrapanax papyriferum. I. Isolation and Structure of Glycosides St-H2 and St-I2 from Stem Bark. *Chemistry of Natural Compounds*, **2001**, 37, 167-172	0.7	
16	Triterpene Glycosides of Fatsia japonica. IV. Structure of Glycosides D1 and D2 from Seeds. *Chemistry of Natural Compounds*, **2001**, 37, 259-261	0.7	

15	Triterpene glycosides of Hedera taurica X. Structures of compounds F4, I, and J from the leaves of Crimean ivy. *Chemistry of Natural Compounds*, **1992**, 28, 593-596	0.7
14	Triterpene glycosides ofHedera helix I. The structures of glycosides L-1, L-2a, L-2b, L-3, L-4a, L-4b, L-6a, L-6b, L-6c, L-7a, and L7-b from the leaves of common ivy. *Chemistry of Natural Compounds*, **1994**, 30, 689-692	0.7
13	Triterpene glycosides ofHedera taurica II. Structures of taurosides St-G01, St-G2, and St-G3 from the stems of Crimean ivy. *Chemistry of Natural Compounds*, **1994**, 30, 772-773	0.7
12	Triterpene glycosides of Hedera taurica. IV. Structure of hederosides A1, A2, D1, and D2 from the berries of Crimean ivy. *Chemistry of Natural Compounds*, **1990**, 26, 184-186	0.7
11	Triterpene glycosides of Hedera taurica. *Chemistry of Natural Compounds*, **1988**, 24, 320-323	0.7
10	Synthesis of some L-idose derivatives. *Chemistry of Natural Compounds*, **1982**, 18, 388-392	0.7
9	Synthesis of methyl derivatives of uronic acids II. Synthesis of the 2,3-, 2,4-, and 2,4-di- and 2,3,4-tri-O-methyl ethers of methyl (methyl-D-galactopyranosid) uronate. *Chemistry of Natural Compounds*, **1982**, 18, 259-261	0.7
8	Alkylation of methyl 4,6-O-benzylidene-D-galactopyranoside. *Chemistry of Natural Compounds*, **1982**, 18, 25-28	0.7
7	Improved method of synthesizing 4,6-O-benzylidene acetals of methyl glycosides. *Chemistry of Natural Compounds*, **1982**, 18, 112-113	0.7
6	Syntheses of methyl ethers of uronic acids. IV. Synthesis of the 3-O-, 2,3-, 2,4-, and 3,4-di-O-, and 2,3,4-tri-O-methyl ethers of methyl (methyl D-mannopyranosid)uronate. *Chemistry of Natural Compounds*, **1983**, 19, 519-521	0.7
5	Gas chromatography of the methyl ehters of methyl (methyl-D-galacto-and mannopyranosid) uronates. *Chemistry of Natural Compounds*, **1983**, 19, 522-524	0.7
4	Synthesis of methyl ethers of uronic acids. III. Synthesis of methyl (methyl D-mannopyranosid) uronate and its 2- and 4-0-methyl ethers. *Chemistry of Natural Compounds*, **1983**, 19, 401-403	0.7
3	Methylation of methyl 6-0-trityl-D-mannopyranoside A new route to the synthesis of some methyl ethers of D-mannose. *Chemistry of Natural Compounds*, **1983**, 19, 404-407	0.7
2	Triterpene acids from the fruit ofArbutus andrachne. *Chemistry of Natural Compounds*, **1979**, 15, 775-775	0.7
1	CYTOTOXIC PROPERTIES OF TRITERPENE SAPONIN TAUROSID SX1 AND ITS EFFECT ON HUMAN IMMUNODEFICIENCY VIRUS AND INFLUENZA VIRUS INFECTION IN MICE. *Voprosy Virusologii*, **2018**, 63, 123-129	