

Toni Schneider

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8529539/publications.pdf>

Version: 2024-02-01

80
papers

2,883
citations

159525

30
h-index

182361

51
g-index

86
all docs

86
docs citations

86
times ranked

2364
citing authors

#	ARTICLE	IF	CITATIONS
1	L-cysteine modulates visceral nociception mediated by the Cav2.3 R-type calcium channels. Pflugers Archiv European Journal of Physiology, 2022, 474, 435-445.	1.3	5
2	Retinal Vessel Responses to Flicker Stimulation Are Impaired in Cav2.3-Deficient Mice An in-vivo Evaluation Using Retinal Vessel Analysis (RVA). Frontiers in Neurology, 2021, 12, 659890.	1.1	3
3	Human brain organoids assemble functionally integrated bilateral optic vesicles. Cell Stem Cell, 2021, 28, 1740-1757.e8.	5.2	77
4	Ca _v 2.3 channel function and Zn ²⁺ -induced modulation: potential mechanisms and (patho)physiological relevance. Channels, 2020, 14, 362-379.	1.5	6
5	Non-Mendelian inheritance during inbreeding of Cav3.2 and Cav2.3 deficient mice. Scientific Reports, 2020, 10, 15993.	1.6	4
6	Submicromolar copper (II) ions stimulate transretinal signaling in the isolated retina from wild type but not from Cav2.3-deficient mice. BMC Ophthalmology, 2020, 20, 182.	0.6	0
7	Cav2.3 R-type calcium channels: from its discovery to pathogenic de novo CACNA1E variants: a historical perspective. Pflugers Archiv European Journal of Physiology, 2020, 472, 811-816.	1.3	13
8	Synapse and Active Zone Assembly in the Absence of Presynaptic Ca ²⁺ Channels and Ca ²⁺ Entry. Neuron, 2020, 107, 667-683.e9.	3.8	64
9	Consequences of hyperphosphorylated tau on the morphology and excitability of hippocampal neurons in aged tau transgenic mice. Neurobiology of Aging, 2020, 93, 109-123.	1.5	17
10	Zn ²⁺ -induced changes in Cav2.3 channel function: An electrophysiological and modeling study. Journal of General Physiology, 2020, 152, .	0.9	6
11	Experimentally Induced Convulsive Seizures Are Modulated in Part by Zinc Ions through the Pharmacoresistant Cav2.3 Calcium Channel. Cellular Physiology and Biochemistry, 2020, 54, 180-194.	1.1	2
12	Intracerebroventricular administration of histidine reduces kainic acid-induced convulsive seizures in mice. Experimental Brain Research, 2019, 237, 2481-2493.	0.7	1
13	Cav2.3 channels contribute to dopaminergic neuron loss in a model of Parkinson's disease. Nature Communications, 2019, 10, 5094.	5.8	65
14	Modulation of Cav2.3 channels by unconjugated bilirubin (UCB) – Candidate mechanism for UCB-induced neuromodulation and neurotoxicity. Molecular and Cellular Neurosciences, 2019, 96, 35-46.	1.0	9
15	NCS-1 Deficiency Affects mRNA Levels of Genes Involved in Regulation of ATP Synthesis and Mitochondrial Stress in Highly Vulnerable Substantia nigra Dopaminergic Neurons. Frontiers in Molecular Neuroscience, 2019, 12, 252.	1.4	13
16	Protein phosphorylation maintains the normal function of cloned human Cav2.3 channels. Journal of General Physiology, 2018, 150, 491-510.	0.9	5
17	Unconjugated bilirubin modulates neuronal signaling only in wild-type mice, but not after ablation of the R-type/Cav _v 2.3 voltage-gated calcium channel. CNS Neuroscience and Therapeutics, 2018, 24, 222-230.	1.9	6
18	A practical guide to the preparation and use of metal ion-buffered systems for physiological research. Acta Physiologica, 2018, 222, e12988.	1.8	10

#	ARTICLE	IF	CITATIONS
19	In vitro and in vivo phosphorylation of the Cav2.3 voltage-gated R-type calcium channel. <i>Channels</i> , 2018, 12, 326-334.	1.5	8
20	Non-invasive evaluation of neurovascular coupling in the murine retina by dynamic retinal vessel analysis. <i>PLoS ONE</i> , 2018, 13, e0204689.	1.1	13
21	Reciprocal modulation of Ca ^v 2.3 voltage-gated calcium channels by copper(II) ions and kainic acid. <i>Journal of Neurochemistry</i> , 2018, 147, 310-322.	2.1	9
22	In Reply to "Corpus Callosotomy for Drug-Resistant Schizophrenia; Novel Treatment Based on Pathophysiology". <i>World Neurosurgery</i> , 2018, 116, 485.	0.7	3
23	The effect of anakinra on retinal function in isolated perfused vertebrate retina. <i>Journal of Current Ophthalmology</i> , 2017, 29, 69-71.	0.3	1
24	Systemic and Cerebral Concentration of Nimodipine During Established and Experimental Vasospasm Treatment. <i>World Neurosurgery</i> , 2017, 102, 459-465.	0.7	14
25	Multiple nickel-sensitive targets elicit cardiac arrhythmia in isolated mouse hearts after pituitary adenylate cyclase-activating polypeptide-mediated chronotropy. <i>Pharmacological Research</i> , 2017, 117, 140-147.	3.1	1
26	Cav2.3 (R-Type) Calcium Channels are Critical for Mediating Anticonvulsive and Neuroprotective Properties of Lamotrigine In Vivo. <i>Cellular Physiology and Biochemistry</i> , 2017, 44, 935-947.	1.1	26
27	Surgical Approaches in Psychiatry: A Survey of the World Literature on Psychosurgery. <i>World Neurosurgery</i> , 2017, 97, 603-634.e8.	0.7	18
28	Electroretinographic Assessment of Inner Retinal Signaling in the Isolated and Superfused Murine Retina. <i>Current Eye Research</i> , 2017, 42, 1518-1526.	0.7	10
29	CaV2.3 E-/R-Type Voltage-Gated Calcium Channels Modulate Sleep in Mice. <i>Sleep</i> , 2015, 38, 499-499.	0.6	6
30	In response: Cav2.3 (R-type) calcium channels are critical for mediating anticonvulsive and neuroprotective properties of lamotrigine in vivo. <i>Epilepsia</i> , 2015, 56, 1181-1181.	2.6	9
31	R-Type Voltage-Gated Ca ²⁺ Channels in Cardiac and Neuronal Rhythmogenesis. <i>Current Molecular Pharmacology</i> , 2015, 8, 102-108.	0.7	5
32	Voltage-gated calcium channels: Determinants of channel function and modulation by inorganic cations. <i>Progress in Neurobiology</i> , 2015, 129, 1-36.	2.8	27
33	Diethyldithiocarbamate-mediated zinc ion chelation reveals role of Cav2.3 channels in glucagon secretion. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 953-964.	1.9	8
34	Low concentrations of ethanol but not of dimethyl sulfoxide (DMSO) impair reciprocal retinal signal transduction. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2015, 253, 1713-1719.	1.0	0
35	Evaluation of a Murine Single-Blood-Injection SAH Model. <i>PLoS ONE</i> , 2014, 9, e114946.	1.1	18
36	Cardiac phenomena during kainic-acid induced epilepsy and lamotrigine antiepileptic therapy. <i>Epilepsy Research</i> , 2014, 108, 666-674.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Pharmacoresistant Ca ^v 2.3 (E-type/R-type) voltage-gated calcium channels influence heart rate dynamics and may contribute to cardiac impulse conduction. <i>Cell Biochemistry and Function</i> , 2013, 31, 434-449.	1.4	17
38	Cav2.3 voltage-gated Ca ²⁺ channels and their influence on sleep architecture. <i>Somnologie</i> , 2013, 17, 307-308.	0.9	2
39	Cav2.3/E-type/R-type voltage-gated calcium channels modulate sleep in mice. <i>Somnologie</i> , 2013, 17, 185-192.	0.9	11
40	How "Pharmacoresistant" is Cav2.3, the Major Component of Voltage-Gated R-type Ca ²⁺ Channels?. <i>Pharmaceuticals</i> , 2013, 6, 759-776.	1.7	14
41	Two separate Ni ²⁺ sensitive voltage-gated Ca ²⁺ channels modulate transretinal signalling in the isolated murine retina. <i>Acta Ophthalmologica</i> , 2011, 89, e579-90.	0.6	11
42	Effect of ZnCl ₂ and Chelation of Zinc Ions by N,N-Diethyldithiocarbamate (DEDTC) on the ERG b-Wave Amplitude from the Isolated Superfused Vertebrate Retina. <i>Current Eye Research</i> , 2010, 35, 322-334.	0.7	14
43	Isoflurane-Sensitive Presynaptic R-Type Calcium Channels Contribute to Inhibitory Synaptic Transmission in the Rat Thalamus. <i>Journal of Neuroscience</i> , 2009, 29, 1434-1445.	1.7	31
44	Longer lasting electroretinographic recordings from the isolated and superfused murine retina. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2009, 247, 1339-1352.	1.0	11
45	Antagonists of ionotropic γ -aminobutyric acid receptors impair the NiCl ₂ -mediated stimulation of the electroretinogram b-wave amplitude from the isolated superfused vertebrate retina. <i>Acta Ophthalmologica</i> , 2009, 87, 854-865.	0.6	17
46	Hippocampal Seizure Resistance and Reduced Neuronal Excitotoxicity in Mice Lacking the Cav2.3 E/R-Type Voltage-Gated Calcium Channel. <i>Journal of Neurophysiology</i> , 2007, 97, 3660-3669.	0.9	64
47	R-type Ca ²⁺ -channel-evoked CICR regulates glucose-induced somatostatin secretion. <i>Nature Cell Biology</i> , 2007, 9, 453-460.	4.6	95
48	Altered Seizure Susceptibility in Mice Lacking the Cav2.3 E-type Ca ²⁺ Channel. <i>Epilepsia</i> , 2006, 47, 839-850.	2.6	75
49	The Cav2.3 voltage-gated calcium channel in epileptogenesis "Shedding new light on an enigmatic channel. <i>Neuroscience and Biobehavioral Reviews</i> , 2006, 30, 1122-1144.	2.9	59
50	The ablation of the Cav2.3/E-type voltage-gated Ca ²⁺ channel causes a mild phenotype despite an altered glucose induced glucagon response in isolated islets of Langerhans. <i>European Journal of Pharmacology</i> , 2005, 511, 65-72.	1.7	23
51	Ablation of Cav2.3 / E-type voltage-gated calcium channel results in cardiac arrhythmia and altered autonomic control within the murine cardiovascular system. <i>Basic Research in Cardiology</i> , 2005, 100, 1-13.	2.5	77
52	A Ni ²⁺ -sensitive component of the ERG b-wave from the isolated bovine retina is related to E-type voltage-gated Ca ²⁺ channels. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 933-941.	1.0	20
53	Electrocorticographic and deep intracerebral EEG recording in mice using a telemetry system. <i>Brain Research Protocols</i> , 2005, 14, 154-164.	1.7	86
54	The isolated perfused bovine retina "A sensitive tool for pharmacological research on retinal function. <i>Brain Research Protocols</i> , 2005, 16, 27-36.	1.7	48

#	ARTICLE	IF	CITATIONS
55	CaV2.3 calcium channels control second-phase insulin release. Journal of Clinical Investigation, 2005, 115, 146-154.	3.9	153
56	CaV2.3 calcium channels control second-phase insulin release. Journal of Clinical Investigation, 2005, 115, 146-154.	3.9	81
57	The cytosolic II-III loop of Cav2.3 provides an essential determinant for the phorbol ester-mediated stimulation of E-type Ca ²⁺ channel activity. European Journal of Neuroscience, 2004, 19, 2659-2668.	1.2	30
58	Actions of sipatrigine, 202W92 and lamotrigine on R-type and T-type Ca ²⁺ channel currents. European Journal of Pharmacology, 2003, 467, 77-80.	1.7	53
59	Ca ²⁺ -sensitive regulation of E-type Ca ²⁺ channel activity depends on an arginine-rich region in the cytosolic II-III loop. European Journal of Neuroscience, 2003, 18, 841-855.	1.2	37
60	Functional Specialization of Presynaptic Cav2.3 Ca ²⁺ Channels. Neuron, 2003, 39, 483-496.	3.8	175
61	Disturbances in Glucose-Tolerance, Insulin-Release, and Stress-Induced Hyperglycemia upon Disruption of the Ca _v 2.3 (Î±1E) Subunit of Voltage-Gated Ca ²⁺ Channels. Molecular Endocrinology, 2002, 16, 884-895.	3.7	79
62	Reduction of insulin secretion in the insulinoma cell line INS-1 by overexpression of a Ca(v)2.3 (alpha1E) calcium channel antisense cassette. European Journal of Endocrinology, 2002, 146, 881-889.	1.9	21
63	Alternate Splicing in the Cytosolic II-III Loop and the Carboxy Terminus of Human E-type Voltage-Gated Ca Channels: Electrophysiological Characterization of Isoforms. Molecular and Cellular Neurosciences, 2002, 21, 352-365.	1.0	54
64	The CaV2.3 Ca ²⁺ channel subunit contributes to R-type Ca ²⁺ currents in murine hippocampal and neocortical neurones. Journal of Physiology, 2002, 542, 699-710.	1.3	79
65	Immunodetection of Î±1E Voltage-gated Ca ²⁺ Channel in Chromogranin-positive Muscle Cells of Rat Heart, and in Distal Tubules of Human Kidney. Journal of Histochemistry and Cytochemistry, 2000, 48, 807-819.	1.3	62
66	Immunohistochemical Detection of Î±1E Voltage-gated Ca ²⁺ Channel Isoforms in Cerebellum, INS-1 Cells, and Neuroendocrine Cells of the Digestive System. Journal of Histochemistry and Cytochemistry, 1999, 47, 981-994.	1.3	41
67	Comparison of the Ca ²⁺ currents induced by expression of three cloned Î±1 subunits, Î±1G, Î±1H and Î±1I, of low-voltage-activated T-type Ca ²⁺ channels. European Journal of Neuroscience, 1999, 11, 4171-4178.	1.2	152
68	Isoforms of Î±1E voltage-gated calcium channels in rat cerebellar granule cells. Neuroscience, 1999, 92, 565-575.	1.1	36
69	New isoform of the neuronal Ca ²⁺ channel alpha1E subunit in islets of Langerhans and kidney . Distribution of voltage-gated Ca ²⁺ channel alpha1 subunits in cell lines and tissues. FEBS Journal, 1998, 257, 274-285.	0.2	59
70	Properties of Ba ²⁺ currents arising from human Î±1E and Î±1E ²³ constructs expressed in HEK293 cells: physiology, pharmacology, and comparison to native T-type Ba ²⁺ currents. Neuropharmacology, 1998, 37, 957-972.	2.0	41
71	Receptor-mediated modulation of recombinant neuronal class E calcium channels. FEBS Letters, 1997, 408, 261-270.	1.3	45
72	G protein interaction with K ⁺ and Ca ²⁺ channels. Trends in Pharmacological Sciences, 1997, 18, 8-11.	4.0	46

#	ARTICLE	IF	CITATIONS
73	Alpha-1 subunits of voltage gated Ca ²⁺ channels in the mesencephalon $\tilde{\text{A}}$ — neuroblastoma hybrid cell line MES23.5. <i>Neuroscience</i> , 1995, 68, 479-485.	1.1	6
74	Calcium channels: Structure, function, and classification. <i>Drug Development Research</i> , 1994, 33, 295-318.	1.4	119
75	A large scale preparative gel electrophoresis separation of $\hat{1}\pm 1$ and $\hat{1}\pm 2$ subunits of the voltage-gated Ca ²⁺ channel from rabbit skeletal muscle. <i>Electrophoresis</i> , 1994, 15, 1186-1190.	1.3	4
76	Amyotrophic lateral sclerosis patient antibodies label Ca ²⁺ channel $\hat{1}$ subunit. <i>Annals of Neurology</i> , 1994, 35, 164-171.	2.8	91
77	The amino terminus of a calcium channel $\hat{1}^2$ subunit sets rates of channel inactivation independently of the subunit's effect on activation. <i>Neuron</i> , 1994, 13, 1433-1438.	3.8	181
78	Molecular analysis and functional expression of the human type E neuronal Ca ²⁺ channel alpha 1 subunit. <i>Receptors and Channels</i> , 1994, 2, 255-70.	1.1	54
79	Effects of (-)-bicuculline and gamma-aminobutyric acid on the NiCl ₂ mediated stimulation of the ERG b-wave amplitude from the isolated superfused vertebrate retina. <i>Acta Ophthalmologica</i> , 0, 85, 0-0.	0.4	0
80	$\hat{1}^2$ -subunit alternative splicing stabilizes Cav2.3 Ca ²⁺ channel activity during continuous midbrain dopamine neuron-like activity. <i>ELife</i> , 0, 11, .	2.8	12