

# Willi Pabst

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8529673/publications.pdf>

Version: 2024-02-01

88  
papers

2,491  
citations

185998

28  
h-index

233125

45  
g-index

88  
all docs

88  
docs citations

88  
times ranked

1848  
citing authors

#	ARTICLE	IF	CITATIONS
1	Thermal conductivity of porous alumina ceramics prepared using starch as a pore-forming agent. Journal of the European Ceramic Society, 2009, 29, 347-353.	2.8	202
2	Elasticity of porous ceramics – A critical study of modulus – porosity relations. Journal of the European Ceramic Society, 2006, 26, 1085-1097.	2.8	159
3	Characterization of different starch types for their application in ceramic processing. Journal of the European Ceramic Society, 2006, 26, 1301-1309.	2.8	124
4	Particle shape and suspension rheology of short-fiber systems. Journal of the European Ceramic Society, 2006, 26, 149-160.	2.8	111
5	Porosity and pore size control in starch consolidation casting of oxide ceramics – Achievements and problems. Journal of the European Ceramic Society, 2007, 27, 669-672.	2.8	76
6	Isothermal and adiabatic Young's moduli of alumina and zirconia ceramics at elevated temperatures. Journal of the European Ceramic Society, 2013, 33, 3085-3093.	2.8	75
7	Young's modulus of isotropic porous materials with spheroidal pores. Journal of the European Ceramic Society, 2014, 34, 3195-3207.	2.8	62
8	Porous alumina ceramics prepared with wheat flour. Journal of the European Ceramic Society, 2010, 30, 2871-2880.	2.8	61
9	Porous ceramics prepared using poppy seed as a pore-forming agent. Ceramics International, 2007, 33, 1385-1388.	2.3	60
10	Critical Assessment 18: Elastic and thermal properties of porous materials – rigorous bounds and cross-property relations. Materials Science and Technology, 2015, 31, 1801-1808.	0.8	54
11	Elastic properties of porous oxide ceramics prepared using starch as a pore-forming agent. Journal of the European Ceramic Society, 2009, 29, 2765-2771.	2.8	51
12	New relation for the porosity dependence of the effective tensile modulus of brittle materials. Journal of Materials Science, 2004, 39, 3501-3503.	1.7	48
13	Starch as a Pore-forming and Body-forming Agent in Ceramic Technology. Starch/Staerke, 2009, 61, 495-502.	1.1	47
14	Microstructure characterization via stereological relations – A shortcut for beginners. Materials Characterization, 2015, 105, 1-12.	1.9	47
15	Young's modulus and thermal conductivity of closed-cell, open-cell and inverse ceramic foams – model-based predictions, cross-property predictions and numerical calculations. Journal of the European Ceramic Society, 2018, 38, 2570-2578.	2.8	46
16	Mooney-type relation for the porosity dependence of the effective tensile modulus of ceramics. Journal of Materials Science, 2004, 39, 3213-3215.	1.7	45
17	Porosity and pore size dependence of the real in-line transmission of YAG and alumina ceramics. Journal of the European Ceramic Society, 2014, 34, 2745-2756.	2.8	41
18	Effective properties of suspensions, composites and porous materials. Journal of the European Ceramic Society, 2007, 27, 479-482.	2.8	40

#	ARTICLE	IF	CITATIONS
19	Influence of the heating rate on grain size of alumina ceramics prepared via spark plasma sintering (SPS). <i>Journal of the European Ceramic Society</i> , 2020, 40, 3656-3662.	2.8	39
20	A cross-property relation between the tensile modulus and the thermal conductivity of porous materials. <i>Ceramics International</i> , 2007, 33, 9-12.	2.3	34
21	A note on particle size analyses of kaolins and clays. <i>Journal of the European Ceramic Society</i> , 2000, 20, 1429-1437.	2.8	33
22	Thermal Conductivity of $\text{Al}_2\text{O}_3\text{-ZrO}_2$ Composite Ceramics. <i>Journal of the American Ceramic Society</i> , 2011, 94, 4404-4409.	1.9	33
23	Young's modulus and thermal conductivity of model materials with convex or concave pores – from analytical predictions to numerical results. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2694-2707.	2.8	33
24	Derivation of the simplest exponential and power-law relations for the effective tensile modulus of porous ceramics via functional equations. <i>Journal of Materials Science Letters</i> , 2003, 22, 1673-1675.	0.5	31
25	Size and shape characterization of polydisperse short-fiber systems. <i>Journal of the European Ceramic Society</i> , 2006, 26, 1121-1130.	2.8	31
26	Conductivity and Young's modulus of porous metamaterials based on Gibson-Ashby cells. <i>Scripta Materialia</i> , 2019, 159, 1-4.	2.6	31
27	Young's modulus evolution during heating, re-sintering and cooling of partially sintered alumina ceramics. <i>Journal of the European Ceramic Society</i> , 2019, 39, 1893-1899.	2.8	31
28	Alumina ceramics prepared with new pore-forming agents. <i>Processing and Application of Ceramics</i> , 2008, 2, 1-8.	0.4	31
29	Modeling light scattering by spherical pores for calculating the transmittance of transparent ceramics – All you need to know. <i>Journal of the European Ceramic Society</i> , 2021, 41, 2169-2192.	2.8	30
30	Microstructure characterization of mullite foam by image analysis, mercury porosimetry and X-ray computed microtomography. <i>Ceramics International</i> , 2018, 44, 12315-12328.	2.3	29
31	Modeling of Young's modulus and thermal conductivity evolution of partially sintered alumina ceramics with pore shape changes from concave to convex. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3004-3011.	2.8	29
32	Note on the so-called Coble-Kingery formula for the effective tensile modulus of porous ceramics. <i>Journal of Materials Science Letters</i> , 2003, 22, 959-962.	0.5	28
33	Comparison of the effect of different alkali halides on the preparation of transparent $\text{MgAl}_2\text{O}_4$ spinel ceramics via spark plasma sintering (SPS). <i>Journal of the European Ceramic Society</i> , 2020, 40, 6043-6052.	2.8	27
34	Temperature dependence of Young's modulus and damping of partially sintered and dense zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 2063-2071.	2.8	27
35	A model for the body formation in starch consolidation casting. <i>Journal of Materials Science Letters</i> , 2002, 21, 1101-1103.	0.5	26
36	Light scattering models for describing the transmittance of transparent and translucent alumina and zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 2058-2075.	2.8	26

#	ARTICLE	IF	CITATIONS
37	Phase mixture modeling of the grain size dependence of Young's modulus and thermal conductivity of alumina and zirconia ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3181-3190.	2.8	22
38	A new percolation-threshold relation for the porosity dependence of thermal conductivity. <i>Ceramics International</i> , 2006, 32, 89-91.	2.3	21
39	Low- and High-temperature Processes and Mechanisms in the Preparation of Porous Ceramics via Starch Consolidation Casting. <i>Starch/Staerke</i> , 2010, 62, 3-10.	1.1	21
40	Temperature dependence of Young's modulus of silica refractories. <i>Ceramics International</i> , 2015, 41, 1129-1138.	2.3	21
41	Microstructure and Young's modulus evolution during re-sintering of partially sintered alumina-zirconia composites (ATZ ceramics). <i>Journal of the European Ceramic Society</i> , 2021, 41, 3559-3569.	2.8	21
42	Thermal Properties of Transparent Yb-Doped YAG Ceramics at Elevated Temperatures. <i>Journal of the American Ceramic Society</i> , 2014, 97, 2602-2606.	1.9	20
43	Poisson's ratio of porous and cellular materials with randomly distributed isometric pores or cells. <i>Journal of the American Ceramic Society</i> , 2020, 103, 6961-6977.	1.9	20
44	Porous cordierite-based ceramics processed by starch consolidation casting " Microstructure and high-temperature mechanical behavior. <i>Ceramics International</i> , 2018, 44, 3893-3903.	2.3	19
45	Relative Young's modulus and thermal conductivity of isotropic porous ceramics with randomly oriented spheroidal pores " Model-based relations, cross-property predictions and numerical calculations. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4026-4034.	2.8	19
46	Viscoelastic behavior of ceramic suspensions with carrageenan. <i>Journal of the European Ceramic Society</i> , 2006, 26, 1185-1194.	2.8	18
47	Starch swelling and its role in modern ceramic shaping technology. <i>Macromolecular Symposia</i> , 2003, 203, 295-300.	0.4	17
48	Elastic anomalies in tridymite- and cristobalite-based silica materials. <i>Ceramics International</i> , 2014, 40, 4207-4211.	2.3	17
49	Shear and bulk moduli of isotropic porous and cellular alumina ceramics predicted from thermal conductivity via cross-property relations. <i>Ceramics International</i> , 2018, 44, 8100-8108.	2.3	17
50	A GENERALIZED CLASS OF TRANSFORMATION MATRICES FOR THE RECONSTRUCTION OF SPHERE SIZE DISTRIBUTIONS FROM SECTION CIRCLE SIZE DISTRIBUTIONS. <i>Ceramics - Silikaty</i> , 2017, , 147-157.	0.2	17
51	High-temperature Young's moduli and dilatation behavior of silica refractories. <i>Journal of the European Ceramic Society</i> , 2016, 36, 209-220.	2.8	16
52	Describing the Effective Conductivity of Two-Phase and Multiphase Materials via Weighted Means of Bounds and General Power Means. <i>Jom</i> , 2019, 71, 4005-4014.	0.9	16
53	Reduction of temperature gradient and carbon contamination in electric current assisted sintering (ECAS/SPS) using a "saw-tooth" heating schedule. <i>Ceramics International</i> , 2019, 45, 22987-22990.	2.3	15
54	Theoretical study of the influence of carbon contamination on the transparency of spinel ceramics prepared by spark plasma sintering (SPS). <i>Journal of the European Ceramic Society</i> , 2021, 41, 4337-4342.	2.8	15

#	ARTICLE	IF	CITATIONS
55	Crystallite size of pure tin oxide ceramics and its growth during sintering determined from XRD line broadening – A methodological case study and a practitioners’™ guide. <i>Ceramics International</i> , 2021, 47, 35333-35347.	2.3	15
56	Size and shape characterization of oblate and prolate particles. <i>Journal of the European Ceramic Society</i> , 2007, 27, 1759-1762.	2.8	14
57	The van de Hulst approximation for light scattering and its use for transmittance predictions in transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 2141-2150.	2.8	14
58	Highly dense spinel ceramics with completely suppressed grain growth prepared via SPS with NaF as a sintering additive. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3354-3357.	2.8	14
59	Temperature dependence of damping in silica refractories measured via the impulse excitation technique. <i>Ceramics International</i> , 2018, 44, 8363-8373.	2.3	13
60	Transparent MgAl <sub>2</sub> O <sub>4</sub> spinel ceramics prepared via sinter-forging. <i>Journal of the European Ceramic Society</i> , 2021, 41, 4313-4318.	2.8	13
61	Benchmark polynomials for the porosity dependence of elastic moduli and conductivity of partially sintered ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7967-7975.	2.8	13
62	Stereology of dense polycrystalline materials – from interface density and mean curvature integral density to Rayleigh distributions of grain sizes. <i>Journal of the European Ceramic Society</i> , 2016, 36, 2319-2328.	2.8	12
63	Light scattering and extinction in polydisperse systems. <i>Journal of the European Ceramic Society</i> , 2020, 40, 867-880.	2.8	12
64	The Eshelby relation in mixtures. <i>International Journal of Non-Linear Mechanics</i> , 1997, 32, 227-233.	1.4	11
65	Elastic properties of porous porcelain stoneware tiles. <i>Ceramics International</i> , 2017, 43, 6919-6924.	2.3	11
66	Light scattering in monodisperse systems – from suspensions to transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1522-1531.	2.8	11
67	MEAN VALUES, MOMENTS, MOMENT RATIOS AND A GENERALIZED MEAN VALUE THEOREM FOR SIZE DISTRIBUTIONS. <i>Ceramics - Silikaty</i> , 2019, , 419-425.	0.2	11
68	Magnesium fluoride (MgF <sub>2</sub> ) – A novel sintering additive for the preparation of transparent YAG ceramics via SPS. <i>Journal of the European Ceramic Society</i> , 2022, 42, 3290-3296.	2.8	11
69	Thermal conductivity and Young's modulus of cubic-cell metamaterials. <i>Ceramics International</i> , 2019, 45, 954-962.	2.3	10
70	Starch Consolidation Casting of Cordierite Precursor Mixtures – Rheological Behavior and Green Body Properties. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3014-3021.	1.9	9
71	Young’s™ modulus evolution during sintering and thermal cycling of pure tin oxide ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7816-7827.	2.8	8
72	Transmittance predictions for transparent alumina ceramics based on the complete grain size distribution or a single mean grain size replacing the whole distribution. <i>Journal of the European Ceramic Society</i> , 2022, 42, 5093-5107.	2.8	8

#	ARTICLE	IF	CITATIONS
73	The thermal conductivity of alumina-water nanofluids from the viewpoint of micromechanics. <i>Microfluidics and Nanofluidics</i> , 2014, 16, 19-28.	1.0	7
74	Phase equilibrium in non-fluids and non-fluid mixtures. <i>International Journal of Non-Linear Mechanics</i> , 2004, 39, 247-263.	1.4	6
75	Modeling of elastic properties and conductivity of partially sintered ceramics with duplex microstructure and different grain size ratio. <i>Journal of the European Ceramic Society</i> , 2022, 42, 2946-2956.	2.8	6
76	Anisometric Particle Systems—from Shape Characterization to Suspension Rheology. , 2009, , .		5
77	Application of Stereological Relations for the Characterization of Porous Materials via Microscopic Image Analysis. <i>Key Engineering Materials</i> , 2015, 647, 180-187.	0.4	5
78	Phase Mixture Models for the Thermal Conductivity of Nanofluids and Nanocrystalline Solids. , 2009, , .		4
79	Computer modeling of systematic processing defects on the thermal and elastic properties of open Kelvin-cell metamaterials. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7130-7140.	2.8	4
80	A Simple Approximate Formula for the Aspect Ratio of Oblate Particles. <i>Particle and Particle Systems Characterization</i> , 2007, 24, 458-463.	1.2	3
81	Elastic Properties of Porous Alumina, Zirconia and Composite Ceramics. <i>Key Engineering Materials</i> , 0, 592-593, 618-621.	0.4	3
82	Grain growth of MgAl <sub>2</sub> O <sub>4</sub> ceramics with LiF and NaF addition. <i>Open Ceramics</i> , 2021, 5, 100078.	1.0	3
83	High-Temperature Elastic Properties of Ceramics in the System MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> ; Measured by Impulse Excitation. <i>Key Engineering Materials</i> , 0, 592-593, 696-699.	0.4	2
84	Quasi-laminate and quasi-columnate modeling of dielectric and piezoelectric properties of cubic-cell metamaterials. <i>Journal of the European Ceramic Society</i> , 2022, 42, 1396-1406.	2.8	2
85	Thermal Conductivity of Ceramic Nanocomposites – The Phase Mixture Modeling Approach. <i>Advances in Science and Technology</i> , 2010, 71, 68-73.	0.2	1
86	Layered Alumina Ceramics with Porosity Steps. <i>Advances in Science and Technology</i> , 0, , .	0.2	0
87	Quantitative microstructural characterization of transparent YAG ceramics via microscopic image analysis using stereological relations. , 2015, , .		0
88	A GENERALIZED CROSS-PROPERTY RELATION BETWEEN THE ELASTIC MODULI AND CONDUCTIVITY OF ISOTROPIC POROUS MATERIALS WITH SPHEROIDAL PORES. <i>Ceramics - Silikaty</i> , 2016, , 74-80.	0.2	0