## Sankar Raman

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8529926/sankar-raman-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88 137 7,942 33 h-index g-index citations papers 9,585 7.8 5.64 149 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
137	TOPOLOGICAL MATTER. Discovery of a Weyl fermion semimetal and topological Fermi arcs. <i>Science</i> , <b>2015</b> , 349, 613-7	33.3	2165
136	Observation of a three-dimensional topological Dirac semimetal phase in high-mobility Cd3As2. <i>Nature Communications</i> , <b>2014</b> , 5, 3786	17.4	938
135	High performance and bendable few-layered InSe photodetectors with broad spectral response. <i>Nano Letters</i> , <b>2014</b> , 14, 2800-6	11.5	563
134	Topological nodal-line fermions in spin-orbit metal PbTaSe2. <i>Nature Communications</i> , <b>2016</b> , 7, 10556	17.4	514
133	Observation of Fermi arc surface states in a topological metal. <i>Science</i> , <b>2015</b> , 347, 294-8	33.3	488
132	Intrinsic Electron Mobility Exceeding 10□cm□/(V s) in Multilayer InSe FETs. <i>Nano Letters</i> , <b>2015</b> , 15, 3815	<b>-9</b> 11.5	278
131	Experimental discovery of a topological Weyl semimetal state in TaP. Science Advances, 2015, 1, e15010	09124.3	241
130	Observation of topological nodal fermion semimetal phase in ZrSiS. <i>Physical Review B</i> , <b>2016</b> , 93,	3.3	232
129	Intermixing-seeded growth for high-performance planar heterojunction perovskite solar cells assisted by precursor-capped nanoparticles. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 1282-1289	35.4	125
128	Low-Threshold Lasing from 2D Homologous Organic-Inorganic Hybrid Ruddlesden-Popper Perovskite Single Crystals. <i>Nano Letters</i> , <b>2018</b> , 18, 3221-3228	11.5	124
127	Emergence of a Metal-Insulator Transition and High-Temperature Charge-Density Waves in VSe at the Monolayer Limit. <i>Nano Letters</i> , <b>2018</b> , 18, 5432-5438	11.5	123
126	Momentum-space imaging of Cooper pairing in a half-Dirac-gas topological superconductor. <i>Nature Physics</i> , <b>2014</b> , 10, 943-950	16.2	113
125	High photosensitivity and broad spectral response of multi-layered germanium sulfide transistors. <i>Nanoscale</i> , <b>2016</b> , 8, 2284-92	7.7	95
124	Atomic-Scale Visualization of Quantum Interference on a Weyl Semimetal Surface by Scanning Tunneling Microscopy. <i>ACS Nano</i> , <b>2016</b> , 10, 1378-85	16.7	93
123	Observation of monolayer valence band spin-orbit effect and induced quantum well states in MoX2. <i>Nature Communications</i> , <b>2014</b> , 5, 4673	17.4	93
122	Superconducting topological surface states in the noncentrosymmetric bulk superconductor PbTaSe. <i>Science Advances</i> , <b>2016</b> , 2, e1600894	14.3	88
121	Tunability of the topological nodal-line semimetal phase in ZrSiX-type materials (X=S, Se, Te). <i>Physical Review B</i> , <b>2017</b> , 95,	3.3	85

120	Topological Dirac surface states and superconducting pairing correlations in PbTaSe2. <i>Physical Review B</i> , <b>2016</b> , 93,	3.3	58	
119	Topological Type-II Dirac Fermions Approaching the Fermi Level in a Transition Metal Dichalcogenide NiTe2. <i>Chemistry of Materials</i> , <b>2018</b> , 30, 4823-4830	9.6	57	
118	Ultra-Thin Layered Ternary Single Crystals [Sn(SxSe1日)2] with Bandgap Engineering for High Performance Phototransistors on Versatile Substrates. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 3630-3	3638 <sup>6</sup>	56	
117	Ultrasensitive tunability of the direct bandgap of 2D InSe flakes via strain engineering. 2D Materials , <b>2018</b> , 5, 021002	5.9	53	
116	Screening limited switching performance of multilayer 2D semiconductor FETs: the case for SnS. <i>Nanoscale</i> , <b>2016</b> , 8, 19050-19057	7.7	49	
115	Sonochemical driven simple preparation of nitrogen-doped carbon quantum dots/SnO2 nanocomposite: A novel electrocatalyst for sensitive voltammetric determination of riboflavin. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 281, 602-612	8.5	42	
114	Crystal growth of Dirac semimetal ZrSiS with high magnetoresistance and mobility. <i>Scientific Reports</i> , <b>2017</b> , 7, 40603	4.9	41	
113	THz Generation and Detection on Dirac Fermions in Topological Insulators. <i>Advanced Optical Materials</i> , <b>2013</b> , 1, 804-808	8.1	41	
112	Polymorphic Layered MoTe2 from Semiconductor, Topological Insulator, to Weyl Semimetal. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 699-707	9.6	40	
111	Tuning Rashba Spin-Orbit Coupling in Gated Multilayer InSe. <i>Nano Letters</i> , <b>2018</b> , 18, 4403-4408	11.5	39	
110	Epitaxial growth of vertically stacked p-MoS2/n-MoS2 heterostructures by chemical vapor deposition for light emitting devices. <i>Nano Energy</i> , <b>2017</b> , 32, 454-462	17.1	37	
109	Topological Quantum Phase Transition and Superconductivity Induced by Pressure in the Bismuth Tellurohalide BiTeI. <i>Advanced Materials</i> , <b>2017</b> , 29, 1605965	24	36	
108	Enhanced thermoelectric performance of GeTe through in situ microdomain and Ge-vacancy control. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 15181-15189	13	35	
107	Optical signatures of Dirac nodal lines in NbAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 1168-1173	11.5	35	
106	Surface Oxidation Doping to Enhance Photogenerated Carrier Separation Efficiency for Ultrahigh Gain Indium Selenide Photodetector. <i>ACS Photonics</i> , <b>2017</b> , 4, 2930-2936	6.3	34	
105	Observation of the spin-polarized surface state in a noncentrosymmetric superconductor BiPd. <i>Nature Communications</i> , <b>2016</b> , 7, 13315	17.4	33	
104	Anomalous Acoustic Plasmon Mode from Topologically Protected States. <i>Physical Review Letters</i> , <b>2017</b> , 119, 136805	7.4	30	
103	Mapping polarization induced surface band bending on the Rashba semiconductor BiTel. <i>Nature Communications</i> , <b>2014</b> , 5, 4066	17.4	30	

102	Synergistic optimization of thermoelectric performance of Sb doped GeTe with a strained domain and domain boundaries. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 5332-5341	13	29
101	Hierarchical spin-orbital polarization of a giant Rashba system. <i>Science Advances</i> , <b>2015</b> , 1, e1500495	14.3	27
100	Photodriven Dipole Reordering: Key to Carrier Separation in Metalorganic Halide Perovskites. <i>ACS Nano</i> , <b>2019</b> , 13, 4402-4409	16.7	26
99	Inducing Strong Superconductivity in WTe by a Proximity Effect. ACS Nano, 2018, 12, 7185-7196	16.7	26
98	Intrinsic Carrier Transport of Phase-Pure Homologous 2D Organolead Halide Hybrid Perovskite Single Crystals. <i>Small</i> , <b>2018</b> , 14, e1803763	11	26
97	Atomic-scale strain manipulation of a charge density wave. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 6986-6990	11.5	24
96	Enhanced thermoelectric performance of GeTe-rich germanium antimony tellurides through the control of composition and structure. <i>CrystEngComm</i> , <b>2015</b> , 17, 3440-3445	3.3	23
95	Manifestation of a Second Dirac Surface State and Bulk Bands in THz Radiation from Topological Insulators. <i>Scientific Reports</i> , <b>2015</b> , 5, 14128	4.9	23
94	Enhancement of thermoelectric figure of merit in II-Zn4Sb3 by indium doping control. <i>Applied Physics Letters</i> , <b>2015</b> , 107, 123902	3.4	21
93	Enhanced Light Emission from the Ridge of Two-Dimensional InSe Flakes. <i>Nano Letters</i> , <b>2018</b> , 18, 5078-	5 <b>08.4</b>	21
92	Influence of In doping on the thermoelectric properties of an AgSbTe2 compound with enhanced figure of merit. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 2839	13	20
91	High-Performance InSe Transistors with Ohmic Contact Enabled by Nonrectifying Barrier-Type Indium Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 33450-33456	9.5	20
90	Enhanced thermoelectric performance in Bi-doped p-type AgSbTe2 compounds. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 163712	2.5	19
89	Superconductivity in a Misfit Layered (SnS)1.15(TaS2) Compound. <i>Chemistry of Materials</i> , <b>2018</b> , 30, 1373	3- <b>3.3</b> 78	18
88	Proximity-effect-induced Superconducting Gap in Topological Surface States - A Point Contact Spectroscopy Study of NbSe/BiSe Superconductor-Topological Insulator Heterostructures. <i>Scientific Reports</i> , <b>2017</b> , 7, 7631	4.9	18
87	Electronic structure and relaxation dynamics in a superconducting topological material. <i>Scientific Reports</i> , <b>2016</b> , 6, 22557	4.9	16
86	Tunable Photoinduced Carrier Transport of a Black Phosphorus Transistor with Extended Stability Using a Light-Sensitized Encapsulated Layer. <i>ACS Photonics</i> , <b>2016</b> , 3, 1102-1108	6.3	16
85	Field-free platform for Majorana-like zero mode in superconductors with a topological surface state. <i>Physical Review B</i> , <b>2020</b> , 101,	3.3	15

## (2018-2019)

84	Electrochemical sensing of free radical antioxidant diphenylamine cations (DPAHH) with carbon interlaced nanoflake-assembled MgxNi9\subsetes 8 microspheres. <i>CrystEngComm</i> , <b>2019</b> , 21, 724-735	3.3	14
83	Anisotropic superconducting property studies of single crystal PbTaSe. <i>Journal of Physics Condensed Matter</i> , <b>2017</b> , 29, 095601	1.8	14
82	Hybrid InSe Nanosheets and MoS2 Quantum Dots for High-Performance Broadband Photodetectors and Photovoltaic Cells. <i>Advanced Materials Interfaces</i> , <b>2019</b> , 6, 1801336	4.6	13
81	Sn-Doping Enhanced Ultrahigh Mobility InSnSe Phototransistor. <i>ACS Applied Materials &amp; amp; Interfaces</i> , <b>2019</b> , 11, 24269-24278	9.5	12
80	Modulating Charge Separation with Hexagonal Boron Nitride Mediation in Vertical Van der Waals Heterostructures. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2020</b> , 12, 26213-26221	9.5	12
79	Crystal Growth and Magnetic Properties of Topological Nodal-Line Semimetal GdSbTe with Antiferromagnetic Spin Ordering. <i>Inorganic Chemistry</i> , <b>2019</b> , 58, 11730-11737	5.1	12
78	Quasiparticle interference in ZrSiS: Strongly band-selective scattering depending on impurity lattice site. <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	12
77	Surface versus bulk Dirac state tuning in a three-dimensional topological Dirac semimetal. <i>Physical Review B</i> , <b>2015</b> , 91,	3.3	12
76	High-Performance Flexible Broadband Photodetectors Based on 2D Hafnium Selenosulfide Nanosheets. <i>Advanced Electronic Materials</i> , <b>2020</b> , 6, 1900794	6.4	12
75	Prospective observational study: Fast ripple localization delineates the epileptogenic zone. <i>Clinical Neurophysiology</i> , <b>2019</b> , 130, 2144-2152	4.3	11
74	Thickness-Dependent Resonant Raman and E? Photoluminescence Spectra of Indium Selenide and Indium Selenide/Graphene Heterostructures. <i>Journal of Physical Chemistry C</i> , <b>2019</b> , 123, 15345-15353	3.8	11
73	Anisotropic Transport and Quantum Oscillations in the Quasi-One-Dimensional TaNiTe: Evidence for the Nontrivial Band Topology. <i>Journal of Physical Chemistry Letters</i> , <b>2020</b> , 11, 7782-7789	6.4	11
72	A Bi-Anti-Ambipolar Field Effect Transistor. ACS Nano, 2021, 15, 8686-8693	16.7	11
71	Surface termination dependent quasiparticle scattering interference and magneto-transport study on ZrSiS. <i>New Journal of Physics</i> , <b>2018</b> , 20, 103025	2.9	11
70	High-Temperature Defect-Induced Hopping Conduction in Multilayered Germanium Sulfide for Optoelectronic Applications in Harsh Environments. <i>ACS Applied Nano Materials</i> , <b>2019</b> , 2, 2169-2175	5.6	10
69	Magnetic Orderings in Li2Cu(WO4)2 with Tungstate-Bridged Quasi-1D Spin-1/2 Chains. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 4303-9	5.1	10
68	Ultralow Schottky Barriers in Hexagonal Boron Nitride-Encapsulated Monolayer WSe Tunnel Field-Effect Transistors. <i>ACS Applied Materials &amp; Encaps Interfaces</i> , <b>2020</b> , 12, 18667-18673	9.5	10
67	Anisotropic magnetotransport and extremely large magnetoresistance in NbAs single crystals. <i>Scientific Reports</i> , <b>2018</b> , 8, 6414	4.9	10

66	Influence of nanoscale Ag2Te precipitates on the thermoelectric properties of the Sn doped P-type AgSbTe2 compound. <i>APL Materials</i> , <b>2014</b> , 2, 096114	5.7	10
65	Unprecedented random lasing in 2D organolead halide single-crystalline perovskite microrods. <i>Nanoscale</i> , <b>2020</b> , 12, 18269-18277	7.7	10
64	Surface Reconstruction, Oxidation Mechanism, and Stability of Cd3As2. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900965	15.6	9
63	Synergistic optimization of thermoelectric performance in earth-abundant CuZnSnS by inclusion of graphene nanosheets. <i>Nanotechnology</i> , <b>2020</b> , 31, 365402	3.4	9
62	Ultra-high performance flexible piezopotential gated InSnSe phototransistor. <i>Nanoscale</i> , <b>2018</b> , 10, 186	4 <del>7.1</del> 86	559
61	Organic Monolayer Protected Topological Surface State. <i>Nano Letters</i> , <b>2015</b> , 15, 6896-900	11.5	8
60	Evidence for nematic superconductivity of topological surface states in PbTaSe2. <i>Science Bulletin</i> , <b>2020</b> , 65, 1349-1355	10.6	8
59	Distinct multiple fermionic states in a single topological metal. <i>Nature Communications</i> , <b>2018</b> , 9, 3002	17.4	8
58	Ambipolar field-effect transistors by few-layer InSe with asymmetry contact metals. <i>AIP Advances</i> , <b>2017</b> , 7, 075314	1.5	8
57	Spin, charge and lattice couplings in Cu-deficient oxysulphide BiOCu0.94S. <i>Journal of Physics Condensed Matter</i> , <b>2012</b> , 24, 266004	1.8	8
56	Oxidized-monolayer tunneling barrier for strong Fermi-level depinning in layered InSe transistors. <i>Npj 2D Materials and Applications</i> , <b>2019</b> , 3,	8.8	8
55	Growth of the Bi2Se3Surface Oxide for MetalBemiconductorMetal Device Applications. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 3314-3318	3.8	7
54	Enhanced thermoelectric performance of BiCuTeO by excess Bi additions. <i>Ceramics International</i> , <b>2019</b> , 45, 9254-9259	5.1	6
53	Heavy Mediator at Quantum Dot/Graphene Heterojunction for Efficient Charge Carrier Transfer: Alternative Approach for High-Performance Optoelectronic Devices. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 26518-26527	9.5	6
52	The effect of Mg content and milling time on the solid solubility and microstructure of TiMg alloys processed by mechanical milling. <i>Journal of Materials Research and Technology</i> , <b>2021</b> , 11, 1424-1433	5.5	6
51	Staggered band offset induced high performance opto-electronic devices: Atomically thin vertically stacked GaSe-SnS2 van der Waals p-n heterostructures. <i>Applied Surface Science</i> , <b>2021</b> , 535, 147480	6.7	6
50	Tailoring the Co/Co active sites in a single perovskite as a bifunctional catalyst for the oxygen electrode reactions. <i>Dalton Transactions</i> , <b>2021</b> , 50, 7212-7222	4.3	6
49	High unsaturated room-temperature magnetoresistance in phase-engineered MoxW1⊠Te2+□ ultrathin films. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 10996-11004	7.1	5

48	Surface Instability and Chemical Reactivity of ZrSiS and ZrSiSe Nodal-Line Semimetals. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900438	15.6	5
47	Flexible and free-standing polyvinyl alcohol-reduced graphene oxide-Cu2O/CuO thin films for electrochemical reduction of carbon dioxide. <i>Journal of Applied Electrochemistry</i> , <b>2020</b> , 50, 979-991	2.6	5
46	Superposition of semiconductor and semi-metal properties of self-assembled 2D SnTiS3 heterostructures. <i>Npj 2D Materials and Applications</i> , <b>2020</b> , 4,	8.8	5
45	Influence of GeP precipitates on the thermoelectric properties of P-type GeTe and Ge0.9NPxSb0.1Te compounds. <i>CrystEngComm</i> , <b>2018</b> , 20, 6449-6457	3.3	5
44	Repurposing INCI-registered compounds as skin prebiotics for probiotic Staphylococcus epidermidis against UV-B. <i>Scientific Reports</i> , <b>2020</b> , 10, 21585	4.9	4
43	Chemical tuning of magnetic anisotropy and correlations in Ni1NFexPS3. <i>Physical Review B</i> , <b>2021</b> , 104,	3.3	4
42	Quasiparticle Scattering in the Rashba Semiconductor BiTeBr: The Roles of Spin and Defect Lattice Site. <i>ACS Nano</i> , <b>2016</b> , 10, 9361-9369	16.7	4
41	Crystal growth and transport properties of Weyl semimetal TaAs. <i>Journal of Physics Condensed Matter</i> , <b>2018</b> , 30, 015803	1.8	4
40	Observation of surface superstructure induced by systematic vacancies in the topological Dirac semimetal Cd3As2. <i>Physical Review B</i> , <b>2017</b> , 95,	3.3	3
39	Nickel-Based Hybrid Material for Electrochemical Oxygen Redox Reactions in an Alkaline Medium. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 6408-6415	6.1	3
38	Large magnetoresistance and charge transfer between the conduction and magnetic electrons in layered oxyselenide BiOCu(0.96)Se. <i>Dalton Transactions</i> , <b>2013</b> , 42, 15581-90	4.3	3
37	Improved Oxygen Redox Activity by High-Valent Fe and Co3+ Sites in the Perovskite LaNi1⊠Fe0.5xCo0.5xO3. <i>ACS Applied Energy Materials</i> , <b>2022</b> , 5, 343-354	6.1	3
36	Electrosynthesis of carbon aerogel-modified AuNPs@quercetin via an environmentally benign method for hydrazine (HZ) and hydroxylamine (HA) detection. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 586-5	5 <del>3</del> .6	3
35	Carbon-supported cobalt (III) complex for direct reduction of oxygen in alkaline medium. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 24738-24748	6.7	3
34	Engineering an Indium Selenide van der Waals Interface for Multilevel Charge Storage. <i>ACS Applied Materials &amp; District Materials &amp; Dis</i>	9.5	3
33	Anisotropy in the magnetic interaction and lattice-orbital coupling of single crystal NiTeO. <i>Scientific Reports</i> , <b>2018</b> , 8, 15779	4.9	3
32	Magnetic properties of honeycomb spin lattice compounds Na2M2TeO6 (MŒCo, Ni) and spin dimer compound Na2Cu2TeO6 single crystals by flux-growth. <i>Journal of Materials Research and Technology</i> , <b>2021</b> , 14, 1601-1608	5.5	3
31	Stable Formamidinium-Based Centimeter Long Two-Dimensional Lead Halide Perovskite Single-Crystal for Long-Live Optoelectronic Applications. <i>Advanced Functional Materials</i> ,2112277	15.6	3

30	A chitosan grafted mesoporous carbon aerogel for ultra-sensitive voltammetric determination of isoniazid. <i>Mikrochimica Acta</i> , <b>2019</b> , 186, 419	5.8	2
29	Two-dimensional transport and strong spin <b>b</b> rbit interaction in SrMnSb 2. <i>Chinese Physics B</i> , <b>2018</b> , 27, 017504	1.2	2
28	Magnetic-Field Tunable Negative Thermal Expansion in Layered Oxyselenide BiOCuSe. <i>Journal of the Physical Society of Japan</i> , <b>2013</b> , 82, 094705	1.5	2
27	Selenium nanoparticle prepared by femtosecond laser-induced plasma shock wave. <i>Optics Express</i> , <b>2020</b> , 28, 685-694	3.3	2
26	Multilayer GaSe/InSe Heterointerface-Based Devices for Charge Transport and Optoelectronics. <i>ACS Applied Nano Materials</i> , <b>2020</b> , 3, 11769-11776	5.6	2
25	Thin film LiV3O8 nanorod formation through Pulsed Laser Deposition and the effect of heat treatment. <i>Vacuum</i> , <b>2020</b> , 182, 109722	3.7	2
24	Anisotropic Magnetic Properties of Nonsymmorphic Semimetallic Single Crystal NdSbTe. <i>Crystal Growth and Design</i> , <b>2020</b> , 20, 6585-6591	3.5	2
23	Switching of the electron-phonon interaction in 1TNSe2 assisted by hot carriers. <i>Physical Review B</i> , <b>2021</b> , 103,	3.3	2
22	Assessing the stability of Cd3As2 Dirac semimetal in humid environments: the influence of defects, steps and surface oxidation. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 1235-1244	7.1	2
21	Femtosecond time-evolution of mid-infrared spectral line shapes of Dirac fermions in topological insulators. <i>Scientific Reports</i> , <b>2020</b> , 10, 9803	4.9	1
20	Enhanced Thermoelectric Performance via Oxygen Manipulation in BiCuTeO. <i>MRS Advances</i> , <b>2019</b> , 4, 499-505	0.7	1
19	Direct Interplay between Superconductivity and Ferromagnetism in Fe1+y(Te0.5Se0.5). <i>Journal of the Physical Society of Japan</i> , <b>2014</b> , 83, 074709	1.5	1
18	Development of a ferromagnetic component in the superconducting state of Fe-excess Fe1.12Te(1-x)Sex by electronic charge redistribution. <i>Scientific Reports</i> , <b>2015</b> , 5, 10951	4.9	1
17	Interplay between the Crystalline and Magnetic Structures in BiOCu0.94S. <i>Journal of the Physical Society of Japan</i> , <b>2011</b> , 80, SB011	1.5	1
16	Segmented Highly Reversible Thermochromic Layered Perovskite [(CH2)2(NH3)2]CuCl4 Crystal Coupled with an Inverse Magnetocaloric Effect. <i>ACS Applied Electronic Materials</i> , <b>2022</b> , 4, 521-530	4	1
15	Influence Na in GeTe for thermoelectric applications. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 4332-4335	5 1.4	1
14	Electron-electron interactions in the two-dimensional semiconductor InSe. <i>Physical Review B</i> , <b>2020</b> , 102,	3.3	1
13	Revealing the Quasi-Periodic Crystallographic Structure of Self-Assembled SnTiS3 Misfit Compound. <i>Journal of Physical Chemistry C</i> , <b>2021</b> , 125, 9956-9964	3.8	1

## LIST OF PUBLICATIONS

12	inverted CoFe2O4 in multiferroic-ferrimagnetic BiFeO3-CoFe2O4 nanopillar thin films. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2021</b> , 530, 167940	2.8	1
11	Pressure-Induced Excitations in the Out-of-Plane Optical Response of the Nodal-Line Semimetal ZrSiS. <i>Physical Review Letters</i> , <b>2021</b> , 127, 076402	7.4	1
10	Silicon-based two-dimensional chalcogenide of p-type semiconducting silicon telluride nanosheets for ultrahigh sensitive photodetector applications. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 10478-1046	8 <b>7</b> 61	1
9	Water-assisted spin-flop antiferromagnetic behaviour of hydrophobic Cu-based metal-organic frameworks. <i>Dalton Transactions</i> , <b>2021</b> , 50, 5754-5758	4.3	1
8	Magnetotransport in hybrid InSe/monolayer graphene on SiC. <i>Nanotechnology</i> , <b>2021</b> , 32, 155704	3.4	1
7	Fe-excess Ions as Electronic Charge Suppliers for Zero Thermal Expansion in the Normal State of Fe1.16Te0.6Se0.4. <i>Journal of the Physical Society of Japan</i> , <b>2015</b> , 84, 094713	1.5	O
6	Achieving synergistic performance through highly compacted microcrystalline rods induced in Mo doped GeTe based compounds. <i>Materials Today Physics</i> , <b>2021</b> , 100571	8	0
5	Internal and External Pressure Effects on Superconductivity in FeTexSe1-x (x = 0.46, 0.54) Single Crystals. <i>Journal of Superconductivity and Novel Magnetism</i> , <b>2021</b> , 34, 725-731	1.5	O
4	Anisotropic transport in a possible quasi-one-dimensional topological candidate: TaNi2Te3. <i>Tungsten</i> ,1	4.6	O
3	Energy Barrier at Indium/Indium Selenide Nanosheet Interfaces: Implications of Metal-to-Insulator Transition for Field-Effect Transistor Modeling. <i>ACS Applied Nano Materials</i> , <b>2022</b> , 5, 1911-1916	5.6	О
2	Direct investigation of the reorientational dynamics of A-site cations in 2D organic-inorganic hybrid perovskite by solid-state NMR <i>Nature Communications</i> , <b>2022</b> , 13, 1513	17.4	О
1	Two-Dimensional Layered NiLiP2S6 Crystals as an Efficient Bifunctional Electrocatalyst for Overall Water Splitting. <i>Catalysts</i> , <b>2021</b> , 11, 786	4	