

# Hinanit Koltai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8530480/publications.pdf>

Version: 2024-02-01

106  
papers

5,779  
citations

66234

42  
h-index

79541

73  
g-index

108  
all docs

108  
docs citations

108  
times ranked

5981  
citing authors

#	ARTICLE	IF	CITATIONS
1	Strigolactones affect lateral root formation and root-hair elongation in Arabidopsis. <i>Planta</i> , 2011, 233, 209-216.	1.6	452
2	Diverse Roles of Strigolactones in Plant Development. <i>Molecular Plant</i> , 2013, 6, 18-28.	3.9	323
3	Plant derived substances with anti-cancer activity: from folklore to practice. <i>Frontiers in Plant Science</i> , 2015, 6, 799.	1.7	293
4	Strigolactones are regulators of root development. <i>New Phytologist</i> , 2011, 190, 545-549.	3.5	199
5	Strigolactones interact with ethylene and auxin in regulating root-hair elongation in Arabidopsis. <i>Journal of Experimental Botany</i> , 2011, 62, 2915-2924.	2.4	195
6	Strigolactones Are Involved in Root Response to Low Phosphate Conditions in Arabidopsis. <i>Plant Physiology</i> , 2012, 160, 1329-1341.	2.3	191
7	Strigolactones <sup>TM</sup> Effect on Root Growth and Root-Hair Elongation May Be Mediated by Auxin-Efflux Carriers. <i>Journal of Plant Growth Regulation</i> , 2010, 29, 129-136.	2.8	166
8	Transcriptional Profiling of <i>high pigment-2</i> Tomato Mutant Links Early Fruit Plastid Biogenesis with Its Overproduction of Phytonutrients. <i>Plant Physiology</i> , 2007, 145, 389-401.	2.3	154
9	New strategies for the control of plant-parasitic nematodes. <i>Pest Management Science</i> , 2000, 56, 983-988.	1.7	146
10	An LEA group 3 family member is involved in survival of <i>C. elegans</i> during exposure to stress. <i>FEBS Letters</i> , 2004, 577, 21-26.	1.3	137
11	A tomato strigolactone-impaired mutant displays aberrant shoot morphology and plant interactions. <i>Journal of Experimental Botany</i> , 2010, 61, 1739-1749.	2.4	134
12	Strigolactone Involvement in Root Development, Response to Abiotic Stress, and Interactions with the Biotic Soil Environment. <i>Plant Physiology</i> , 2014, 166, 560-569.	2.3	123
13	The "Entourage Effect": Terpenes Coupled with Cannabinoids for the Treatment of Mood Disorders and Anxiety Disorders. <i>Current Neuropharmacology</i> , 2020, 18, 87-96.	1.4	117
14	The synthetic strigolactone GR24 influences the growth pattern of phytopathogenic fungi. <i>Planta</i> , 2011, 234, 419-427.	1.6	103
15	Overlapping Plant Signal Transduction Pathways Induced by a Parasitic Nematode and a Rhizobial Endosymbiont. <i>Molecular Plant-Microbe Interactions</i> , 2001, 14, 1168-1177.	1.4	101
16	Strigolactones are positive regulators of light-harvesting genes in tomato. <i>Journal of Experimental Botany</i> , 2010, 61, 3129-3136.	2.4	100
17	Cross-species microarray hybridizations: a developing tool for studying species diversity. <i>Trends in Genetics</i> , 2007, 23, 200-207.	2.9	98
18	Distinct and conserved transcriptomic changes during nematode-induced giant cell development in tomato compared with Arabidopsis: a functional role for gene repression. <i>New Phytologist</i> , 2013, 197, 1276-1290.	3.5	98

#	ARTICLE	IF	CITATIONS
19	Cannabis compounds exhibit anti-inflammatory activity in vitro in COVID-19-related inflammation in lung epithelial cells and pro-inflammatory activity in macrophages. <i>Scientific Reports</i> , 2021, 11, 1462.	1.6	94
20	A broad characterization of the transcriptional profile of the compatible tomato response to the plant parasitic root knot nematode <i>Meloidogyne javanica</i> . <i>European Journal of Plant Pathology</i> , 2005, 111, 181-192.	0.8	90
21	Plant Parasitic Nematodes: Habitats, Hormones, and Horizontally-Acquired Genes. <i>Journal of Plant Growth Regulation</i> , 2000, 19, 183-194.	2.8	83
22	Variation in the compositions of cannabinoid and terpenoids in <i>Cannabis sativa</i> derived from inflorescence position along the stem and extraction methods. <i>Industrial Crops and Products</i> , 2018, 113, 376-382.	2.5	81
23	High Throughput Cellular Localization of Specific Plant mRNAs by Liquid-Phase in Situ Reverse Transcription-Polymerase Chain Reaction of Tissue Sections. <i>Plant Physiology</i> , 2000, 123, 1203-1212.	2.3	73
24	Terpenoids and Phytocannabinoids Co-Produced in <i>Cannabis Sativa</i> Strains Show Specific Interaction for Cell Cytotoxic Activity. <i>Molecules</i> , 2019, 24, 3031.	1.7	71
25	Expression of a plant expansin is involved in the establishment of root knot nematode parasitism in tomato. <i>Planta</i> , 2006, 224, 155-162.	1.6	70
26	Specificity of DNA microarray hybridization: characterization, effectors and approaches for data correction. <i>Nucleic Acids Research</i> , 2008, 36, 2395-2405.	6.5	68
27	Anti-Inflammatory Activity in Colon Models Is Derived from $\delta^9$ -Tetrahydrocannabinolic Acid That Interacts with Additional Compounds in <i>Cannabis</i> Extracts. <i>Cannabis and Cannabinoid Research</i> , 2017, 2, 167-182.	1.5	68
28	Strigolactone signaling in the endodermis is sufficient to restore root responses and involves <i>SHORT HYPOCOTYL 2 (SHY2)</i> activity. <i>New Phytologist</i> , 2013, 198, 866-874.	3.5	65
29	Strigolactone analog <i>GR24</i> triggers changes in <i>PIN2</i> polarity, vesicle trafficking and actin filament architecture. <i>New Phytologist</i> , 2014, 202, 1184-1196.	3.5	64
30	Epistatic repression of <i>PHANTASTICA</i> and class 1 <i>KNOTTED</i> genes is uncoupled in tomato. <i>Plant Journal</i> , 2000, 22, 455-459.	2.8	63
31	Identification of Synergistic Interaction Between Cannabis-Derived Compounds for Cytotoxic Activity in Colorectal Cancer Cell Lines and Colon Polyps That Induces Apoptosis-Related Cell Death and Distinct Gene Expression. <i>Cannabis and Cannabinoid Research</i> , 2018, 3, 120-135.	1.5	60
32	Strigolactone analogues induce apoptosis through activation of p38 and the stress response pathway in cancer cell lines and in conditionally reprogrammed primary prostate cancer cells. <i>Oncotarget</i> , 2014, 5, 1683-1698.	0.8	59
33	Cellular events of strigolactone signalling and their crosstalk with auxin in roots: Fig. 1.. <i>Journal of Experimental Botany</i> , 2015, 66, 4855-4861.	2.4	58
34	DIFFERENTIAL GENE EXPRESSION DURING DESICCATION STRESS IN THE INSECT-KILLING NEMATODE <i>STEINERNEMA FELTIAE</i> IS-6. <i>Journal of Parasitology</i> , 2003, 89, 761-766.	0.3	57
35	Cannabis Phytomolecule 'Entourage': From Domestication to Medical Use. <i>Trends in Plant Science</i> , 2020, 25, 976-984.	4.3	57
36	Expression of endo-1,4- $\beta$ -glucanase ( <i>cel1</i> ) in <i>Arabidopsis thaliana</i> is associated with plant growth, xylem development and cell wall thickening. <i>Plant Cell Reports</i> , 2006, 25, 1067-1074.	2.8	53

#	ARTICLE	IF	CITATIONS
37	Receptors, repressors, PINs: a playground for strigolactone signaling. <i>Trends in Plant Science</i> , 2014, 19, 727-733.	4.3	52
38	Microarray analysis and functional tests suggest the involvement of expansins in the early stages of symbiosis of the arbuscular mycorrhizal fungus <i>Glomus intraradices</i> on tomato ( <i>Solanum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.5	10
39	Strigolactones: a novel class of phytohormones that inhibit the growth and survival of breast cancer cells and breast cancer stem-like enriched mammosphere cells. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1041-1055.	1.1	50
40	LED lighting affects the composition and biological activity of <i>Cannabis sativa</i> secondary metabolites. <i>Industrial Crops and Products</i> , 2019, 132, 177-185.	2.5	48
41	Characterization of a novel tomato mutant resistant to the weedy parasites <i>Orobanche</i> and <i>Phelipanche</i> spp.. <i>Euphytica</i> , 2010, 171, 371-380.	0.6	47
42	Strigolactone Deficiency Confers Resistance in Tomato Line <i>SL-ORT1</i> to the Parasitic Weeds <i>Phelipanche</i> and <i>Orobanche</i> spp.. <i>Phytopathology</i> , 2011, 101, 213-222.	1.1	46
43	Light is a positive regulator of strigolactone levels in tomato roots. <i>Journal of Plant Physiology</i> , 2011, 168, 1993-1996.	1.6	46
44	Strigolactones activate different hormonal pathways for regulation of root development in response to phosphate growth conditions. <i>Annals of Botany</i> , 2013, 112, 409-415.	1.4	44
45	<i>Arabidopsis</i> response to low-phosphate conditions includes active changes in actin filaments and PIN2 polarization and is dependent on strigolactone signalling. <i>Journal of Experimental Botany</i> , 2015, 66, 1499-1510.	2.4	42
46	Structure-Function Relations of Strigolactone Analogs: Activity as Plant Hormones and Plant Interactions. <i>Molecular Plant</i> , 2013, 6, 141-152.	3.9	40
47	Derivation of species-specific hybridization-like knowledge out of cross-species hybridization results. <i>BMC Genomics</i> , 2006, 7, 110.	1.2	39
48	A humic substances product extracted from biochar reduces <i>Arabidopsis</i> root hair density and length under P-sufficient and P-starvation conditions. <i>Plant and Soil</i> , 2015, 395, 21-30.	1.8	39
49	Glutathione/pH-responsive nanosponges enhance strigolactone delivery to prostate cancer cells. <i>Oncotarget</i> , 2018, 9, 35813-35829.	0.8	36
50	Cannabis-Derived Compounds Cannabichromene and $\delta^9$ -Tetrahydrocannabinol Interact and Exhibit Cytotoxic Activity against Urothelial Cell Carcinoma Correlated with Inhibition of Cell Migration and Cytoskeleton Organization. <i>Molecules</i> , 2021, 26, 465.	1.7	36
51	Alterations in the Levels of Glycogen and Glycogen Synthase Transcripts During Desiccation in the Insect-Killing Nematode <i>Steinernema Feltiae</i> IS-6. <i>Journal of Parasitology</i> , 2001, 87, 725-732.	0.3	33
52	Strigolactone analogs act as new anti-cancer agents in inhibition of breast cancer in xenograft model. <i>Cancer Biology and Therapy</i> , 2015, 16, 1682-1688.	1.5	33
53	Strigolactone signaling in root development and phosphate starvation. <i>Plant Signaling and Behavior</i> , 2015, 10, e1045174.	1.2	32
54	Analogs of the novel phytohormone, strigolactone, trigger apoptosis and synergize with PARP inhibitors by inducing DNA damage and inhibiting DNA repair. <i>Oncotarget</i> , 2016, 7, 13984-14001.	0.8	30

#	ARTICLE	IF	CITATIONS
55	Metabolic networking in <i>Brunfelsia calycina</i> petals after flower opening. <i>Journal of Experimental Botany</i> , 2010, 61, 1393-1403.	2.4	29
56	Strigolactones as mediators of plant growth responses to environmental conditions. <i>Plant Signaling and Behavior</i> , 2011, 6, 37-41.	1.2	29
57	Structure-Activity Relationship of Cannabis Derived Compounds for the Treatment of Neuronal Activity-Related Diseases. <i>Molecules</i> , 2018, 23, 1526.	1.7	29
58	Implications of non-specific strigolactone signaling in the rhizosphere. <i>Plant Science</i> , 2014, 225, 9-14.	1.7	28
59	Synergistic cytotoxic activity of cannabinoids from <i>cannabis sativa</i> against cutaneous T-cell lymphoma (CTCL) <i>in-vitro</i> and <i>ex-vivo</i> . <i>Oncotarget</i> , 2020, 11, 1141-1156.	0.8	28
60	Transcriptional profiling of <i>Arabidopsis thaliana</i> plants' response to low relative humidity suggests a shoot-root communication. <i>Plant Science</i> , 2009, 177, 450-459.	1.7	25
61	Fine-tuning by strigolactones of root response to low phosphate. <i>Journal of Integrative Plant Biology</i> , 2016, 58, 203-212.	4.1	25
62	Promoting cannabis products to pharmaceutical drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2019, 132, 118-120.	1.9	25
63	Molecular characterisation of the recovery process in the entomopathogenic nematode <i>Heterorhabditis bacteriophora</i> . <i>International Journal for Parasitology</i> , 2013, 43, 843-852.	1.3	24
64	Stereochemical Assignment of Strigolactone Analogues Confirms Their Selective Biological Activity. <i>Journal of Natural Products</i> , 2015, 78, 2624-2633.	1.5	24
65	Antiinflammatory Potential of Medicinal Plants: A Source for Therapeutic Secondary Metabolites. <i>Advances in Agronomy</i> , 2018, , 131-183.	2.4	23
66	Expression of different desiccation-tolerance related genes in various species of entomopathogenic nematodes. <i>Molecular and Biochemical Parasitology</i> , 2008, 158, 65-71.	0.5	22
67	The first isolated collagen gene of the root-knot nematode <i>Meloidogyne javanica</i> is developmentally regulated. <i>Gene</i> , 1997, 196, 191-199.	1.0	20
68	Chronological Review and Rational and Future Prospects of Cannabis-Based Drug Development. <i>Molecules</i> , 2020, 25, 4821.	1.7	20
69	Expressing yeast <i>SAMdc</i> gene confers broad changes in gene expression and alters fatty acid composition in tomato fruit. <i>Physiologia Plantarum</i> , 2011, 142, 211-223.	2.6	19
70	Attraction of entomopathogenic nematodes <i>Steinernema carpocapsae</i> and <i>Heterorhabditis bacteriophora</i> to the red palm weevil ( <i>Rhynchophorus ferrugineus</i> ). <i>Biological Control</i> , 2015, 83, 75-81.	1.4	19
71	Mycorrhiza in floriculture: difficulties and opportunities. <i>Symbiosis</i> , 2010, 52, 55-63.	1.2	16
72	Influx and Efflux of Strigolactones Are Actively Regulated and Involve the Cell-Trafficking System. <i>Molecular Plant</i> , 2015, 8, 1809-1812.	3.9	16

#	ARTICLE	IF	CITATIONS
73	Strigolactones and the Coordinated Development of Shoot and Root. Signaling and Communication in Plants, 2013, , 189-204.	0.5	15
74	Specific Compositions of Cannabis sativa Compounds Have Cytotoxic Activity and Inhibit Motility and Colony Formation of Human Glioblastoma Cells In Vitro. Cancers, 2021, 13, 1720.	1.7	15
75	Medical Cannabis Activity Against Inflammation: Active Compounds and Modes of Action. Frontiers in Pharmacology, 2022, 13, .	1.6	15
76	Stressed worms: Responding to the post-genomics era. Molecular and Biochemical Parasitology, 2005, 143, 1-5.	0.5	14
77	Transcriptome analysis of stress tolerance in entomopathogenic nematodes of the genus Steinernema. International Journal for Parasitology, 2016, 46, 83-95.	1.3	14
78	Cannabis Biomolecule Effects on Cancer Cells and Cancer Stem Cells: Cytotoxic, Anti-Proliferative, and Anti-Migratory Activities. Biomolecules, 2022, 12, 491.	1.8	14
79	Expression of MAX2 under SCARECROW promoter enhances the strigolactone/MAX2 dependent response of Arabidopsis roots to low-phosphate conditions. Planta, 2016, 243, 1419-1427.	1.6	13
80	Review on Anti-Cancer Activity in Wild Plants of the Middle East. Current Medicinal Chemistry, 2018, 25, 4656-4670.	1.2	13
81	Agricultural Genomics: An Approach to Plant Protection. European Journal of Plant Pathology, 2003, 109, 101-108.	0.8	11
82	Unveiling Signaling Events in Root Responses to Strigolactone. Molecular Plant, 2013, 6, 589-591.	3.9	11
83	Strigolactones in Root Exudates as a Signal in Symbiotic and Parasitic Interactions. Signaling and Communication in Plants, 2012, , 49-73.	0.5	10
84	Utilizing microarray spot characteristics to improve cross-species hybridization results. Genomics, 2007, 90, 636-645.	1.3	9
85	Strigolactones' ability to regulate root development may be executed by induction of the ethylene pathway. Plant Signaling and Behavior, 2011, 6, 1004-1005.	1.2	9
86	The role of pre-symbiotic auxin signaling in ectendomycorrhiza formation between the desert truffle Terfezia boudieri and Helianthemum sessiliflorum. Mycorrhiza, 2016, 26, 287-297.	1.3	9
87	Assessment of the Nutritional and Medicinal Potential of Tubers from Hairy Storkâ€™s-Bill (Erodium) Tj ETQq1 1 0.784314 rgBT /Overlo 2020, 9, 1069.	1.6	8
88	Strigolactones: Phytohormones with Promising Biomedical Applications. European Journal of Organic Chemistry, 2021, 2021, 4019-4026.	1.2	8
89	Medical Cannabis for the Treatment of Inflammation. Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	7
90	Cellular localization of Peach latent mosaic viroid in peach sections by liquid phase RTâ€PCR. Plant Pathology, 2011, 60, 468-473.	1.2	6

#	ARTICLE	IF	CITATIONS
91	Strigolactones: Biosynthesis, Synthesis and Functions in Plant Growth and Stress Responses. , 2014, , 265-288.		6
92	Strigolactones: past, present and future. <i>Planta</i> , 2016, 243, 1309-1309.	1.6	6
93	Regulated use of an alternative spliced leader exon in the plant parasitic nematode <i>Meloidogyne javanica</i> 1Note: Nucleotide sequences reported in this paper have been deposited in Genbank with accession numbers U78985â€“U79007.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 86, 107-110.	0.5	5
94	Isolation of a Novel Collagen Gene (MJ-COL-5) in <i>Meloidogyne Javanica</i> and Analysis of its Expression Pattern. <i>Journal of Parasitology</i> , 2001, 87, 801-807.	0.3	5
95	<i>Calotropis procera</i> , Apple of Sodom. <i>Israel Journal of Plant Sciences</i> , 2018, 65, 55-61.	0.3	5
96	Arbuscular Mycorrhizal Symbiosis Under Stress Conditions: Benefits and Costs. Cellular Origin and Life in Extreme Habitats, 2010, , 339-356.	0.3	5
97	Recovery and sequence validation of the histological signal following in situ RT-PCR localization of plant gene transcripts. <i>Plant Molecular Biology Reporter</i> , 2002, 20, 391-397.	1.0	3
98	Effects of steam sterilization on reduction of fungal colony forming units, cannabinoids and terpene levels in medical cannabis inflorescences. <i>Scientific Reports</i> , 2021, 11, 13973.	1.6	3
99	Abstract 1777: The characterization of the effects of the strigolactones on the heat shock response. <i>Cancer Research</i> , 2015, 75, 1777-1777.	0.4	2
100	Strigolactones Involvement in Root Development and Communications. <i>Soil Biology</i> , 2014, , 203-219.	0.6	1
101	Root-Nematode Interactions. , 2002, , 933-947.		1
102	Effect of Arbuscular Mycorrhizal Symbiosis on Enhancement of Tolerance to Abiotic Stresses. <i>Mycology</i> , 2009, , .	0.5	1
103	Alterations in the Levels of Glycogen and Glycogen Synthase Transcripts during Desiccation in the Insect-Killing Nematode <i>Steinernema feltiae</i> IS-6. <i>Journal of Parasitology</i> , 2001, 87, 725.	0.3	0
104	PREFACE special volume devoted to the COST870 meeting â€“The Potential of Exploiting Mycorrhizal Associations in Semi-Arid Regionsâ€™. <i>Symbiosis</i> , 2010, 52, 51-53.	1.2	0
105	Plants with Phytomolecules Recognized by Receptors in the Central Nervous System. , 2021, , 269-291.		0
106	First Steps to Domesticate Hairy Storkâ€™s-Bill ( <i>Erodium crassifolium</i> ) as a Commercial Pharmaceutical Crop for Arid Regions. <i>Agronomy</i> , 2021, 11, 1715.	1.3	0