

# Danni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8530679/publications.pdf>

Version: 2024-02-01

19  
papers

410  
citations

933264

10  
h-index

839398

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

935  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intracerebral hemorrhage location and outcome among INTERACT2 participants. <i>Neurology</i> , 2017, 88, 1408-1414.	1.5	101
2	Ambient Temperature and Stroke Occurrence: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 698.	1.2	55
3	Monocyte to HDL cholesterol ratio is associated with discharge and 3-month outcome in patients with acute intracerebral hemorrhage. <i>Journal of the Neurological Sciences</i> , 2017, 372, 157-161.	0.3	50
4	Estimated GFR and the Effect of Intensive Blood Pressure Lowering After Acute Intracerebral Hemorrhage. <i>American Journal of Kidney Diseases</i> , 2016, 68, 94-102.	2.1	31
5	Air Pressure, Humidity and Stroke Occurrence: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 675.	1.2	29
6	Admission Heart Rate Predicts Poor Outcomes in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2016, 47, 1479-1485.	1.0	26
7	Self-reported Snoring Patterns Predict Stroke Events in High-Risk Patients With OSA. <i>Chest</i> , 2020, 158, 2146-2154.	0.4	21
8	Low Prognostic Value of Novel Nocturnal Metrics in Patients With OSA and High Cardiovascular Event Risk. <i>Chest</i> , 2020, 158, 2621-2631.	0.4	18
9	Ambient Temperature and Volume of Perihematomal Edema in Acute Intracerebral Haemorrhage: The INTERACT1 Study. <i>International Journal of Stroke</i> , 2015, 10, 25-27.	2.9	13
10	Comparison of ABC Methods with Computerized Estimates of Intracerebral Hemorrhage Volume: The INTERACT2 Study. <i>Cerebrovascular Diseases Extra</i> , 2020, 9, 148-154.	0.5	12
11	Predictive value of monocyte to HDL cholesterol ratio for stroke-associated pneumonia in patients with acute ischemic stroke. <i>Acta Neurologica Belgica</i> , 2021, 121, 1575-1581.	0.5	12
12	Sex differences in clinical characteristics and 1-year outcomes of young ischemic stroke patients in East China. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 33-38.	0.9	8
13	Potentially inappropriate benzodiazepine use in Australian adults: A population-based study (2014-2017). <i>Drug and Alcohol Review</i> , 2020, 39, 575-582.	1.1	8
14	Resting Heart Rate and In-Hospital Mortality in Acute Ischemic Stroke Patients With and Without Atrial Fibrillation. <i>Circulation Journal</i> , 2020, 84, 656-661.	0.7	7
15	Ambient Temperature and Severity of Intracerebral Haemorrhage: The INTERACT1 Study. <i>Neuroepidemiology</i> , 2014, 42, 169-173.	1.1	5
16	Diffusion-weighted MRI in solitary pulmonary lesions: associations between apparent diffusion coefficient and multiple histopathological parameters. <i>Scientific Reports</i> , 2018, 8, 11248.	1.6	5
17	Prognostic significance of early pyrexia in acute intracerebral haemorrhage: The INTERACT2 study. <i>Journal of the Neurological Sciences</i> , 2021, 423, 117364.	0.3	5
18	Elevated Total Homocysteine Predicts In-Hospital Pneumonia and Poor Functional Outcomes in Acute Ischemic Stroke. <i>Current Neurovascular Research</i> , 2021, 17, 745-753.	0.4	4

#	ARTICLE	IF	CITATIONS
19	Anticipating the effects of restricting high-dose preparations of strong opioids in Australia: A population-based analysis to inform the current policy debate. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 521-527.	0.9	0