

Gera Neufeld

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8531064/gera-neufeld-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

13,946
citations

47
h-index

78
g-index

78
ext. papers

14,797
ext. citations

7.8
avg, IF

5.97
L-index

#	Paper	IF	Citations
76	Lysyl Oxidase Family Enzymes and Their Role in Tumor Progression. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6249	6.3	0
75	Heparanase 2 (Hpa2) attenuates tumor growth by inducing Sox2 expression. <i>Matrix Biology</i> , 2021 , 99, 58-71	11.4	3
74	Semaphorin 3A Is Effective in Reducing Both Inflammation and Angiogenesis in a Mouse Model of Bronchial Asthma. <i>Frontiers in Immunology</i> , 2019 , 10, 550	8.4	12
73	Class-3 Semaphorins and Their Receptors: Potent Multifunctional Modulators of Tumor Progression. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	31
72	LOXL2 Upregulates Phosphorylation of Ezrin to Promote Cytoskeletal Reorganization and Tumor Cell Invasion. <i>Cancer Research</i> , 2019 , 79, 4951-4964	10.1	17
71	Complexes of plexin-A4 and plexin-D1 convey semaphorin-3C signals to induce cytoskeletal collapse in the absence of neuropilins. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	8
70	Semaphorin3A: A Potential Therapeutic Tool for Lupus Nephritis. <i>Frontiers in Immunology</i> , 2018 , 9, 634	8.4	8
69	Semaphorin-3A inhibits multiple myeloma progression in a mouse model. <i>Carcinogenesis</i> , 2018 , 39, 1283-1291	12.91	12
68	A three-gene signature from protein-protein interaction network of LOXL2- and actin-related proteins for esophageal squamous cell carcinoma prognosis. <i>Cancer Medicine</i> , 2017 , 6, 1707-1719	4.8	19
67	The role of the semaphorins in cancer. <i>Cell Adhesion and Migration</i> , 2016 , 10, 652-674	3.2	59
66	The semaphorins and their receptors as modulators of tumor progression. <i>Drug Resistance Updates</i> , 2016 , 29, 1-12	23.2	40
65	Localized LoxL3-Dependent Fibronectin Oxidation Regulates Myofiber Stretch and Integrin-Mediated Adhesion. <i>Developmental Cell</i> , 2016 , 36, 550-61	10.2	30
64	A Sema3C Mutant Resistant to Cleavage by Furin (FR-Sema3C) Inhibits Choroidal Neovascularization. <i>PLoS ONE</i> , 2016 , 11, e0168122	3.7	6
63	Dormant tumor cells expressing LOXL2 acquire a stem-like phenotype mediating their transition to proliferative growth. <i>Oncotarget</i> , 2016 , 7, 71362-71377	3.3	33
62	Heparanase 2 Attenuates Head and Neck Tumor Vascularity and Growth. <i>Cancer Research</i> , 2016 , 76, 2791-801	18.01	23
61	A SEMA3E mutant resistant to cleavage by furins (UNCL-SEMA3E) inhibits choroidal neovascularization. <i>Experimental Eye Research</i> , 2016 , 153, 186-194	3.7	4
60	Full-Length Semaphorin-3C Is an Inhibitor of Tumor Lymphangiogenesis and Metastasis. <i>Cancer Research</i> , 2015 , 75, 2177-86	10.1	56

59	Regulation of Angiogenesis and Tumor Progression by Semaphorins 2015 , 107-135		1
58	Electron spin resonance microscopic imaging of oxygen concentration in cancer spheroids. <i>Journal of Magnetic Resonance</i> , 2015 , 256, 77-85	3	17
57	The role of the plexin-A2 receptor in Sema3A and Sema3B signal transduction. <i>Journal of Cell Science</i> , 2014 , 127, 5240-52	5.3	26
56	Lysyl oxidase-like-2 promotes tumour angiogenesis and is a potential therapeutic target in angiogenic tumours. <i>Carcinogenesis</i> , 2013 , 34, 2370-9	4.6	50
55	An Asymmetric 3D In Vitro Assay for the Study of Tumor Cell Invasion. <i>Methods in Cell Biology</i> , 2012 , 112, 311-328	1.8	2
54	Tumour growth inhibition and anti-metastatic activity of a mutated furin-resistant Semaphorin 3E isoform. <i>EMBO Molecular Medicine</i> , 2012 , 4, 234-50	12	70
53	Neuropilin-1-dependent regulation of EGF-receptor signaling. <i>Cancer Research</i> , 2012 , 72, 5801-11	10.1	76
52	Integration of repulsive guidance cues generates avascular zones that shape mammalian blood vessels. <i>Circulation Research</i> , 2012 , 110, 34-46	15.7	47
51	Semaphorins in angiogenesis and tumor progression. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2, a006718	5.4	81
50	Semaphorin-3D and semaphorin-3E inhibit the development of tumors from glioblastoma cells implanted in the cortex of the brain. <i>PLoS ONE</i> , 2012 , 7, e42912	3.7	49
49	Plexin-A4 promotes tumor progression and tumor angiogenesis by enhancement of VEGF and bFGF signaling. <i>Blood</i> , 2011 , 118, 4285-96	2.2	90
48	Receptor activity modifying protein-3 mediates the protumorigenic activity of lysyl oxidase-like protein-2. <i>FASEB Journal</i> , 2011 , 25, 55-65	0.9	31
47	Allosteric inhibition of lysyl oxidase-like-2 impedes the development of a pathologic microenvironment. <i>Nature Medicine</i> , 2010 , 16, 1009-17	50.5	635
46	A novel asymmetric 3D in-vitro assay for the study of tumor cell invasion. <i>BMC Cancer</i> , 2009 , 9, 415	4.8	47
45	The semaphorins: versatile regulators of tumour progression and tumour angiogenesis. <i>Nature Reviews Cancer</i> , 2008 , 8, 632-45	31.3	320
44	Neuropilin-1-VEGFR-2 complexing requires the PDZ-binding domain of neuropilin-1. <i>Journal of Biological Chemistry</i> , 2008 , 283, 25110-25114	5.4	105
43	Semaphorin-3B is an angiogenesis inhibitor that is inactivated by furin-like pro-protein convertases. <i>Cancer Research</i> , 2008 , 68, 6922-31	10.1	99
42	Successful inhibition of tumor development by specific class-3 semaphorins is associated with expression of appropriate semaphorin receptors by tumor cells. <i>PLoS ONE</i> , 2008 , 3, e3287	3.7	100

41	The Role of the Neuropilins and Their Associated Plexin Receptors in Tumor Angiogenesis and Tumor Progression 2008 , 135-153		
40	Neuropilin-1 and neuropilin-2 enhance VEGF121 stimulated signal transduction by the VEGFR-2 receptor. <i>FASEB Journal</i> , 2007 , 21, 915-26	0.9	61
39	Semaphorin-3A and semaphorin-3F work together to repel endothelial cells and to inhibit their survival by induction of apoptosis. <i>Journal of Biological Chemistry</i> , 2007 , 282, 26294-305	5.4	168
38	Response to Binding of the C-terminal amino acids of VEGF121 directly with neuropilin-1 should be considered <i>FASEB Journal</i> , 2007 , 21, 1293-1293	0.9	1
37	Semaphorin signaling in vascular and tumor biology. <i>Advances in Experimental Medicine and Biology</i> , 2007 , 600, 118-31	3.6	38
36	Neuropilin-2 interacts with VEGFR-2 and VEGFR-3 and promotes human endothelial cell survival and migration. <i>Blood</i> , 2006 , 108, 1243-50	2.2	217
35	Functional interaction of VEGF-C and VEGF-D with neuropilin receptors. <i>FASEB Journal</i> , 2006 , 20, 1462-70	0.9	237
34	The neuropilins and their role in tumorigenesis and tumor progression. <i>Cancer Letters</i> , 2006 , 231, 1-11	9.9	129
33	Pro-angiogenic cytokines and their role in tumor angiogenesis. <i>Cancer and Metastasis Reviews</i> , 2006 , 25, 373-85	9.6	71
32	Abnormal deposition of collagen around hepatocytes in Wilson's disease is associated with hepatocyte specific expression of lysyl oxidase and lysyl oxidase like protein-2. <i>Journal of Hepatology</i> , 2005 , 43, 499-507	13.4	142
31	Segregation of arterial and venous markers in subpopulations of blood islands before vessel formation. <i>Developmental Dynamics</i> , 2005 , 232, 1047-55	2.9	51
30	Semaphorins in cancer. <i>Frontiers in Bioscience - Landmark</i> , 2005 , 10, 751-60	2.8	87
29	Aberrant expression of neuropilin-1 and -2 in human pancreatic cancer cells. <i>Clinical Cancer Research</i> , 2004 , 10, 581-90	12.9	82
28	Semaphorin-3F is an inhibitor of tumor angiogenesis. <i>Cancer Research</i> , 2004 , 64, 1008-15	10.1	195
27	VEGF162, a new heparin-binding vascular endothelial growth factor splice form that is expressed in transformed human cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 17164-9	5.4	42
26	Oncogenic transformation induces tumor angiogenesis: a role for PAR1 activation. <i>FASEB Journal</i> , 2003 , 17, 163-74	0.9	99
25	Lysyl oxidase-related protein-1 promotes tumor fibrosis and tumor progression in vivo. <i>Cancer Research</i> , 2003 , 63, 1657-66	10.1	133
24	The neuropilins: multifunctional semaphorin and VEGF receptors that modulate axon guidance and angiogenesis. <i>Trends in Cardiovascular Medicine</i> , 2002 , 12, 13-9	6.9	263

23	The interaction of Neuropilin-1 and Neuropilin-2 with tyrosine-kinase receptors for VEGF. <i>Advances in Experimental Medicine and Biology</i> , 2002 , 515, 81-90	3.6	127
22	Vascular endothelial growth factor receptor-1 and neuropilin-2 form complexes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 18688-94	5.4	102
21	Differential expression of neuropilin-1 and neuropilin-2 in arteries and veins. <i>Mechanisms of Development</i> , 2001 , 109, 115-9	1.7	213
20	The Contribution of Proangiogenic Factors to the Progression of Malignant Disease: Role of Vascular Endothelial Growth Factor and Its Receptors. <i>Surgical Oncology Clinics of North America</i> , 2001 , 10, 339-356	2.7	20
19	The VEGF splice variants: properties, receptors, and usage for the treatment of ischemic diseases. <i>Herz</i> , 2000 , 25, 126-9	2.6	43
18	Neuropilin-2 is a receptor for the vascular endothelial growth factor (VEGF) forms VEGF-145 and VEGF-165 [corrected]. <i>Journal of Biological Chemistry</i> , 2000 , 275, 18040-5	5.4	308
17	Vascular endothelial growth factor (VEGF) and its receptors. <i>FASEB Journal</i> , 1999 , 13, 9-22	0.9	2817
16	Vascular endothelial growth factor (VEGF) and its receptors. <i>FASEB Journal</i> , 1999 , 13, 9-22	0.9	823
15	Neuropilin-1 is expressed by endothelial and tumor cells as an isoform-specific receptor for vascular endothelial growth factor. <i>Cell</i> , 1998 , 92, 735-45	56.2	2045
14	Neuropilin-1 is a placenta growth factor-2 receptor. <i>Journal of Biological Chemistry</i> , 1998 , 273, 22272-8	5.4	253
13	VEGF145, a secreted vascular endothelial growth factor isoform that binds to extracellular matrix. <i>Journal of Biological Chemistry</i> , 1997 , 272, 7151-8	5.4	363
12	Selective binding of VEGF121 to one of the three vascular endothelial growth factor receptors of vascular endothelial cells. <i>Journal of Biological Chemistry</i> , 1996 , 271, 5519-23	5.4	157
11	Similarities and differences between the vascular endothelial growth factor (VEGF) splice variants. <i>Cancer and Metastasis Reviews</i> , 1996 , 15, 153-8	9.6	132
10	Characterization of novel vascular endothelial growth factor (VEGF) receptors on tumor cells that bind VEGF165 via its exon 7-encoded domain. <i>Journal of Biological Chemistry</i> , 1996 , 271, 5761-7	5.4	262
9	Interleukin 6 induces the expression of vascular endothelial growth factor. <i>Journal of Biological Chemistry</i> , 1996 , 271, 736-41	5.4	776
8	VEGF121, a vascular endothelial growth factor (VEGF) isoform lacking heparin binding ability, requires cell-surface heparan sulfates for efficient binding to the VEGF receptors of human melanoma cells. <i>Journal of Biological Chemistry</i> , 1995 , 270, 11322-6	5.4	187
7	Platelet factor-4 inhibits the mitogenic activity of VEGF121 and VEGF165 using several concurrent mechanisms. <i>Journal of Biological Chemistry</i> , 1995 , 270, 15059-65	5.4	166
6	Activation of a transfected FGFR-1 receptor in Madin-Darby epithelial cells results in a reversible loss of epithelial properties. <i>Journal of Cellular Physiology</i> , 1995 , 162, 266-76	7	10

5	High levels of biologically active vascular endothelial growth factor (VEGF) are produced by the baculovirus expression system. <i>Growth Factors</i> , 1992 , 7, 131-8	1.6	49
4	Release of cell surface-associated basic fibroblast growth factor by glycosylphosphatidylinositol-specific phospholipase C. <i>Journal of Cellular Physiology</i> , 1992 , 151, 126-37	7	43
3	Basic fibroblast growth factor accumulates in the nuclei of various bFGF-producing cell types. <i>Journal of Cellular Physiology</i> , 1990 , 145, 310-7	7	84
2	Identification of the fibroblast growth factor receptor in human vascular endothelial cells. <i>Journal of Cellular Physiology</i> , 1988 , 136, 537-42	7	64
1	Capillary endothelial cells express basic fibroblast growth factor, a mitogen that promotes their own growth. <i>Nature</i> , 1987 , 325, 257-9	50.4	678