

Joaquin Abian

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8532984/joaquin-abian-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

3,811
citations

34
h-index

56
g-index

134
ext. papers

4,221
ext. citations

4.7
avg, IF

4.84
L-index

#	Paper	IF	Citations
132	Complexes of iron with phenolic compounds from soybean nodules and other legume tissues: prooxidant and antioxidant properties. <i>Free Radical Biology and Medicine</i> , 1997 , 22, 861-70	7.8	259
131	Comparison of conventional, narrow-bore and capillary liquid chromatography/mass spectrometry for electrospray ionization mass spectrometry: practical considerations. <i>Journal of Mass Spectrometry</i> , 1999 , 34, 244-254	2.2	149
130	The defense response of germinating maize embryos against fungal infection: a proteomics approach. <i>Proteomics</i> , 2004 , 4, 383-96	4.8	137
129	Proteomics-based identification of novel <i>Candida albicans</i> antigens for diagnosis of systemic candidiasis in patients with underlying hematological malignancies. <i>Proteomics</i> , 2004 , 4, 3084-106	4.8	131
128	The biliverdin chromophore binds covalently to a conserved cysteine residue in the N-terminus of <i>Agrobacterium</i> phytochrome Agp1. <i>Biochemistry</i> , 2004 , 43, 3659-69	3.2	108
127	Preparation and Evaluation of Immunosorbents for Selective Trace Enrichment of Phenylurea and Triazine Herbicides in Environmental Waters. <i>Analytical Chemistry</i> , 1995 , 67, 2451-2460	7.8	105
126	General statistical framework for quantitative proteomics by stable isotope labeling. <i>Journal of Proteome Research</i> , 2014 , 13, 1234-47	5.6	100
125	Roles of hnRNP A1, SR proteins, and p68 helicase in c-H-ras alternative splicing regulation. <i>Molecular and Cellular Biology</i> , 2003 , 23, 2927-41	4.8	100
124	The coupling of gas and liquid chromatography with mass spectrometry □ <i>Journal of Mass Spectrometry</i> , 1999 , 34, 157-168	2.2	97
123	Fish proteome analysis: model organisms and non-sequenced species. <i>Proteomics</i> , 2010 , 10, 858-72	4.8	93
122	rBAT-b(0,+)-AT heterodimer is the main apical reabsorption system for cystine in the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2002 , 283, F540-8	4.3	79
121	Diethylmaleate activates the transcription factor Pap1 by covalent modification of critical cysteine residues. <i>Molecular Microbiology</i> , 2002 , 45, 243-54	4.1	76
120	Comparative photodegradation rates of alachlor and bentazone in natural water and determination of breakdown products. <i>Environmental Toxicology and Chemistry</i> , 1995 , 14, 1287-1298	3.8	70
119	Phosphorylation analysis of primary human T lymphocytes using sequential IMAC and titanium oxide enrichment. <i>Journal of Proteome Research</i> , 2008 , 7, 5167-76	5.6	66
118	Quantitative peptide bioanalysis using column-switching nano liquid chromatography/mass spectrometry. <i>Journal of Mass Spectrometry</i> , 1998 , 33, 976-83	2.2	64
117	Isotope dilution mass spectrometry for absolute quantification in proteomics: concepts and strategies. <i>Journal of Proteomics</i> , 2014 , 96, 184-99	3.9	63
116	Urine proteomics to detect biomarkers for chronic allograft dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 428-35	12.7	61

115	Leghemoglobin green derivatives with nitrated hemes evidence production of highly reactive nitrogen species during aging of legume nodules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2660-5	11.5	61
114	Analysis of chlorotriazines and their degradation products in environmental samples by selecting various operating modes in thermospray HPLC/MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 1993 , 41, 1264-1273	5.7	61
113	High-performance liquid chromatography-thermospray mass spectrometry of ten sulfonamide antibiotics. Analysis in milk at the ppb level. <i>Journal of Chromatography A</i> , 1993 , 629, 267-76	4.5	61
112	Electrospray ionization mass spectrometry of oligosaccharides derived from fucoidan of <i>Ascophyllum nodosum</i> . <i>Carbohydrate Research</i> , 2007 , 342, 826-34	2.9	58
111	Flavin excretion from roots of iron-deficient sugar beet (<i>Beta vulgaris</i> L.). <i>Planta</i> , 1994 , 193, 514-519	4.7	54
110	Absolute and site-specific quantification of protein phosphorylation using integrated elemental and molecular mass spectrometry: its potential to assess phosphopeptide enrichment procedures. <i>Analytical Chemistry</i> , 2008 , 80, 1777-87	7.8	51
109	Characterization of the human plasma phosphoproteome using linear ion trap mass spectrometry and multiple search engines. <i>Journal of Proteome Research</i> , 2010 , 9, 876-84	5.6	48
108	Utility of proteomics to assess pollutant response of clams from the Doñana bank of Guadalquivir Estuary (SW Spain). <i>Proteomics</i> , 2006 , 6 Suppl 1, S245-55	4.8	48
107	Light-induced conformational changes of cyanobacterial phytochrome Cph1 probed by limited proteolysis and autophosphorylation. <i>Biochemistry</i> , 2005 , 44, 450-61	3.2	45
106	Proteomic analysis of plasma from patients with systemic lupus erythematosus: increased presence of haptoglobin alpha2 polypeptide chains over the alpha1 isoforms. <i>Proteomics</i> , 2006 , 6 Suppl 1, S282-92	4.8	45
105	Cell viability and proteomic analysis in cultured neurons exposed to methylmercury. <i>Human and Experimental Toxicology</i> , 2007 , 26, 263-72	3.4	44
104	Leghemoglobin is nitrated in functional legume nodules in a tyrosine residue within the heme cavity by a nitrite/peroxide-dependent mechanism. <i>Plant Journal</i> , 2015 , 81, 723-35	6.9	43
103	Thyroglobulin peptides associate in vivo to HLA-DR in autoimmune thyroid glands. <i>Journal of Immunology</i> , 2008 , 181, 795-807	5.3	43
102	Determination of protein markers in human serum: Analysis of protein expression in toxic oil syndrome studies. <i>Proteomics</i> , 2004 , 4, 303-15	4.8	41
101	Dissection of the HLA-DR4 peptide repertoire in endocrine epithelial cells: strong influence of invariant chain and HLA-DM expression on the nature of ligands. <i>Journal of Immunology</i> , 2004 , 173, 1085-93	5.3	37
100	Preparation of porous n-type silicon sample plates for desorption/ionization on silicon mass spectrometry (DIOS-MS). <i>Lab on A Chip</i> , 2002 , 2, 247-53	7.2	36
99	Two-dimensional difference gel electrophoresis urinary proteomic profile in the search of nonimmune chronic allograft dysfunction biomarkers. <i>Transplantation</i> , 2010 , 89, 548-58	1.8	35
98	Functional characterization of an unusual phytochelatin synthase, LjPCS3, of <i>Lotus japonicus</i> . <i>Plant Physiology</i> , 2008 , 148, 536-45	6.6	34

97	Methylmercury disrupts the balance between phosphorylated and non-phosphorylated cofilin in primary cultures of mice cerebellar granule cells. A proteomic study. <i>Toxicology and Applied Pharmacology</i> , 2010 , 242, 109-18	4.6	33
96	Drosophila MTN: a metazoan copper-thionein related to fungal forms. <i>FEBS Letters</i> , 2000 , 467, 189-94	3.8	32
95	Composition of the HLA-DR-associated human thymus peptidome. <i>European Journal of Immunology</i> , 2013 , 43, 2273-82	6.1	31
94	Biochemical characterization of recombinant and circulating human Spalpa. <i>Tissue Antigens</i> , 2004 , 63, 335-44		31
93	The 2-oxoglutarate carrier promotes liver cancer by sustaining mitochondrial GSH despite cholesterol loading. <i>Redox Biology</i> , 2018 , 14, 164-177	11.3	30
92	Quantitative electrospray LC-MS and LC-MS/MS in biomedicine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998 , 17, 1129-38	3.5	29
91	Storage time and deodorization temperature influence the formation of aniline-derived compounds in denatured rapeseed oils. <i>Food and Chemical Toxicology</i> , 2001 , 39, 91-6	4.7	29
90	2-D DIGE analysis of Senegalese sole (<i>Solea senegalensis</i>) testis proteome in wild-caught and hormone-treated F1 fish. <i>Proteomics</i> , 2009 , 9, 2171-81	4.8	28
89	F2 isoprostane is already increased at the onset of type 1 diabetes mellitus: effect of glycemic control. <i>Metabolism: Clinical and Experimental</i> , 2004 , 53, 1118-20	12.7	28
88	HLA-DR4 molecules in neuroendocrine epithelial cells associate to a heterogeneous repertoire of cytoplasmic and surface self peptides. <i>Journal of Immunology</i> , 2002 , 169, 5052-60	5.3	28
87	Effect of abscisic Acid on the linoleic Acid metabolism in developing maize embryos. <i>Plant Physiology</i> , 1991 , 95, 1277-83	6.6	27
86	Differential expression of proteins from cultured endothelial cells exposed to uremic versus normal serum. <i>American Journal of Kidney Diseases</i> , 2008 , 51, 603-12	7.4	26
85	Determination of D-fagomine in buckwheat and mulberry by cation exchange HPLC/ESI-Q-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1953-60	4.4	25
84	Increased CD38 expression in T cells and circulating anti-CD38 IgG autoantibodies differentially correlate with distinct cytokine profiles and disease activity in systemic lupus erythematosus patients. <i>Cytokine</i> , 2013 , 62, 232-43	4	25
83	Transcriptional and proteomic profiling of flatfish (<i>Solea senegalensis</i>) spermatogenesis. <i>Proteomics</i> , 2011 , 11, 2195-211	4.8	25
82	Surfing transcriptomic landscapes. A step beyond the annotation of chromosome 16 proteome. <i>Journal of Proteome Research</i> , 2014 , 13, 158-72	5.6	24
81	Proteomic study of neuron and astrocyte cultures from senescence-accelerated mouse SAMP8 reveals degenerative changes. <i>Journal of Neurochemistry</i> , 2009 , 111, 945-55	6	23
80	Characterization of phenolic glucosides from soybean root nodules by ion-exchange high performance liquid chromatography, ultraviolet spectroscopy and electrospray mass spectrometry. <i>Phytochemical Analysis</i> , 1998 , 9, 171-176	3.4	23

79	Formation of the adduct 6-(deoxyguanosin-N2-yl)-3-amino-benzo[a]pyrene from the mutagenic environmental contaminant 3-nitrobenzo[a]pyrene. <i>Carcinogenesis</i> , 1993 , 14, 1065-7	4.6	23
78	Lipoprotein lipase is nitrated in vivo after lipopolysaccharide challenge. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 1553-60	7.8	22
77	Characterization of peptides and proteins in commercial HSA solutions. <i>Proteomics</i> , 2010 , 10, 172-81	4.8	22
76	Direct analysis of the major human seminal prostaglandins by thermospray high-performance liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 1987 , 394, 147-53	4.5	20
75	Thermospray liquid chromatography/mass spectrometry of prostaglandin methyl ester derivatives: application to the determination of prostaglandins E2 and D2 in rat gastric mucosa. <i>Biological Mass Spectrometry</i> , 1988 , 16, 215-9		20
74	A <i>Candida albicans</i> PeptideAtlas. <i>Journal of Proteomics</i> , 2014 , 97, 62-8	3.9	19
73	The presence of D-fagomine in the human diet from buckwheat-based foodstuffs. <i>Food Chemistry</i> , 2013 , 136, 1316-21	8.5	19
72	Determination of aniline derivatives in oils related to the toxic oil syndrome by atmospheric pressure ionization-tandem mass spectrometry. <i>Analytical Chemistry</i> , 2001 , 73, 3828-37	7.8	19
71	Increased expression and phosphorylation of the two S100A9 isoforms in mononuclear cells from patients with systemic lupus erythematosus: a proteomic signature for circulating low-density granulocytes. <i>Journal of Proteomics</i> , 2012 , 75, 1778-91	3.9	18
70	Non-aqueous capillary electrophoresis of the positional isomers of a sulfated monosaccharide. <i>Journal of Chromatography A</i> , 2003 , 987, 467-76	4.5	18
69	Cigarette smoke concentrate increases 8-epi-PGF2alpha and TGFbeta1 secretion in rat mesangial cells. <i>Life Sciences</i> , 2004 , 75, 611-21	6.8	18
68	Spanish human proteome project: dissection of chromosome 16. <i>Journal of Proteome Research</i> , 2013 , 12, 112-22	5.6	17
67	The phosphoproteome of human Jurkat T cell clones upon costimulation with anti-CD3/anti-CD28 antibodies. <i>Journal of Proteomics</i> , 2016 , 131, 190-198	3.9	16
66	The effects of smoking and its cessation on 8-epi-PGF2alpha and transforming growth factor-beta 1 in Type 1 diabetes mellitus. <i>Diabetic Medicine</i> , 2004 , 21, 285-9	3.5	16
65	Identification of p21Cip1 binding proteins by gel electrophoresis and capillary liquid chromatography microelectrospray tandem mass spectrometry. <i>Proteomics</i> , 2002 , 2, 455-68	4.8	16
64	The peptide-binding motif of HLA-DR8 shares important structural features with other type 1 diabetes-associated alleles. <i>Genes and Immunity</i> , 2011 , 12, 504-12	4.4	15
63	Transcriptomic and proteomic analysis of liver and muscle alterations caused by surgical stress in rats. <i>Clinical Science</i> , 2005 , 108, 167-78	6.5	15
62	Urinary Proteome Analysis Identified Neprilysin and VCAM as Proteins Involved in Diabetic Nephropathy. <i>Journal of Diabetes Research</i> , 2018 , 2018, 6165303	3.9	14

61	Identification of the autoantigen HB as the barrier-to-autointegration factor. <i>Journal of Biological Chemistry</i> , 2003 , 278, 50641-4	5.4	13
60	Thermospray high-performance liquid chromatography/mass spectrometric determination of cyclosporins. <i>Rapid Communications in Mass Spectrometry</i> , 1992 , 6, 684-9	2.2	13
59	LymphOS: design of a phosphosite database of primary human T cells. <i>Proteomics</i> , 2009 , 9, 3741-51	4.8	12
58	Expression of differential antennal proteins in males and females of an important crop pest, <i>Sesamia nonagrioides</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2009 , 39, 11-9	4.5	12
57	Comparative study of different thermospray interfaces with carbamate pesticides: Influence of the ion source geometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1995 , 6, 656-67	3.5	12
56	A collection of open source applications for mass spectrometry data mining. <i>Proteomics</i> , 2014 , 14, 2275-2.8	2.8	11
55	UTP affects the Schwannoma cell line proteome through P2Y receptors leading to cytoskeletal reorganisation. <i>Proteomics</i> , 2012 , 12, 145-56	4.8	11
54	Large-Scale Filter-Aided Sample Preparation Method for the Analysis of the Ubiquitinome. <i>Analytical Chemistry</i> , 2017 , 89, 3840-3846	7.8	10
53	Discovery of lipoprotein lipase pl isoforms and contributions to their characterization. <i>Journal of Proteomics</i> , 2009 , 72, 1031-9	3.9	10
52	A Comprehensive Tyrosine Phosphoproteomic Analysis Reveals Novel Components of the Platelet CLEC-2 Signaling Cascade. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 262-276	7	10
51	A multicentric study to evaluate the use of relative retention times in targeted proteomics. <i>Journal of Proteomics</i> , 2017 , 152, 138-149	3.9	9
50	LymphOS 2.0: an update of a phosphosite database of primary human T cells. <i>Database: the Journal of Biological Databases and Curation</i> , 2015 , 2015,	5	9
49	On the generation and outcome of 3-(N-phenylamino)propane-1,2-diol derivatives in deodorized model oils related to toxic oil syndrome. <i>Chemical Research in Toxicology</i> , 2005 , 18, 665-74	4	9
48	Absorption and effects of 3-(N-phenylamino)-1,2-propanediol esters in relation to toxic oil syndrome. <i>Lipids</i> , 2001 , 36, 1125-33	1.6	9
47	The primary structure of a chondrichthyan protamine: a new apparent contradiction in protamine evolution. <i>Journal of Molecular Evolution</i> , 1996 , 43, 528-35	3.1	9
46	On the origin of some controversial ions (m/z 59, 60, 77, and 119) in the thermospray reagent plasma from ammonium acetate. <i>Journal of the American Society for Mass Spectrometry</i> , 1994 , 5, 186-93	3.5	9
45	Synthesis of N-[ring-G-3H]phenyllinoleamide and N-phenyl[1-14C]linoleamide as labelled standards for spanish toxic oil syndrome studies. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 1986 , 23, 1029-1033	1.9	9
44	The Exposed Proteomes of <i>Brachyspira hyodysenteriae</i> and <i>B. pilosicoli</i> . <i>Frontiers in Microbiology</i> , 2016 , 7, 1103	5.7	9

43	A Combination of Proteomic Approaches Identifies A Panel of Circulating Extracellular Vesicle Proteins Related to the Risk of Suffering Cardiovascular Disease in Obese Patients. <i>Proteomics</i> , 2019 , 19, e1800248	4.8	9
42	Proteomic analysis of polypeptides captured from blood during extracorporeal albumin dialysis in patients with cholestasis and resistant pruritus. <i>PLoS ONE</i> , 2011 , 6, e21850	3.7	8
41	Mass spectrometric determination of the cleavage sites in Escherichia coli dihydroorotase induced by a cysteine-specific reagent. <i>Journal of Biological Chemistry</i> , 1997 , 272, 26934-9	5.4	8
40	LC-MS ion maps for the characterization of aniline derivatives of fatty acids and triglycerides in laboratory-denatured rapeseed oil. <i>Journal of Mass Spectrometry</i> , 2007 , 42, 527-41	2.2	8
39	Proteotyping of human haptoglobin by MALDI-TOF profiling: Phenotype distribution in a population of toxic oil syndrome patients. <i>Proteomics</i> , 2006 , 6 Suppl 1, S272-81	4.8	8
38	On-line preconcentration microliquid chromatography tandem mass spectrometric method for bradykinin analysis in plasma. <i>Journal of Separation Science</i> , 2001 , 13, 265-274		8
37	Gas chromatographic/mass spectrometric analysis of high-performance liquid chromatographic fractions reflecting arachidonic acid metabolism in mouse peritoneal macrophages. <i>Biological Mass Spectrometry</i> , 1992 , 21, 69-79		8
36	Detection and isolation of pentachlorophenol in oil samples associated with the Spanish toxic oil syndrome. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1990 , 45, 181-8	2.7	8
35	Application of thermospray/high-performance liquid chromatography/mass spectrometry to the identification of glutathione conjugates derived from bioactive epoxides. <i>Biological Mass Spectrometry</i> , 1988 , 16, 339-44		8
34	A comprehensive Candida albicans PeptideAtlas build enables deep proteome coverage. <i>Journal of Proteomics</i> , 2016 , 131, 122-130	3.9	7
33	Analysis of the HLA class I associated peptide repertoire in a hepatocellular carcinoma cell line reveals tumor-specific peptides as putative targets for immunotherapy. <i>Proteomics - Clinical Applications</i> , 2007 , 1, 286-98	3.1	7
32	Characteristic fragmentation of thromboxane B2 in thermospray high-performance liquid chromatography-mass spectrometry. <i>Biomedical Applications</i> , 1991 , 562, 153-68		7
31	Products formed from the in vitro reaction of metabolites of 3-aminochrysene with calf thymus DNA. <i>Chemico-Biological Interactions</i> , 1993 , 86, 1-15	5	7
30	Determination of oxidation products of N-phenyllinoleamide: Spanish toxic oil syndrome studies. <i>Biomedical Applications</i> , 1988 , 426, 83-91		7
29	Effects of sample matrix and high performance liquid chromatography eluent composition on the thermospray response for polar compounds. <i>Rapid Communications in Mass Spectrometry</i> , 1988 , 2, 232-5	2.2	7
28	Application of proteomic tools to detect the nonspecificity of a polyclonal antibody against lipoprotein lipase. <i>Journal of Proteome Research</i> , 2008 , 7, 4173-7	5.6	6
27	Automated strong cation exchange extraction of fatty acid esters of 3-(N-phenylamino)-1,2-propanediol from oil samples for routine quantification by HPLC-APCI/MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 5085-91	5.7	6
26	Metabolism of N-phenyllinoleamide by rat liver. <i>Biomedical Applications</i> , 1993 , 615, 191-6		6

25	Mitochondrial Proteome of Affected Glutamatergic Neurons in a Mouse Model of Leigh Syndrome. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 660	5.7	6
24	Thermospray and electrospray mass spectrometry of flavocoenzymes. Analysis of riboflavin sulphates from sugar beet. <i>Analytica Chimica Acta</i> , 1995 , 302, 215-223	6.6	5
23	Use of methyl oxime derivatives to enhance structural information in thermospray high-performance liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 1991 , 554, 155-173	4.5	5
22	High-performance liquid chromatography-thermospray mass spectrometry of gibberellins. <i>Journal of Chromatography A</i> , 1992 , 603, 157-164	4.5	5
21	Discovery of large molecules as new biomarkers in wastewater using environmental proteomics and suitable polymer probes. <i>Science of the Total Environment</i> , 2020 , 747, 141145	10.2	5
20	and Proteins Recognized by Sera of Challenged Pigs. <i>Frontiers in Microbiology</i> , 2017 , 8, 723	5.7	4
19	Mass spectrometric identification of N-phenyllinoleamide metabolites in mouse peritoneal macrophages. <i>Rapid Communications in Mass Spectrometry</i> , 1995 , 9, 753-60	2.2	4
18	Platelet membrane lipid rafts protein composition varies following GPVI and CLEC-2 receptors activation. <i>Journal of Proteomics</i> , 2019 , 195, 88-97	3.9	3
17	Epoxidation of 6,7- and 10,11-oxidosqualenes by the squalene epoxidase present in rat liver microsomes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993 , 3, 2581-2586	2.9	3
16	Manganese-induced neurotoxicity in cerebellar granule neurons due to perturbation of cell network pathways with potential implications for neurodegenerative disorders. <i>Metallomics</i> , 2020 , 12, 1656-1678	4.5	3
15	Phosphoproteomic Analysis of Platelets in Severe Obesity Uncovers Platelet Reactivity and Signaling Pathways Alterations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021 , 41, 478-490	9.4	2
14	Leghemoglobins with Nitrated Hemes in Legume Root Nodules 2015 , 705-714		2
13	Lipoprotein lipase isoelectric point isoforms in humans. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 480-5	3.4	2
12	Proteomics of toxic oil syndrome in humans: Phenotype distribution in a population of patients. <i>Chemico-Biological Interactions</i> , 2011 , 192, 129-35	5	2
11	Capillary separations. <i>Methods in Molecular Biology</i> , 2004 , 251, 143-64	1.4	2
10	Chapter 9 LC-MS. II: Applications for pesticide food analysis. <i>Comprehensive Analytical Chemistry</i> , 2005 , 403-437	1.9	2
9	Inflammatory capacity of exosomes released in the early stages of acute pancreatitis predicts the severity of the disease. <i>Journal of Pathology</i> , 2021 ,	9.4	2
8	P2P proteomics -- data sharing for enhanced protein identification. <i>Automated Experimentation</i> , 2012 , 4, 1		1

7	Determination of pesticide epitopic density in protein immunoconjugates by electrospray mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1997 , 160, 395-407		1
6	Isoform-specific quantification of endothelins in HUVEC culture supernatants by on-line high-performance liquid chromatography/electrospray mass spectrometry. <i>Biomedical Chromatography</i> , 2004 , 18, 388-95	1.7	1
5	High-performance liquid chromatography/thermospray mass spectrometry of some prostaglandins of the F series. <i>Journal of Mass Spectrometry</i> , 1995 , 30, 608-616	2.2	1
4	Prostaglandin levels in infertile patients affected by asthenozoospermia and prostatitis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1988 , 31, 41-4	2.8	1
3	TCellXTalk facilitates the detection of co-modified peptides for the study of protein post-translational modification cross-talk in T cells. <i>Bioinformatics</i> , 2019 , 35, 1404-1413	7.2	1
2	Spontaneous changes in brain striatal dopamine synthesis and storage dynamics ex vivo reveal end-product feedback-inhibition of tyrosine hydroxylase.. <i>Neuropharmacology</i> , 2022 , 109058	5.5	0
1	The Primary Structure of a Chondrichthyan Protamine: A New Apparent Contradiction in Protamine Evolution. <i>Journal of Molecular Evolution</i> , 1996 , 43, 528-535	3.1	